



Hume doors PRICE CATALOGUE 2016-NSW

SPARK BUSINESS GROUP PTY LTD



**Unit 3, 13 McCormack Street,
Arndell Park, NSW 2148**

Contact: 02 8807717

ABN 18161639407

web : www.sparkbusinessgroup.com.au

e-mail : sparkbusinessgroup@yahoo.com



"When it comes to designing a home the natural flow and seamless integration of the inside and out is important. Doors play a pivotal role in this design element. Practical consideration to door design helps provide timeless aesthetics for your home."

- Janet Coker, Specifying Dynamics



HUME VALUES

- To innovate and make a difference in your home
- To continue to build valued relationships with staff, suppliers and distributors
- To continue to improve on our environmental sustainability and recycling

Hume Doors & Timber is the nation's largest 100% Australian owned timber door manufacturer with over 60 years of proud history. Hume Doors will always stand by its family based values and exceptional customer service. Whether leading the way in sustainability, innovation or design, Hume Doors & Timber remains committed to developing outstanding products for the Australian market.

HUME DOORS & TIMBER

60 YEARS HISTORY

Scan QR code to view our 60 year history video



ENTRANCE..... 6 - 22

SAVOY1200.....	6	REGENCY.....	14	NEXUS.....	19
SAVOY820.....	7	VAUCLUSE PREMIER.....	15	CAMDEN.....	19
VERVE.....	8	GRANGE.....	16	CARRINGBUSH.....	20
LINEAR.....	9	TREND.....	16	LINCOLN.....	20
ILLUSION.....	10	BRUNSWICK.....	17	BFR DOORS (BUSHFIRE RANGE).....	21
NEWINGTON.....	11	VENETIAN.....	17	GLASS OPENING.....	22
JOINERY.....	12	SANDGATE.....	18		
VAUCLUSE.....	13	DURADOOR.....	18		

ENTRANCE SYSTEMS..... 24 - 27

PIVOT FRAMES.....	24	STANDARD FRAMES.....	26
ALFRESCO MULTIFOLD.....	25	WEATHERGUARD.....	27

INTERNAL..... 28 - 37

HUMECRAFT.....	28	STRATA.....	32	PREMIUM.....	35
SORRENTO.....	29	CHIC.....	33	MOULDED PANEL WOODGRAIN.....	36
JOINERY.....	30	ACCENT.....	34	MOULDED PANEL SMOOTH SKIN.....	37
LINEAR.....	31				

FLUSH..... 38 - 39

HONEYCOMB CORE.....	38
SOLICORE.....	39
SOLID CORE.....	39

INTERNAL SYSTEMS..... 40 - 44

PRE-HUNG.....	40	SMARTROBE.....	42
FLUSH BI-FOLD.....	41	MULTI-FOLD.....	43
BI-FOLD.....	41	CAVITY UNITS.....	44

COMMERCIAL..... 45 - 47

COMMERCIAL PRODUCTS.....	45
FIRE DOORS.....	46
STEEL DOOR FRAMES.....	47

GLAZING OPTIONS..... 48 - 49

TIMBER..... 50 - 51

FIBRE CEMENT PRODUCTS.....	50
TIMBER MOULDINGS PROFILES.....	51

EXTRAS..... 23 & 52 - 56

HOW TO HANG A DOOR.....	23	TERMS AND CONDITIONS OF SALE.....	54
ADDITIONAL EXTRAS.....	52	OVERHEAD PROTECTION.....	55
DOOR MASS AND REBATED HANDING.....	53	CARE AND MAINTENANCE.....	55
STEEL DOOR FRAME WARRANTY.....	53	CONTACT DETAILS.....	56

The mission of FSC is to support environmentally appropriate, socially beneficial, and economically viable management of the world's forests. PEFC are committed to conserving forests and their invaluable biodiversity, and the communities and families that own, work and live in and around forests.

Paper honeycomb core is manufactured from 97-98% recycled pulp (predominantly cellulose), or post consumer reclaimed old corrugated cardboard (OCC) materials.

Environmentally appropriate forest management ensures that the harvest of timber and non-timber products maintains the forest's biodiversity, productivity and ecological processes.

Our major door components have the following environmental footprint:

- Door faces are made from either PEFC or FSC mix sources, AFS or certified ISO 14001 materials.
- Door infills are made from PEFC or FSC mix sources or from reclaimed wood chips and AFS.
- Door stiles, rails and lock blocks are sourced from PEFC or FSC certified suppliers.
- Many raw materials are sourced from Hume Pine NZ Ltd which is FSC certified (SW-CoC-000815).

Hume Doors & Timber (Aust) Pty Ltd is a certified member of the Forest Stewardship Council® (SGS-CoC-009377) as well as a member of the Programme for the Endorsement of Forest Certification Schemes (SGS-PEFC/CoC-1532).



Hume Doors & Timber (Qld) Pty Ltd is also a certified member of the Forest Stewardship Council (SGS-CoC-009405) as well as a member of the Programme for the Endorsement of Forest Certification Schemes (SGS-PEFC/CoC-1503).



BAL COMPLIANCE



Hume Doors & Timber has extensively tested its comprehensive range of doors and door frame systems, which include both hinged and pivoted entry frame systems up to 2700 x 1200, to meet the AS1530.8.1 criteria set for buildings in BAL (Bushfire Attack Level) zoned areas without compromising on functionality and aesthetics.

Look out for our BAL symbol throughout our Catalogue for compliance. Doors must be installed as per AS3959-2009 to conform to BAL (Bushfire Attack Level) compliance. Refer to our website for further information: www.humedoors.com.au



SOUND RATING



Hume Doors & Timber has extensively sound tested its comprehensive range of doors. Sound Transmission Class (STC) tested to ASTM E 413-87 and Acoustic Weighted Reduction (Rw) tested to ISO 717-1.

Look out for our sound rating symbol throughout our Catalogue. To achieve the rating doors must be installed with seals of equivalent RW/STC and must be installed as per the seal manufacturers recommendations. Refer to our website for further information; www.humedoors.com.au

Hume Doors & Timber is committed to operating its entire business processes in an environmentally sustainable manner at all times. We embrace environmental awareness, protection and enhancement. Our goal is to be regarded as an environmentally responsible corporate citizen that practices environmental stewardship and provides our valued customer base with complete confidence that our products have been produced in accordance with applicable independent environmental standards.

- Reusing and recycling by-products, packaging and waste material
- Reducing the level of packaging and consumables used
- Capturing, storing and using rainwater for our water needs
- Maximise transport loads, thus reducing energy requirements

WE EMBRACE ENVIRONMENTAL AWARENESS, PROTECTION AND ENHANCEMENT.

Timber is a fully sustainable resource that is non-toxic, reusable and versatile. The continued growth and planting of forests aid in the reduction of carbon dioxide. The future of our products, business, industry and customer satisfaction is directly linked to the sustainable management of the world's forests.


Our manufacturing and distribution processes have been designed to minimise our environmental footprint by, among other things:

- Utilising energy to its maximum efficiency
- Subscribing to renewal energy sources (where possible)
- Utilising recycled product (where possible)
- Organising our transportation routes to minimise energy requirements of our vehicle fleet
- Providing reliable, long lasting products that are backed by a 5 year guarantee
- Ensuring our suppliers of raw material products are accredited by appropriate independent, third party environmental stewardship programs including FSC (Forest Stewardship Council), PEFC (Programme for the Endorsement of Forest Certification Schemes), AFS (Australian Forestry Standard), etc and hold to the principles of and guidelines contained within these programs.

FACE OPTIONS



GLASS OPTIONS



XS24



XS26



XS28



XS45

DESIGN CODE		XS24	XS24	XS26	XS26	XS28	XS28	XS45	XS45
Unglazed Door									
2040x1200x40		\$ 657		\$ 688		\$ 704		\$ 709	
2340x1200x40			\$ 709		\$ 742		\$ 758		\$ 763
Glazed Standard Sized Door									
Clear	G1	\$ 889	\$ 943	\$ 937	\$ 985	\$ 995	\$ 1,049	\$ 959	\$ 1,011
Grey Tint	G2	\$ 964	\$ 1,017	\$ 1,011	\$ 1,060	\$ 1,070	\$ 1,123	\$ 1,033	\$ 1,086
Cathedral	G2	\$ 964	\$ 1,017	\$ 1,011	\$ 1,060	\$ 1,070	\$ 1,123	\$ 1,033	\$ 1,086
Translucent	G2	\$ 964	\$ 1,017	\$ 1,011	\$ 1,060	\$ 1,070	\$ 1,123	\$ 1,033	\$ 1,086
Africana	G3	\$ 1,017	\$ 1,070	\$ 1,060	\$ 1,112	\$ 1,123	\$ 1,176	\$ 1,086	\$ 1,133
Low E	G3	\$ 1,017	\$ 1,070	\$ 1,060	\$ 1,112	\$ 1,123	\$ 1,176	\$ 1,086	\$ 1,133
Rice Paper	G4	\$ 1,207	\$ 1,261	\$ 1,255	\$ 1,303	\$ 1,313	\$ 1,367	\$ 1,277	\$ 1,329
Geostep	G4	\$ 1,207	\$ 1,261	\$ 1,255	\$ 1,303	\$ 1,313	\$ 1,367	\$ 1,277	\$ 1,329

Made To Order

Tassie Oak / Merbau / Blackbutt Additional \$ 771

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects





XS2



XS2 With mouldings and raised panels



XS3



XS4



XS11



XS24



XS26



XS28



XS45

DESIGN CODE		XS2	XS3	XS4	XS11	XS24	XS26	XS28	XS45
Unglazed Door/Sidelite									
2040x820x40		\$ 313	\$ 327		\$ 327	\$ 327	\$ 337	\$ 347	\$ 347
2040x400x40				\$ 212					
Timber Mouldings one face - Additional		\$ 77	\$ 77	\$ 46					
Raised Panels one face - Additional		\$ 48	\$ 29	\$ 19					
Glazed Standard Size Door/Sidelite									
Clear	G1		\$ 457	\$ 277	\$ 419	\$ 448	\$ 458	\$ 462	\$ 563
Grey Tint	G2		\$ 549	\$ 323	\$ 472	\$ 491	\$ 505	\$ 530	\$ 650
Cathedral	G2		\$ 549	\$ 323	\$ 472	\$ 491	\$ 505	\$ 530	\$ 650
Translucent	G2		\$ 549	\$ 323	\$ 472	\$ 491	\$ 505	\$ 530	\$ 650
Frost Coloured Design	G2		\$ 549	\$ 323					
Frost Panama	G3		\$ 616	\$ 356					
Budget Leadlight	G3		\$ 616	\$ 356					
Africana	G6		\$ 648	\$ 409	\$ 525	\$ 573	\$ 587	\$ 612	\$ 804
Low E	G6		\$ 648	\$ 409	\$ 525	\$ 573	\$ 587	\$ 612	\$ 804
Rice Paper	G7		\$ 684	\$ 458	\$ 563	\$ 655	\$ 669	\$ 689	\$ 876
Geostep	G7		\$ 684	\$ 458	\$ 563	\$ 655	\$ 669	\$ 689	\$ 876

Made To Order

XS11, XS24, XS26, XS28, XS45	Tassie Oak / Merbau / Blackbutt	Additional \$ 771
XS11, XS24, XS26, XS28, XS45	Min 1990x805x40 - Max 2400x1200x40	Additional \$ 771

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects

FACE OPTIONS



SPM (standard)



Tassie Oak



Merbau



Blackbutt

GLASS OPTIONS



Clear



Grey Tint



Cathedral



Translucent



Low E



Africana




Geostep



Rice Paper

For other glass designs refer to Glazing Options table on page 48-49



Door Frame
Stiles & Rails
Laminated
Veneered Timber
Infill Panel
Veneered MDF
or Glass



Bushfire zoned doors. These doors are tested to AS1530.8.1 2007 and are BAL 12.5 compliant when installed as per AS 3959-2009. Check the Hume Doors website for BAL information.

FACE OPTIONS



Tempered
Hardboard
(standard)

SPM



GLASS OPTIONS



Clear

Grey Tint



Cathedral

Translucent





Rice Paper

Geostep



Low E



VER1

VER2

VER4

VER6

VER8

VER11

DESIGN CODE		VER1	VER2	VER4	VER6	VER8	VER11
Unglazed Door							
2040x820x40		\$ 281	\$ 315	\$ 333	\$ 342	\$ 370	\$ 315
Glazed Standard Size Door							
Clear	G1	\$ 361	\$ 404	\$ 417	\$ 459	\$ 497	\$ 404
Grey Tint	G2	\$ 404	\$ 446	\$ 469	\$ 506	\$ 544	\$ 446
Cathedral	G2	\$ 404	\$ 446	\$ 469	\$ 506	\$ 544	\$ 446
Translucent	G2	\$ 404	\$ 446	\$ 469	\$ 506	\$ 544	\$ 446
Rice Paper	G3	\$ 450	\$ 497	\$ 521	\$ 563	\$ 614	\$ 497
Geostep	G3	\$ 450	\$ 497	\$ 521	\$ 563	\$ 614	\$ 497
Low E	G3	\$ 450	\$ 497	\$ 521	\$ 563	\$ 614	\$ 497

Made To Order

SPM - Stain Grade	Additional \$ 42
2040x870x40	Additional \$ 65
2040x920x40	Additional \$ 80
2340x820x40	Additional \$ 90
2040x1200x40	Additional \$ 253
Min 1990x805 - Max 2400x1200x40	Additional \$ 281

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects





XLR110



XLR120



XLR130



XLR140



XLR150



XLR160



XLR170



XLR180



XLR300



XLR310



XLR320

DESIGN CODE		XLR110	XLR120	XLR130	XLR140	XLR150	XLR160	XLR170	XLR180	XLR300	XLR310	XLR320
Unglazed Door												
2040x820x40		\$ 330	\$ 281	\$ 234	\$ 234	\$ 459	\$ 506	\$ 234	\$ 516	\$ 549	\$ 536	\$ 536
Glazed Standard Size Door												
Clear	G1	\$ 506	\$ 366				\$ 591		\$ 722			
Grey Tint	G2	\$ 549	\$ 423				\$ 648		\$ 765			
Cathedral	G2	\$ 549	\$ 423				\$ 648		\$ 765			
Translucent	G2	\$ 549	\$ 423				\$ 648		\$ 765			
Linear Clear	G2	\$ 549	\$ 423				\$ 648		\$ 765			
Linear Satinlite	G3	\$ 610	\$ 474				\$ 699		\$ 826			
Africana	G4	\$ 666	\$ 502				\$ 727		\$ 882			

Made To Order

2040x870x40	XLR110, XLR180 glass size same as 2040x820	Additional \$ 65
2040x920x40	XLR110, XLR180 glass size same as 2040x820	Additional \$ 80
2340x820x40	XLR110, XLR180 glass size same as 2040x820	Additional \$ 90
Min 1990x805 - Max 2400x1200x40	XLR110, XLR180 not available	Additional \$ 281

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Alignment of horizontal rout is not guaranteed for pairs

Not suitable for rebated pairs.

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects

FACE OPTIONS



Tempered Hardboard
XLR110, 120,
130, 140, 170
(standard)



SPM
XLR150, 160,
180, 300, 310,
320 as
(standard)

GLASS OPTIONS




Clear



Grey Tint



Africana



Translucent




Cathedral



Detail of Linear Clear



Detail of Linear Satinlite



Door Frame
Stile & Rail
Door Core
HMR MDF
Door Face



Bushfire zoned doors. These doors are tested to AS1530.8.1 2007 and are BAL 12.5 compliant when installed as per AS 3959-2009. Check the Hume Doors website for BAL information.

FACE OPTIONS



SPM

GLASS OPTIONS



Clear




Grey Tint



Frost



Africana



XIL21



XIL22



XIL23



XIL26



XIL1



XIL2



XIL3



XIL6



JST11

DESIGN CODE		XIL1	XIL2	XIL3	XIL6	XIL21	XIL22	XIL23	XIL26	JST11
Clear Glazed										
2040x820x40		\$ 659	\$ 659	\$ 659	\$ 659					
2040x1200x40						\$ 800	\$ 800	\$ 800	\$ 800	
2340x820x40 (Clear)		\$ 790	\$ 790	\$ 790	\$ 790					
2340x1200x40 (Clear)						\$ 1,061	\$ 1,061	\$ 1,061	\$ 1,061	
Unglazed										
2040x400x40										\$ 193
Glazed Standard Size Door/Sidelite										
Clear	G1	\$ 659	\$ 659	\$ 659	\$ 659	\$ 800	\$ 800	\$ 800	\$ 800	\$ 298
Grey Tint	G2	\$ 737	\$ 737	\$ 737	\$ 737	\$ 886	\$ 886	\$ 886	\$ 886	\$ 337
Frost	G2	\$ 737	\$ 737	\$ 737	\$ 737	\$ 886	\$ 886	\$ 886	\$ 886	\$ 337
Africana	G3	\$ 747	\$ 747	\$ 747	\$ 747	\$ 896	\$ 896	\$ 896	\$ 896	\$ 462

Made To Order

For special sizes check availability with your state Hume office.

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects



BAL 12.5 Only available for Glazed Clear Laminate, Grey Laminate and Translucent.
Check pricing with your state Hume office



XN1



XN2



XN5



XN11



XN6



XN12



XN7



XN9



XN14



XN13



XN16

DESIGN CODE		XN1	XN2	XN5	XN11	XN6	XN12	XN7	XN9	XN14	XN13	XN16
Unglazed Door/Sidelite												
2040x820x40		\$ 262	\$ 277	\$ 291		\$ 305		\$ 291			\$ 291	\$ 315
2040x400x40					\$ 202		\$ 211		\$ 207			
2040x200x40										\$ 169		
Glazed Standard Size Door/Sidelite												
Clear	G1	\$ 347	\$ 361	\$ 380	\$ 268	\$ 417	\$ 342	\$ 380	\$ 291	\$ 253	\$ 380	\$ 450
Grey Tint	G2	\$ 404	\$ 417	\$ 432	\$ 317	\$ 483	\$ 389	\$ 432	\$ 328	\$ 291	\$ 432	\$ 516
Cathedral	G2	\$ 404	\$ 417	\$ 432	\$ 317	\$ 483	\$ 389	\$ 432	\$ 328	\$ 291	\$ 432	\$ 516
Translucent	G2	\$ 404	\$ 417	\$ 432	\$ 31	\$ 483	\$ 389	\$ 432	\$ 328	\$ 291	\$ 432	\$ 516
Slumped	G3	\$ 446	\$ 455	\$ 474	\$ 342	\$ 567	\$ 474	\$ 474	\$ 389	\$ 351	\$ 374	\$ 591
Africana	G4	\$ 465	\$ 478	\$ 483	\$ 351	\$ 591	\$ 497	\$ 483	\$ 455	\$ 370	\$ 483	\$ 591
Low E	G4	\$ 465	\$ 478	\$ 483	\$ 351			\$ 483	\$ 455	\$ 370	\$ 483	\$ 591
Rice Paper	G5	\$ 493	\$ 512	\$ 521	\$ 394			\$ 521	\$ 493	\$ 399	\$ 521	\$ 648
Geostep	G5	\$ 493	\$ 512	\$ 521	\$ 394	\$ 638	\$ 544	\$ 521	\$ 493	\$ 399	\$ 521	\$ 648

Made To Order		
SPM - Stain Grade		Additional \$ 42
2040x870x40		Additional \$ 65
2040x920x40		Additional \$ 80
2340x820x40		Additional \$ 90
2040x1200x40		Additional \$ 253
Door	Min 1990x805 - Max 2400x1200	Additional \$ 281
Sidelite	Min 1990x330x40 - Max 2400x500x40	Additional \$ 169

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects

FACE OPTIONS



Tempered Hardboard (standard)



SPM



GLASS OPTIONS



Clear



Grey Tint



Cathedral



Translucent



Slumped



Africana




Low E



Rice Paper



Geostep



Door Frame
Stile & Rail
Door Core
HMR MDF
Door Face



Bushfire zoned doors. These doors are tested to AS1530.8.1 2007 and are BAL 12.5 compliant when installed as per AS 3959-2009. Check the Hume Doors website for BAL information.

FACE OPTIONS



GLASS OPTIONS



DESIGN CODE		JST1	JST1	JST11	JST4	JST12	JST2	JST6	JST10	JST5
Unglazed Door/Sidelite										
2040x620/720/770/820x40		\$ 245			\$ 284				\$ 298	
2040x720/820x40								\$ 351		
2040x820x40						\$ 265				
2040x400x40				\$ 193		\$ 207				\$ 207
2040x1200x40			\$ 342							
Glazed Standard Size Door/Sidelite										
Clear	G1	\$ 462	\$ 655	\$ 298	\$ 505	\$ 313	\$ 482	\$ 486	\$ 515	\$ 313
Clear Laminate	G2	\$ 505	\$ 665	\$ 318	\$ 544	\$ 333	\$ 525	\$ 515	\$ 558	\$ 333
Grey Tint	G3	\$ 554	\$ 712	\$ 337	\$ 597	\$ 380	\$ 573	\$ 573	\$ 607	\$ 351
Cathedral	G3	\$ 554	\$ 712	\$ 337	\$ 597	\$ 380	\$ 573	\$ 573	\$ 607	\$ 351
Double Glaze Clear (820 only)	G3	\$ 554								
Translucent	G3	\$ 554	\$ 712	\$ 337	\$ 597	\$ 380	\$ 573	\$ 573	\$ 607	\$ 351
Double Glaze Frost (820 only)	G4	\$ 630								
Africana	G4	\$ 630	\$ 800	\$ 462	\$ 675	\$ 477	\$ 650	\$ 650	\$ 684	\$ 477
Low E	G4	\$ 630	\$ 800	\$ 462	\$ 675	\$ 477	\$ 650	\$ 650	\$ 684	\$ 477
Rice Paper	G5	\$ 737	\$ 882	\$ 549	\$ 780	\$ 563	\$ 756	\$ 727	\$ 790	\$ 563
Geostep	G5	\$ 737	\$ 882	\$ 549	\$ 780	\$ 563	\$ 756	\$ 727	\$ 790	\$ 563

Made To Order			
JST1/JST2	Tassie Oak / Merbau / Blackbutt	Additional	\$ 328
JST1 2040x870x40		Additional	\$ 52
JST1 2040x920x40		Additional	\$ 75
JST1 2340x720/820/40		Additional	\$ 75
JST1	Min 1990x805x40 - Max 2400x1200x40	Additional	\$ 370
JST2	Min 1990x805x40 - Max 2400x1200x40	Additional	\$ 460
JST11	Min 1990x330x40 - Max 2400x500x40	Additional	\$ 370

JST1 Clear comes with safety decals on glass

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects



XV1



XV4



XV5



XV6



XV9



XV10



XV14



XV18



XV20

DESIGN CODE		XV1	XV4	XV5	XV6	XV9	XV10	XV14	XV18	XV20
Unglazed Door/Sidelite										
2040x820x40		\$ 188	\$ 188	\$ 188	\$ 286	\$ 188	\$ 188	\$ 188	\$ 188	\$ 188
Design both sides		\$ 272	\$ 272	\$ 272	\$ 305	\$ 272	\$ 272	\$ 272	\$ 272	\$ 272
Glazed Standard Size Door/Sidelite										
Clear	G1			\$ 347						
Grey Tint	G2			\$ 376						
Cathedral	G2			\$ 376						
Translucent	G2			\$ 376						
Frost Clear Design	G2			\$ 376						
Frost Coloured Design	G2			\$ 376						

Made To Order

SPM - Stain Grade	Additional	\$ 42
2040x870x40	Additional	\$ 65
2040x920x40	Additional	\$ 80
2340x820x40	Additional	\$ 90
2040x1200x40	Additional	\$ 253
Min 1990x805 - Max 2400x1200x40	Additional	\$ 281

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur


These are not considered defects

Sidelite option refer Newington (XN9 & XN14) page 11

FACE OPTIONS



GLASS OPTIONS



FACE OPTIONS



GLASS OPTIONS



Frosted Kookaburra Jewel



Kookaburra Green Leaves Bud

Frosted Rose Bud



Triple Glaze Classique

Triple Glaze Bevel Flower



XR1



XR2



XR4



XR5



XR6

DESIGN CODE		XR1	XR2	XR4	XR5	XR6
Unglazed Door/Sidelite						
2040x820x40		\$ 390		\$ 366	\$ 380	
2040x400x40			\$ 284			\$ 284
Glazed Standard Size Door/Sidelite						
Clear	G1	\$ 593	\$ 386		\$ 583	\$ 386
Grey Tint	G2	\$ 675	\$ 414		\$ 665	\$ 414
Cathedral	G2	\$ 675	\$ 414		\$ 665	\$ 414
Translucent	G2	\$ 675	\$ 414		\$ 665	\$ 414
Frost Coloured Design	G3	\$ 698	\$ 433		\$ 689	\$ 433
Africana	G4	\$ 737	\$ 462		\$ 727	\$ 462
Low E	G4	\$ 737	\$ 462		\$ 727	\$ 462
Triple Glaze Leadlight	G5	\$ 800	\$ 587		\$ 790	\$ 587

Made To Order

SPM - Stain Grade		Additional	\$ 42
2040x870x40		Additional	\$ 65
2040x920x40		Additional	\$ 80
2340x820x40		Additional	\$ 90
Door	Min 1990x805 - Max 2100x1200x40	Additional	\$ 281
Sidelite	Min 1990x330x40 - Max 2100x520x40	Additional	\$ 169

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects



XVP5



XVP6



XVP11



XVP12



XVP13



XVP14



XVP20

DESIGN CODE		XVP5	XVP6	XVP11	XVP12	XVP13	XVP14	XVP20
Unglazed Door/Sidelite								
2040x820x40		\$ 347		\$ 281	\$ 310		\$ 328	\$ 286
2040x400x40			\$ 234			\$ 211		
Raised Panels (Additional per side)				\$ 47	\$ 28	\$ 19	\$ 19	
Glazed Standard Size Door/Sidelite								
Clear	G1	\$ 446	\$ 296		\$ 435	\$ 277	\$ 394	
Grey Tint	G2	\$ 516	\$ 333		\$ 525	\$ 319	\$ 436	
Cathedral	G2	\$ 516	\$ 333		\$ 525	\$ 319	\$ 436	
Translucent	G2	\$ 516	\$ 333		\$ 525	\$ 319	\$ 436	
Frost Coloured Design	G2	\$ 516	\$ 333		\$ 525	\$ 319	\$ 436	
Frost Panama	G3				\$ 591	\$ 351	\$ 468	
Budget Leadlight	G3				\$ 591	\$ 351	\$ 468	
Africana	G4				\$ 620	\$ 366	\$ 483	
Low E	G4				\$ 620	\$ 366	\$ 483	
Rice Paper	G5				\$ 694	\$ 404	\$ 521	
Triple Glaze Leadlight	G6	\$ 694	\$ 497		\$ 802	\$ 455	\$ 572	

Made To Order

SPM - Stain Grade		Additional	\$ 42
Door	2040x870x40	Additional	\$ 65
	2040x920x40	Additional	\$ 80
	2340x820x40	Additional	\$ 90
	Min 1990x805 - Max 2100x1200x40	Additional	\$ 281
Sidelite	Min 1990x330x40 - Max 2100x500x40	Additional	\$ 169

Cancellations or alterations for made to order doors will only be accepted on the day of ordering


Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects



Optional Raised Panel
to suit
XVP11/12/13



FACE OPTIONS



Tempered
Hardboard
(standard)



SPM



GLASS OPTIONS



Frosted Black Orchid



Frosted Rose Bud



Frosted Kookaburra Jewel



Frosted Kookaburra Green Leaves



Frosted Wisteria



Rice Paper



Translucent Laminate



Cathedral



Panama



Triple Glaze Bevelled Flower



Triple Glaze Cloisique



Unglazed



Glazed



Bushfire zoned doors. These doors are tested to AS1530.8.1 2007 and are BAL 12.5 compliant when installed as per AS 3959-2009. Check the Hume Doors website for BAL information.

FACE OPTIONS



Western Red Cedar

GLASS OPTIONS



Clear



Translucent



Grey Tint



Cathedral



Rice Paper



Low E



Geostep



Africana



XG6



XGE4



XGE5



XGE8


DESIGN CODE		XG6	XGE4	XGE5	XGE8
Unglazed Door					
2040x820x40		\$ 423	\$ 366	\$ 404	\$ 423
Glazed Standard Size Door					
Clear	G1	\$ 483	\$ 493	\$ 535	
Grey Tint	G2	\$ 525	\$ 544	\$ 601	
Cathedral	G2	\$ 525	\$ 544	\$ 601	
Translucent	G2	\$ 525	\$ 544	\$ 601	
Africana	G3	\$ 605	\$ 601	\$ 680	
Low E	G3	\$ 605	\$ 601	\$ 680	
Geostep	G4	\$ 666	\$ 633	\$ 756	
Rice Paper	G4	\$ 666	\$ 633	\$ 756	

Made To Order not available

Trimming Instructions: 3mm from the top, bottom and each stile
Timber is a natural material and colour, texture and grain variation can occur
These are not considered defects



Bushfire zoned doors. These doors are tested to AS1530.8.1 2007 and are BAL compliant when installed as per AS 3959-2009. Check the Hume Doors website for BAL information.



ENTRANCE



TREND


GLASS OPTIONS



SPM



Tempered Hardboard (standard)



XT5



XT6



XT7



XT8

DESIGN CODE	XT5	XT6	XT7	XT8
2040x820x40	\$ 148	\$ 148	\$ 148	\$ 148
2040x870/920x40	\$ 179	\$ 179	\$ 179	\$ 179
SPM - Stain Grade Additional	\$ 42	\$ 42	\$ 42	\$ 42

Made To Order

Door	Min 1990x805 - Max 2400x1200x40	Additional \$229
------	---------------------------------	------------------

Cancellations or alterations for made to order doors will only be accepted on the day of ordering
Trimming Instructions: 3mm from the top, bottom and each stile
Timber is a natural material and colour, texture and grain variation can occur
These are not considered defects



XB1



XB2



XB5



XB6



XB7



XB8



XB11



XB12



XB13



Smooth Skin
XB8, XB12,
XB13




Woodgrain Skin
XB1, XB2, XB5,
XB6, XB7, XB11

Check your state for availability

FACE OPTIONS



Primed MDF



DESIGN CODE	XB1	XB2	XB5	XB6	XB7	XB8	XB11	XB12	XB13
2040x820x40	\$ 216	\$ 216	\$ 216	\$ 216	\$ 216	\$ 220	\$ 216	\$ 220	\$ 268
2340x820x40						\$ 253			\$ 300

Made To Order

2040x720/770/870/920x40 Additional \$83

Brunswick range unsuitable for moisture prone locations

Cancellations or alterations for made to order doors will only be accepted on the day of ordering.

Trimming Instructions: 3mm from the top, bottom and each stile



VENETIAN

ENTRANCE

SHUTTER SLIDERS



Venetian features magnetic finger sliders for easy operation:
(A) Tilt adjustments slider
(B) Raise and lower operations.



VEN1




VEN3

DESIGN CODE	VEN1	VEN3
2040x820x40	\$ 765	\$ 573

Made To Order not available

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects.



FACE OPTIONS



SPM



FACE OPTIONS



GLASS OPTIONS



For other glass designs refer to Glazing Options table on page 48-49




SG6

SG8

SG9

SG10



DESIGN CODE		SG6	SG8	SG9	SG10
Un glazed Door/Sidelite					
2040x820x40		\$ 188	\$ 253		\$ 262
2040x400x40				\$ 164	
Raised Panels One Side Additional		\$ 47	\$ 28	\$ 19	\$ 19
SPM Stain Grade Additional		\$ 42	\$ 42	\$ 42	\$ 42
Glazes Standard Size Door/Sidelite					
Clear	G1		\$ 378	\$ 230	\$ 328
Grey Tint	G2		\$ 468	\$ 272	\$ 370
Cathedral	G2		\$ 468	\$ 272	\$ 370
Translucent	G2		\$ 468	\$ 272	\$ 370
Frost Coloured Design	G2		\$ 468	\$ 272	\$ 370
Frost Panama	G3		\$ 534	\$ 305	\$ 403
Budget Leadlight	G3		\$ 534	\$ 305	\$ 403

Made To Order not available

Cancellations or alterations for made to order doors will only be accepted on the day of ordering


Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects



DURADOOR



XD1

DESIGN CODE	XD1
2040x820x40	\$ 212

Made To Order not available

Trimming Instructions: 3mm from the top, bottom and each stile

OVERHEAD PROTECTION

SPARK BUSINESS GROUP PTY LTD




NEX30



NEX35



NEX40



compliant when installed as per AS 3959-2009. Check the Hume Doors website for BAL information.

FACE OPTIONS



SPM



Tempered Hardboard (standard)



GLASS OPTIONS




Clear



Grey Tint



Cathedral



Translucent



Millenium Slumped



Africana



Low E



Rice Paper



Geostep

DESIGN CODE		NEX30	NEX35	NEX40
Unglazed Door				
2040x820x40		\$ 328	\$ 305	
2040x1200x40				\$ 540
Glazed Standard Size Door				
Clear	G1	\$ 549	\$ 408	\$ 751
Grey Tint	G2	\$ 633	\$ 497	\$ 816
Cathedral	G2	\$ 633	\$ 497	\$ 816
Translucent	G2	\$ 633	\$ 497	\$ 816
Slumped	G3	\$ 783		\$ 858
Africana	G3	\$ 783	\$ 558	\$ 858
Low E	G4	\$ 821	\$ 595	\$ 882
Rice Paper	G5	\$ 854	\$ 643	\$ 1,098
Geostep	G5	\$ 854	\$ 643	\$ 1,098

Made To Order	
SPM - Stain Grade	Additional \$46
2040x870x40	Additional \$72
2040x920x40	Additional \$88
2340x820x40	Additional \$99
2340x1200x40	Additional \$281
Door Min 1990x805 - Max 2400x1200	Additional \$312

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects



CAMDEN

ENTRANCE



XC1



XC2

DESIGN CODE	XC1	XC2
2040x820x40	\$ 145	\$ 141
SPM - Stain Grade Additional	\$ 42	\$ 42

Made To Order


Door	Min 1990x805 - Max 2400x1200x40	Additional \$229
------	---------------------------------	------------------

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects



FACE OPTIONS



SPM




Tempered Hardboard (standard)



FACE OPTIONS



GLASS OPTIONS




Wysteria Frost



Triple Glaze Argyle Leadlight



Triple Glaze Crystal Blue



XCB1



XCB2



XCB5

DESIGN CODE		XCB1	XCB2	XCB5
Unglazed Door/Sidelite				
2040x820x40		\$ 423		\$ 423
2040x400x40			\$ 251	
Glazed Standard Size Door/Sidelite				
Clear	G1	\$ 520	\$ 318	\$ 520
Grey Tint	G2	\$ 587	\$ 361	\$ 587
Cathedral	G2	\$ 587	\$ 361	\$ 587
Translucent	G2	\$ 587	\$ 361	\$ 587
Frost Coloured Design	G2	\$ 587	\$ 361	\$ 587
Triple Glaze Leadlight	G3	\$ 794	\$ 501	\$ 794



Made To Order

SPM - Stain Grade		Additional \$46
Door	2040x870x40	Additional \$72
	2040x920x40	Additional \$88
	2340x820x40	Additional \$99
	Min 1990x805 - Max 2100x1200x40	Additional \$312
Sidelite	Min 1990x330x40 - Max 2100x520x40	Additional \$187

Cancellations or alterations for made to order doors will only be accepted on the day of ordering
Trimming Instructions: 3mm from the top, bottom and each stile
Timber is a natural material and colour, texture and grain variation can occur
These are not considered defects



LINCOLN

FACE OPTIONS



XL8




XL10

DESIGN CODE	XL8	XL10
2040x820x40	\$ 386	\$ 395

Made To Order not available

Trimming Instructions: 3mm from the top, bottom and each stile
Timber is a natural material and colour, texture and grain variation can occur
These are not considered defects





BFR1

BFR2

BFR3

BFR4

BFR5

BFR6

BFR7



BFR8

BFR9

BFR13

BFR14

BFR15

BFR30

DESIGN CODE		BFR1	BFR2	BFR3	BFR4	BFR5	BFR6	BFR7	BFR8	BFR9	BFR13	BFR14	BFR15	BFR30
2040x820x40									\$ 296	\$ 291				\$ 266
Glazed Standard Size Door														
Clear	G1	\$ 459	\$ 459	\$ 417	\$ 469	\$ 563	\$ 488	\$ 459	\$ 582			\$ 459	\$ 432	
Grey Tint	G2	\$ 478	\$ 478	\$ 432	\$ 483	\$ 591	\$ 506	\$ 478	\$ 605			\$ 489	\$ 446	
Africana	G3	\$ 506	\$ 506	\$ 455	\$ 516	\$ 624	\$ 535	\$ 506	\$ 643			\$ 554	\$ 506	
Frost	G4	\$ 531	\$ 531	\$ 459	\$ 544	\$ 643	\$ 572	\$ 531	\$ 741			\$ 554	\$ 512	

Made To Order

SPM - Stain Grade	Additional \$46
Merbau	Additional \$856
2040x870x40	Additional \$72
2040x920x40	Additional \$88
2340x820x40	Additional \$99
Min 1990x805 - Max 2400x1200x40	Additional \$312

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects

Merbau BAL approved frame refer Entrance Systems page 26-27



Bushfire zoned doors. These doors are tested and are BAL compliant when installed as per AS 3959-2009. Check the Hume Doors website for BAL information.

Doors suitable for bushfire zones BAL 12.5, 19, 29 when installed per AS 3959-2009-AMDT3-2011, solid construction with merbau glazing beads

FACE OPTIONS



SPM

Merbau



Tempered Hardboard (standard)



GLASS OPTIONS




Clear (6mm)

Frost (6mm)



Africana (6mm)


Grey Tint (6mm)



FACE OPTIONS



GLASS OPTIONS



DESIGN CODE		XF1	XF3	XF8	XF1	XF3
Unglazed Door Paintgrade Ply or Tempered Hardboard		Honeycomb Core		Solid/Solcore		
2040x720/770/820x35		\$ 117	\$ 124		\$ 217	\$ 225
2040x720/770/820x40		\$ 141	\$ 147	\$ 249	\$ 244	\$ 249
Glazed Standard Size Door (35mm Thick)						
Clear	G1	\$ 183	\$ 192		\$ 283	\$ 293
Cathedral	G2	\$ 225	\$ 244		\$ 325	\$ 345
Grey Tint	G3	\$ 234	\$ 253		\$ 334	\$ 354
Translucent	G3	\$ 234	\$ 253		\$ 334	\$ 354
Africana	G4	\$ 268	\$ 286		\$ 368	\$ 387
Rice Paper	G5	\$ 310	\$ 328		\$ 410	\$ 429
Geostep	G5	\$ 310	\$ 328		\$ 410	\$ 429
Low E	G5	\$ 310	\$ 328		\$ 410	\$ 429
Glazed Standard Size Door (40mm Thick)						
Clear	G1	\$ 207	\$ 216	\$ 317	\$ 310	\$ 317
Cathedral	G2	\$ 249	\$ 268	\$ 369	\$ 352	\$ 369
Grey Tint	G3	\$ 258	\$ 277	\$ 378	\$ 361	\$ 378
Translucent	G3	\$ 258	\$ 277	\$ 378	\$ 361	\$ 378
Africana	G4	\$ 291	\$ 309	\$ 411	\$ 395	\$ 411
Rice Paper	G5	\$ 333	\$ 351	\$ 453	\$ 437	\$ 453
Geostep	G5	\$ 333	\$ 351	\$ 453	\$ 437	\$ 453
Low E	G5	\$ 333	\$ 351	\$ 453	\$ 437	\$ 453

Made To Order

SPM - Stain Grade		Additional \$46
Tassie Oak / Merbau		Additional \$856
2040x870x35/40		Additional \$26
2040x920x35/40		Additional \$46
2340x820x35/40		Additional \$99
2340x870/920x35/40		Additional \$145
Door	Min 1990x705 - Max 2400x1200	Additional \$312

Cancellations or alterations for made to order doors will only be accepted on the day of ordering
Trimming Instructions: 3mm from the top, bottom and each stile
Timber is a natural material and colour, texture and grain variation can occur
These are not considered defects
XF8* - Rout patterned exterior face only



For BAL compliance:
40mm thick and solid construction required.





Now that you have selected the correct Hume door for your application, here are some guidelines for installation.

1. Tools required – drill, screwdriver, chisel (25mm), hole saws (54mm and 25mm) tape measure, hammer, small wedges (2)
2. If replacing an existing door, use this door as a template to locate hinges and face hole/s onto your new door. To measure a door, see Figure 1.
3. Should a new frame be required, this may be purchased in either knock down or assembled from your Hume doors stockist. If making your own frame, allow clearance for your door of 3mm at top and each side plus 5mm under door allowing for floor coverings, tiles, etc. It is important to ensure that your frame is square and plumb.
4. Your new door may require planing to fit the opening. A maximum 3mm may be trimmed from any edge of the door, this must be done evenly.
5. Hinges required – 2 hinges for internal doors (non solid), 3 or 4 hinges for solid and entrance doors, depending on door size. Locate and install hinges to jamb in desired locations. Measure hinge locations from jamb onto door (remember to allow clearance between top of door and frame). Chisel hinge cut outs into edge of door.
6. Stand door into frame to check hinge locations are correct. Use wedges to adjust door height, locate other hinge leaf into door and screw into place with 2 screws per hinge.
7. Your door should now swing freely. If any final adjustment is required, make these, fit remaining screws, and your door is ready to have door furniture installed. Fit door furniture as per Manufacturers instructions.
8. Door should now be removed, fully painted on all six surfaces as well as behind hinges (refer Care and Maintenance information) and then reinstalled into the opening and the door furniture refitted.




FIGURE 1
Measure the existing door




FIGURE 2
Is the door frame square?
Check by measuring diagonally as illustrated. If the frame is out of square, you may require a slightly larger door and trim it to size. A trimming allowance of up to 3mm is allowed on all doors.

Contact your nearest Hume Doors stockist or the Hume website for more information.

NEW DOOR INSTALLATION




Scan QR code to view our installation video




FIGURE 3
Important:
Approximately 3mm clearance is required at the top and sides of the door and 5mm at the bottom (above the floor covering).

- Designed to easily handle larger doors
- Incorporates hydraulic closer for progressive controlled door closing and latching
- Full perimeter seals, for energy efficiency

PIVOT DOOR INSTALLATION




DESIGN CODE	FRAME SIZE +/- 5MM 2160 high frame = 2040 high doors 2460 high frame = 2340h high doors	STANDARD	STANDARD CLEAR	STANDARD TRANSLUCENT	STANDARD AFRICANA	MERBAU	MERBAU CLEAR	MERBAU TRANSLUCENT	MERBAU AFRICANA
PIV A/B	2160 high x Up to 1266 wide								
	140x30	1338				1938			
	160x30	1391				1991			
PIV A/B	2460 high x Up to 1266 wide								
	140x30	1444				2044			
	160x30	1524				2124			
PIV CG/DG	2160 high Up to 1650 wide								
	140x30		2140	2268	2348		2740	2868	2948
	160x30		2247	2375	2455		2847	2975	3055
PIV CG/DG	2460 high x Up to 1650 wide								
	140x30		2300	2461	2578		2900	3061	3178
	160x30		2407	2568	2685		3007	3168	3285
PIV EG/FG	2160 high x Up to 1650 wide								
	140x30		2782	3049	3317		3382	3649	3917
	160x30		2889	3156	3424		3489	3756	4024
PIV EG/FG	2460 high x Up to 1650 wide								
	140x30		3049	3381	3723		3649	3981	4323
	160x30		3156	3488	3830		3756	4088	4430

Assembled entry frame incorporates heavy duty pivot fittings, including hydraulic self closer, full perimeter seals, with the option of glazed sidelite/s or hilite. Door cost additional. Prices allow for up to 1200mm wide door. Frame material 160x30 or 140x30 with plant on stops. Material pine or meranti standard - check your state and merbau as an optional extra.


Modular construction may be supplied with EG/FG frames depending on location. Special size frames, other glazing options - hilites - price on application. Packing charges applicable to country locations.

Replacement Parts


Loose stop seal (each)	39
Threshold plate (aluminium)	94
Door seal bottom (complete)	74
Door seal top (complete)	69
Hydraulic closer for pivot frame	358
Extended striker for mortice lock	39
Mortice lock (excludes cylinder)	80
Mortice lock supplied and fitted (excludes cylinder)	149




PIV A/B



PIV CG/DG





PIV EG/FG



Meranti pivot frames. These frames are tested to AS1530.8.1 2007 and are BAL

compliant when installed as per AS 3959-2009. Check the Hume Doors website for BAL information.

CONFIGURATION	DOOR WIDTH	FRAME SIZES +/- 10MM		
		FRAME WIDTH	FRAME HEIGHT	
			2135	2435
 2D2L  2D2R	620	1313	\$ 2,784	\$ 3,032
	720	1513		
	770	1613		
	820	1713		
 3D3L  3D3R	620	1935	\$ 3,251	\$ 3,521
	720	2235		
	770	2385		
	820	2535		
 3D2L1R  3D1L2R	620	1935	\$ 3,409	\$ 3,679
	720	2235		
	770	2385		
	820	2535		
 4D4L  4D4R	620	2558	\$ 4,309	\$ 4,691
	720	2958		
	770	3158		
	820	3358		
 4D3L1R  4D1L3R	620	2558	\$ 4,185	\$ 4,568
	720	2958		
	770	3158		
	820	3358		
 4D2L2R	620	2558	\$ 3,687	\$ 4,849
	720	2958		
	770	3158		
	820	3358		
 5D5L  5D5R	620	3181	\$ 4,838	\$ 5,344
	720	3681		
	770	3931		
	820	4181		
 5D4L1R  5D1L4R	620	3181	\$ 5,012	\$ 5,513
	720	3681		
	770	3931		
	820	4181		
 5D3L2R  5D2L3R	620	3181	\$ 5,012	\$ 5,513
	720	3681		
	770	3931		
	820	4181		
 6D6L  6D6R	620	3803	\$ 5,619	\$ 6,255
	720	4403		
	770	4703		
	820	5003		
 6D5L1R  6D1L5R	620	3803	\$ 5,490	\$ 6,131
	720	4403		
	770	4703		
	820	5003		
 6D4L2R  6D2L4R	620	3803	\$ 5,766	\$ 6,401
	720	4403		
	770	4703		
	820	5003		
 6D3L3R	620	3803	\$ 5,490	\$ 6,131
	720	4403		
	770	4703		
	820	5003		

Incorporating Joinery JST1 clear glazed doors. Doors installed into a weather proof multi-fold system. All units are viewed from the outside and all doors open to the outside.
2040 door = 2135 frame height.
2340 door = 2435 frame height.

Victoria only
2040 door = 2155 frame height
2340 door = 2455 frame height.

Other joinery door models available P.O.A.

ALFRESCO INSTALLATION



2 Door System



3 Door System



4 Door System



5 Door System






6 Door System



Entrance frames incorporating timber sill and glazing to AS1288-2006 clear glazing standard. Quick frames supplied unglazed. Doors extra cost.

Material: Pine is standard. Meranti and merbau optional extras.

DESIGN CODE	SIZE +/- 5MM	PINE ASSEMBLED		PINE QUICK FRAME (K/D)		MERANTI ASSEMBLED		MERBAU ASSEMBLED	
		140X31	160X31	140X41	140X31	140X31	160X31	140X31	160X31
A B	2110x867	\$ 260	\$ 327	\$ 241	\$ 173	\$ 299	\$ 377	\$ 569	\$ 647
C D	2110x1287	\$ 477	\$ 530	\$ 347	\$ 304	\$ 548	\$ 610	\$ 998	\$ 1,060
CG DG	2110x1210	\$ 554	\$ 587			\$ 638	\$ 675	\$ 1,088	\$ 1,125
	2110x1310	\$ 636	\$ 679			\$ 731	\$ 782	\$ 1,181	\$ 1,232
	2110x1410	\$ 665	\$ 718			\$ 765	\$ 826	\$ 1,219	\$ 1,276
	2110x1510	\$ 751	\$ 819			\$ 864	\$ 942	\$ 1,314	\$ 1,392
E F	2110x1708	\$ 587	\$ 693			\$ 675	\$ 798	\$ 1,215	\$ 1,338
EG FG	2110x1450	\$ 732	\$ 790			\$ 842	\$ 909	\$ 1,382	\$ 1,449
	2110x1550	\$ 780	\$ 814			\$ 897	\$ 936	\$ 1,437	\$ 1,476
	2110x1650	\$ 819	\$ 862			\$ 942	\$ 991	\$ 1,482	\$ 1,531
G H	2110x1677	\$ 477	\$ 520	\$ 361	\$ 265	\$ 548	\$ 598	\$ 818	\$ 868



Extra Cost Options		
Frame width upgrade for door over 820 wide up to 870 wide or sidelite over 400 wide	26	per frame
Frame width upgrade for door over 870 wide up to 1200 wide (4 hinges) standard frame	64	per frame
Frame height upgrade for doors over 2040 high up to 2340	176	per frame
Glazing bar horizontal add on to suit CG/DG/EG/FG	95	per side
Upgrade from RP86 to RP4 door seal 820 door standard frame	27	per door
Supply and fit two reverse flush bolts to double doors (per door)	149	per door
Shrink wrap frame for additional protection	32	per frame
Frame to suit opening out doors	21	per frame
Rebating pairs of doors	51	per frame
Mushroom stop 2100mm pine/meranti	34	
Mushroom stop 2400mm pine/meranti	39	
T-bar aluminium 2400mm	65	
Perimeter weather seal (suit single or double doors) fitted regular frames	74	
Rout out for hinges on door 2040 or 2340 (no hinge)	37	
Hinge 100mm	8	each



WEATHERGUARD SILL



OPTIONAL WHEELCHAIR SILL

Premium energy efficient entry frames

- Material pine or meranti regular - check your state. Merbau as an optional extra
- Self-draining aluminium sill - improved moisture control
- Generous tread pattern on sill - reduces slip
- Frames have a full perimeter seal - improves energy efficiency and noise reduction
- Seal is removable for painting frame and is easily reinstalled
- Sill supplied with protective tape during construction - removable at handover
- Timber jambs and head
- Optional Wheelchair Sill - Additional \$95



Regular meranti Weatherguard frames are tested and are BAL 12.5 compliant when installed as per AS 3959-2009




Merbau Weatherguard entrance frames are suited for bushfire zones BAL12.5, 19, 29 when installed as per AS 3959-2009- AMDT3-2011. Glazing 6mm toughened glass.

SIZE +/- 5MM	140X40 REGULAR	160X40 REGULAR	140X40 BAL29 MERBAU	140X40 CLEAR GLASS REGULAR	TRANSLUCENT GLASS (ADDITIONAL)	140X40 6MM GLAZED BAL29 MERBAU	160X40 CLEAR GLASS REGULAR	160X40 6MM GLAZED BAL29 MERBAU
2100x887 (820 Door) A/B	\$ 318	\$ 376	\$ 588					
2100x1267 (1200 Door) A/B	\$ 491	\$ 544	\$ 761					
2100x1317 C/D	\$ 587	\$ 650	\$ 1,037					
2100x1210 CG/DG				\$ 659	\$ 48	\$ 1,109	\$ 703	\$ 1,153
2100x1310 CG/DG				\$ 790	\$ 53	\$ 1,240	\$ 837	\$ 1,287
2100x1410 CG/DG				\$ 828	\$ 67	\$ 1,278	\$ 876	\$ 1,326
2100x1510 CG/DG				\$ 910	\$ 77	\$ 1,360	\$ 987	\$ 1,437
2100x1748 E/F	\$ 684	\$ 747	\$ 1,224					
2100x1450 EG/FG				\$ 886	\$ 67	\$ 1,426	\$ 944	\$ 1,484
2100x1550 EG/FG				\$ 948	\$ 81	\$ 1,488	\$ 1,007	\$ 1,547
2100x1650 EG/FG				\$ 1,021	\$ 91	\$ 1,561	\$ 1,098	\$ 1,638
2100x1750 EG/FG				\$ 1,083	\$ 106	\$ 1,623	\$ 1,165	\$ 1,705
2100x1697 G/H Rebated 820 doors 2100x1719 820 Doors with mushroom stop	\$ 587	\$ 636	\$ 857					
2100x2559 J/K	\$ 1,107	\$ 1,165	\$ 1,647					
2100x2200 JG/KG				\$ 1,415	\$ 106	\$ 1,955	\$ 1,521	\$ 2,061
2100x2800 JG/KG				\$ 1,608	\$ 106	\$ 2,148	\$ 1,700	\$ 2,240
2100x3330 JG/KG				\$ 1,971	\$ 106	\$ 2,331	\$ 1,892	\$ 2,432

Extra Cost Options

Aluminium sill self draining 1000mm	130	each
Aluminium sill self draining 2200mm	270	each
Aluminium sill self draining 3000mm	355	each






FACE OPTIONS



Primed MDF
(standard)

SPM

GLASS OPTIONS



HMC1



HMC2



HMC4



HMC5



HMC7



HMC8



HMC9



HMC10



HMC11



BF29



BF30

DESIGN CODE		HMC1	HMC2	HMC4	HMC5	HMC7	HMC8	HMC9	HMC10	HMC11	BF29	BF29 LEAF	BF30	BF30 LEAF
Unglazed Door														
2040x520/620/720/770/820x35		\$ 160	\$ 160	\$ 160	\$ 207	\$ 160	\$ 160	\$ 160	\$ 160	\$ 197				
2040x720/770/820 Bi-Fold											\$ 268		\$ 305	
2015x355/380/405x35 Leaf												\$ 120		\$ 139
2340x520/620/720/770/820x35		\$ 202	\$ 202	\$ 202		\$ 202	\$ 202	\$ 202	\$ 202					
Glazed Standard Size Door														
Clear	G1				\$ 333					\$ 408			\$ 431	\$ 205
Grey Tint	G2				\$ 423					\$ 497			\$ 521	\$ 247
Cathedral	G2				\$ 423					\$ 497			\$ 521	\$ 247
Frost Coloured Design	G2				\$ 423								\$ 521	\$ 247
Budget Leadlight	G3				\$ 488								\$ 586	\$ 272
Frost Panama	G3				\$ 488								\$ 586	\$ 272
Translucent	G3				\$ 488					\$ 506			\$ 586	\$ 272
Africana	G4				\$ 503					\$ 567			\$ 601	\$ 286
Rice Paper	G5				\$ 554					\$ 675			\$ 652	\$ 296

Made To Order

SPM Stain Grade	Additional \$46
2040x870x35	Additional \$41
2040x920x35	Additional \$88
Min 1990x410x35 - Max 2400x1200x35	Additional \$260

Check glass availability for 520/620/870/920 HMC5

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects



SOR1



SOR2



SOR5



SOR6



SOR7



SOR11



SOR12

DESIGN CODE	SOR1	SOR2	SOR5	SOR6	SOR7	SOR11	SOR12
Door							
2040x520/620/720/770/820x35	\$ 130	\$ 130	\$ 130	\$ 130	\$ 130	\$ 130	\$ 130
2040x870x35	\$ 141	\$ 141	\$ 141	\$ 141	\$ 141	\$ 141	\$ 141
2040x920x35	\$ 160	\$ 160	\$ 160	\$ 160	\$ 160	\$ 160	\$ 160
2340x520/620/720/770/820x35	\$ 155	\$ 155	\$ 155	\$ 155	\$ 155	\$ 155	\$ 155
2340x870x35	\$ 166	\$ 166	\$ 166	\$ 166	\$ 166	\$ 166	\$ 166
Bi-fold to suit opening							
2040x720/770/820x35	\$ 269	\$ 269	\$ 269	\$ 269	\$ 269	\$ 269	\$ 269
Bi-fold leaf							
2015x355/385/405x35	\$ 117	\$ 117	\$ 117	\$ 117	\$ 117	\$ 117	\$ 117

Made To Order

Up to 2340x920x35

Additional \$114

Up to 2400x1200x35


Additional \$156

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



Primed MDF
(6mm thick)



FACE OPTIONS



GLASS OPTIONS



For other glass designs refer to
Glazing Options table on page
48-49



DESIGN CODE		LIN1	LIN2/SAV2	LIN3/SAV3	LIN10
Unglazed Door					
2040x620/720/770/820x35		\$ 222	\$ 284		\$ 241
2040x820x35				\$ 294	
Glazed Standard Size Door					
Clear	G1	\$ 439		\$ 423	\$ 458
Clear Laminate	G2	\$ 483			\$ 501
Grey Tint	G3	\$ 530		\$ 515	\$ 549
Cathedral	G3	\$ 530		\$ 515	\$ 549
Translucent	G3	\$ 530		\$ 515	\$ 549
Double Glaze Clear 720/820 Only	G3	\$ 530			
Africana	G4	\$ 602		\$ 583	\$ 626
Double Glaze Frost 820 Only	G4	\$ 602			
Rice Paper	G5	\$ 712		\$ 612	\$ 732
Geostep	G5	\$ 712		\$ 612	\$ 732

Made To Order

LIN1	Tassie Oak / Merbau	Additional \$364
LIN1 2340x620/720/770/820x35		Additional \$83
LIN1 2040x870x35		Additional \$57
LIN1	Min 1990x400x35 Max 2400x1200x35	Additional \$401


LIN1 Clear comes with safety decals on glass

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects





HLR210



HLR220



HLR230



HLR240



HLR250



HLR260



HLR270



HLR280



HLR400



HLR410



HLR420

DESIGN CODE		HLR210	HLR220	HLR230	HLR240	HLR250	HLR260	HLR270	HLR280	HLR400	HLR410	HLR420
Unglazed Door												
2040x620/720/770/820x35		\$ 211	\$ 207	\$ 130	\$ 130	\$ 312	\$ 361	\$ 130	\$ 366	\$ 388	\$ 375	\$ 375
2040x520x35			\$ 207	\$ 130	\$ 130	\$ 312	\$ 361	\$ 130		\$ 388	\$ 375	\$ 375
2040x870x35			\$ 225	\$ 141	\$ 141	\$ 326	\$ 380	\$ 141		\$ 403	\$ 389	\$ 389
2040x920x35			\$ 277	\$ 160	\$ 160	\$ 342	\$ 432	\$ 160		\$ 419	\$ 405	\$ 405
2340x820x35	\$ 310	\$ 230	\$ 155	\$ 155	\$ 357	\$ 455	\$ 155	\$ 465	\$ 433	\$ 420	\$ 420	\$ 420
2340x520/620/720/770/820x35		\$ 230	\$ 155	\$ 155	\$ 357	\$ 455	\$ 155		\$ 433	\$ 420	\$ 420	\$ 420
2340x870x35			\$ 166	\$ 166			\$ 166					
Glazed Standard Size Door												
Clear	G1	\$ 417	\$ 291				\$ 446		\$ 572			
Grey Tint	G2	\$ 459	\$ 348				\$ 503		\$ 614			
Cathedral	G2	\$ 459	\$ 348				\$ 503		\$ 614			
Translucent	G2	\$ 459	\$ 348				\$ 503		\$ 614			
Linear Clear	G2	\$ 459	\$ 348				\$ 503		\$ 614			
Linear Satinlite	G3	\$ 521	\$ 399				\$ 554		\$ 675			
Africana	G3	\$ 521	\$ 399				\$ 554		\$ 675			

Made To Order

Made to order up to 2400x1200x35

Additional \$411

Glazed doors have same size openings as 2040x820 door for 2340 HLR210/220/260/280

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

Alignment of horizontal rout is not guaranteed for pairs.

Not suitable for rebated pairs.

Timber is a natural material and colour, texture and grain variation can occur

These are not considered defects

FACE OPTIONS



SPM
HLR250, 260,
280, 400, 410,
420 (standard)



Primed MDF
HLR210,
220, 230, 270
(standard)

GLASS OPTIONS



Clear



Translucent



Grey Tint



Africana




Cathedral




Detail of Linear
Clear



Detail of Linear
Satinlite



HLR 210,220,260,280



HLR 230, 240, 250, 270, 400,
410, 420





Details of Strata Textured surface

FACE OPTIONS




HST1

HST4




HST1M

HST4M



HST5



Door Frame

Honeycomb
Hi Density Core

Door Face




HST1



HST4



HST5



HST1M



HST4M



HST1
2340MM HIGH

DESIGN CODE	HST1	HST4	HST5	HST1M	HST4M
Door					
2040x410/420/460/520/620/720/770/820x35	\$ 65	\$ 93	\$ 93	\$ 131	\$ 160
2040x870x35	\$ 75	\$ 102	\$ 102	\$ 140	\$ 168
2040x920x35	\$ 99	\$ 126	\$ 126	\$ 153	\$ 191
2340x410/420/460/520/620/720/770/820x35	\$ 113	\$ 141	\$ 141	\$ 183	\$ 216
2340x870x35	\$ 125	\$ 153	\$ 153	\$ 197	\$ 230
2340x920x35	\$ 144	\$ 171	\$ 171	\$ 220	\$ 253

Made To Order

Min 1990x330x35	Max 2340x920x35	Additional \$115
Solid Construction		Additional \$94

Cancellations or alterations for made to order doors will only be accepted on the day of ordering
Trimming Instructions: 3mm from the top, bottom and each stile



ARTISAN OAK



BELGIAN OAK



GESO LINI



SHANNON OAK

FACE OPTIONS



Artisan Oak




Belgian Oak



Gesso Lini



Shannon Oak



DESIGN CODE	CHIC A0 ARTISAN OAK	CHIC B0 BELGIAN OAK	CHIC GL GESO LINI	CHIC S0 SHANNON OAK
Door				
2040x410/420/460/520/620/720/770/820x35	\$ 258	\$ 258	\$ 258	\$ 258
2040x870x35	\$ 277	\$ 277	\$ 277	\$ 277
2040x920x35	\$ 404	\$ 404	\$ 404	\$ 404
2340x410/420/460/520/620/720/770/820x35	\$ 423	\$ 423	\$ 423	\$ 423
2340x870x35	\$ 432	\$ 432	\$ 432	\$ 432
2340x920x35	\$ 441	\$ 441	\$ 441	\$ 441
Bi-fold suit openings				
2040x720/770/820x35	\$ 361	\$ 361	\$ 361	\$ 361
Bi-fold Leaf				
2015x355/385/405x35	\$ 211	\$ 211	\$ 211	\$ 211
Made To Order				
Up to 2340x920x35	\$ 516	\$ 516	\$ 516	\$ 516


Cancellations or alterations for made to order doors will only be accepted on the day of ordering

NOTE: CHIC range is not available in QLD and NT

FACE OPTIONS



Primed MDF



HAG9



HAG11



HAG12



HAG14



HAG18



HA4



HA5



HA40

DESIGN CODE	HAG9	HAG11	HAG12	HAG14	HAG18	HA4	HA5	HA40
Hollowcore Door (H1 PCMDF)								
2040x410/420/460/520/620/720/770/820x35	\$ 79	\$ 79	\$ 79	\$ 79	\$ 79	\$ 79	\$ 79	\$ 79
2040x870x35	\$ 85	\$ 85	\$ 85	\$ 85	\$ 85	\$ 85	\$ 85	\$ 85
2040x920x35	\$ 106	\$ 106	\$ 106	\$ 106	\$ 106	\$ 106	\$ 106	\$ 106
2340x520/620/720/770/820x35	\$ 112	\$ 112	\$ 112	\$ 112	\$ 112	\$ 112	\$ 112	\$ 112
2340x870x35	\$ 121	\$ 121	\$ 121	\$ 121	\$ 121	\$ 121	\$ 121	\$ 121
BI-fold Suit Opening								
2040x720/770/820x35	\$ 263	\$ 263	\$ 263	\$ 263	\$ 263	\$ 263	\$ 263	\$ 263
DESIGN CODE	HAG9	HAG11	HAG12	HAG14	HAG18	HA4	HA5	HA40
Sollicore (SCX1 PCMDF)								
2040x410/420/460/520/620/720/770/820x35	\$ 163	\$ 163	\$ 163	\$ 163	\$ 163	\$ 163	\$ 163	\$ 163
2040x870x35	\$ 195	\$ 195	\$ 195	\$ 195	\$ 195	\$ 195	\$ 195	\$ 195
2040x920x35	\$ 246	\$ 246	\$ 246	\$ 246	\$ 246	\$ 246	\$ 246	\$ 246
2340x520/620/720/770/820x35	\$ 253	\$ 253	\$ 253	\$ 253	\$ 253	\$ 253	\$ 253	\$ 253
2340x870x35	\$ 275	\$ 275	\$ 275	\$ 275	\$ 275	\$ 275	\$ 275	\$ 275
Special Size (Hollowcore H1 PCMDF)								
Up to 2100x920x35	Additional \$99							
Up to 2400x1200x35	Additional \$156							
Special Size (Sollicore SCX1 PCMDF)								
Up to 2100x920x35	Additional \$217							
Up to 2400x1200x35	Additional \$312							
Tempered Hardboard	Additional \$39							

Made To Order

HA4 alignment of horizontal rout is not guaranteed for pairs.


HA4 not suitable for rebated pairs.

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile



PRE1(SG15)




PRE4



PRE9



PRE11



PRE18



PRE40




PRE44

FACE OPTIONS



Primed MDF
(6mm)



DESIGN CODE	PRE1	PRE4	PRE9	PRE11	PRE18	PRE40	PRE44
Door	6mm Skin	6mm Skin	6mm Skin	6mm Skin	6mm Skin	6mm Skin	6mm Skin
2040x520/620/720/770/820x35	\$ 104	\$ 130	\$ 130	\$ 130	\$ 130	\$ 130	\$ 130
2040x870x35	\$ 132	\$ 141	\$ 141	\$ 141	\$ 141	\$ 141	\$ 141
2040x920x35	\$ 148	\$ 160	\$ 160	\$ 160	\$ 160	\$ 160	\$ 160
2340x520/620/720/770/820x35	\$ 132	\$ 155	\$ 155	\$ 155	\$ 155	\$ 155	\$ 155
2340x870x35	\$ 159	\$ 166	\$ 166	\$ 166	\$ 166	\$ 166	\$ 166

Made To Order

Up to 2340x920x35 Additional \$114

Up to 2400x1200x35 Additional \$156


Bi-fold - Price on Application

PRE4 and PRE44 alignment of horizontal rout is not guaranteed for pairs.

PRE4 and PRE44 not suitable for rebated pairs.

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile



For glass designs refer to Glazing Options table on page 48-49



OAKFIELD



OAK



BF18



OAK-G



BF19

CAPRICE



CAP



BF34

PACIFIC



PAC



BF15

DENMARK



DEN



BF26

CHATEAU



CHA



BF33

VIENNA



VIE



BF25



Moulded Panel
Woodgrain Skin

DESIGN CODE		OAK	BF18	OAK-G	BF19	BF19 LEAF	CAP	BF34	PAC	BF15	DEN	BF26	CHA	BF33	VIE	BF25
Unglazed Door/Bi-fold																
2040x410/420/460/520/620/720/770/820x35		\$ 78		\$ 192			\$ 78		\$ 78		\$ 78		\$ 78		\$ 78	
2040x870x35		\$ 86		\$ 207			\$ 86		\$ 86		\$ 86		\$ 86		\$ 86	
2040x920x35		\$ 106		\$ 234			\$ 106		\$ 106		\$ 106		\$ 106		\$ 106	
2040x720/770/820x35 Bi-fold			\$ 197		\$ 197		\$ 197		\$ 197		\$ 197		\$ 197		\$ 197	
2015x355/380/405 Leaf			\$ 90		\$ 120		\$ 90		\$ 90		\$ 90		\$ 90		\$ 90	
Glazed Standard Size Door/Bi-fold																
Clear	G1			\$ 324	\$ 385	\$ 186										
Grey Tint	G2			\$ 408	\$ 469	\$ 228										
Cathedral	G2			\$ 408	\$ 469	\$ 228										
Translucent	G2			\$ 408	\$ 469	\$ 228										
Frost Coloured Design	G3			\$ 436	\$ 497	\$ 242										
Panama	G4			\$ 474	\$ 535	\$ 261										
Solid Construction/Glazed 870/920																
Solid Construction		Additional \$99														
870/920 Oak-G / ASC-G (check glass availability)		Additional \$26														

All bi-fold supplied in reversible 2 door sets, hinged together to suit normal opening widths as shown. Tracks, fittings and installation instructions included.

Multifold leaves supplied as single doors in sizes shown. Track and fittings are extra (refer page 43). Bi-fold and multifold opening sizes (refer page 41 & 43).

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Trimming Instructions: 3mm from the top, bottom and each stile

ASCOT



ASC



BF27



ASC-G



BF28



ASC
2340MM HIGH


ALPINE



ALP



ALP
2340MM HIGH



For glass designs refer to Glazing Options table on page 48-49



HAYMAN



HAY



BF6




Moulded Panel
Smooth Skin

DESIGN CODE		ASC	BF27	ASC-G	BF28	BF28 LEAF	ALP	HAY	BF6
Unglazed Door/Bi-fold									
2040x410/420/460/520/620/720/820x35		\$ 85						\$ 85	
2040x520/620/720/770/820x35				\$ 207			\$ 85		
2040x870x35		\$ 94		\$ 231			\$ 94	\$ 94	
2040x920x35							\$ 118	\$ 118	
2340x620/720/770/820x35		\$ 162					\$ 162		
2340x870x35		\$ 177					\$ 177		
2340x920x35		\$ 207					\$ 207		
2040x620/720/770/820x35 Bi-fold			\$ 222		\$ 268				\$ 222
2015x355/380/405 Leaf			\$ 102			\$ 132			\$ 102
2340x720/770/820x35 Bi-fold			\$ 315						
2315x355/380/405x35 Leaf			\$ 130						
Glazed Standard Size Door/Bi-fold									
Clear	G1			\$ 339	\$ 399	\$ 198			
Grey Tint	G2			\$ 423	\$ 484	\$ 240			
Cathedral	G2			\$ 423	\$ 484	\$ 240			
Translucent	G2			\$ 423	\$ 484	\$ 240			
Frost Coloured Design	G3			\$ 451	\$ 512	\$ 253			
Panama	G4			\$ 489	\$ 549	\$ 272			
Solid Construction/Glazed 870/920									
Solid Construction		Additional \$99							
870/920 Oak-G / ASC-G (check glass availability)		Additional \$26							

All bi-fold supplied in reversible 2 door sets, hinged together to suit normal opening widths as shown. Tracks, fittings and installation instructions included.

Multifold leaves supplied as single doors in sizes shown. Track and fittings are extra (refer page 43). Bi-fold and multifold opening sizes (refer page 41 & 43). Cancellations or alterations for made to order doors will only be accepted on the day of ordering.

Trimming Instructions: 3mm from the top, bottom and each stile



Commercial Primecoat



Light Commercial Primecoat



Primecoat

INTERNAL					
Honeycomb Core (H1) Non Solid	Commercial Primecoat (6mm PCMD skin)	Light Commercial Primecoat (4.75mm PCMD skin - 37mm thick door)	Primecoat MDF	Lauan	SPM
2040x410/420/460/520/620/720/770/820x35	\$ 104	\$ 75	\$ 53	\$ 69	\$ 82
2040x870x35	\$ 132	\$ 84	\$ 62		\$ 99
2040x920x35	\$ 148		\$ 77		\$ 110
2340x520/620/720/770/820x35	\$ 132	\$ 108	\$ 81		\$ 121
Special Sizes up to					
2040x870x35			\$ 143		\$ 183
2100x920x35	\$ 239	\$ 188			
2340x920x35	\$ 272	\$ 218			
2440x1220x35	\$ 303				
2700x1220x35	\$ 333		\$ 184		\$ 267
3000x1220x35	\$ 369		\$ 279		
40mm thick door add \$55			\$ 315		
45mm thick door add \$160					

For additional extras in Honeycomb Core Doors refer to page 52

Commercial Primecoat has 6mm door facings

EXTERNAL				
Honeycomb Core (X1)	Tempered Hardboard	Paint Ply A'Bond	Lauan	SPM
2040x520/620/720/770/820x35	\$ 88	\$ 78	\$ 71	\$ 88
2040x870x35	\$ 106	\$ 82		\$ 106
2040x920x35	\$ 121	\$ 102		\$ 121
2040x720/770/820x40	\$ 101	\$ 90	\$ 84	\$ 101
2040x870x40	\$ 124	\$ 104		\$ 124
Special Sizes up to				
2100x920x35	\$ 184	\$ 183		\$ 189
2340x920x35	\$ 203	\$ 204		\$ 228
2440x1220x35	\$ 234	\$ 226		\$ 267
2700x1220x35	\$ 356			
3000x1220x35	\$ 383			
40mm thick door add \$55				
45mm thick door add \$160				

For additional extras in Honeycomb Core Doors refer to page 52


Made To Order

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

SOLICORE					
Timber Frame Water Resistant Particle Board Core (SCX1)	Primecoat MDF Internal Use Only	Tempered Hardboard	A'Bond Ply Paint Grade	SPM	Tassie Oak
2040x520/620/720/770/820x35	\$ 122	\$ 150	\$ 153	\$ 162	
2040x870x35	\$ 153	\$ 165	\$ 185	\$ 195	
2040x920x35	\$ 205	\$ 218	\$ 238	\$ 246	
2040x920x40	\$ 216	\$ 224	\$ 247	\$ 255	
2040x720/770/820x40	\$ 156	\$ 169	\$ 176	\$ 188	
2040x870x40	\$ 171	\$ 197	\$ 243	\$ 207	
2340x520/620/720/770/820x35	\$ 203	\$ 218	\$ 234	\$ 243	
2340x870x35	\$ 234	\$ 242	\$ 252	\$ 274	
Special Sizes up to					
2040x870x35	\$ 212	\$ 242	\$ 261	\$ 280	\$ 81
2100x920x35	\$ 264	\$ 285	\$ 308	\$ 311	\$ 844
2340x920x35	\$ 299	\$ 309	\$ 361	\$ 375	\$ 864
2400x1200x35					\$ 1,021
2440x1220x35	\$ 335	\$ 344	\$ 397	\$ 419	
2700x1220x35	\$ 428	\$ 437	\$ 540		
3000x1220x35	\$ 477	\$ 486	\$ 590		
40mm thick door additional \$55					
45mm thick door additional \$160					

XF1, XF3 Glass Openings in standard size Solicore refer to page 22

For glass openings in non-standard doors refer to page 52



SOLIDCORE

FLUSH

SOLIDCORE			
Blockboard Solid Pine Core (STPC)	Tempered Hardboard	A'Bond Ply Paint Grade	SPM
2040x820x35	\$ 157	\$ 142	\$ 177
2040x820x40	\$ 169	\$ 153	\$ 218
2100x920x35	\$ 198	\$ 187	\$ 224
2100x920x40	\$ 212	\$ 203	\$ 277
2400x920x35	\$ 240	\$ 266	\$ 306
2400x920x40	\$ 256	\$ 297	\$ 296
2100x1200x35	\$ 266	\$ 280	\$ 315
2100x1200x40	\$ 287	\$ 301	\$ 310
2400x1200x35	\$ 280	\$ 293	\$ 338
2400x1200x40	\$ 300	\$ 335	
2700x1200x35	\$ 441	\$ 549	
2700x1200x40	\$ 468	\$ 599	

For exposed situations consider metal clad, aluminium or fibreglass doors.

Made To Order

Cancellations or alterations for made to order doors will only be accepted on the day of ordering


Factory cut down for Blockboard refer to page 52.

XF1, XF3 Glass Openings in standard size Blockboard refer to page 22. For Glass Openings in non-standard doors to refer page 52.

SOLID CORE NOTE:

Due to open ended core plate all surfaces *must* be sealed - **OTHERWISE GUARANTEE VOID.**

Blockboard Solidcore are not recommended for high gloss paints due to potential core showthrough. Solicore doors are recommended as an alternative.



LEFT HAND HINGED DOOR



RIGHT HAND HINGED DOOR



SINGLE DOOR JAMB SET



2 stiles, 1 head (excluding doors).
To suit openings of
2040x520/620/720/770/820/870x35
To suit openings of
2340x520/620/720/770/820/870x35

DOUBLE DOOR JAMB SET



2 stiles, 1 head (excluding doors).
Head cut to suit nominated door
openings
To suit openings of
2040x1040/1240/1440/1540/1640x35
To suit openings of
2340x1040/1240/1440/1540/1640x35

THREE DOOR JAMB SET



2 stiles, 1 head (900mm & 2100mm
lengths) and mullion 68mm x 42mm
(excluding doors).
Head cut to suit nominated door
openings.
To suit openings of
2040x1560/1860/2160/2310/2460x35
To suit openings of
2340x1560/1860/2160/2310/2460x35

FOUR DOOR JAMB SET



2 stiles, head (2 x 2100mm lengths)
and mullion 68mm x 42mm (excluding
doors).
To suit openings of
2040x2080/2480/2880/3080/3280x35
To suit openings of
2340x2080/2480/2880/3080/3280x35

We recommend oil based primer
or undercoat for pine products to
reduce the risk of swelling of
timber grain sometimes
associated with water based
primer or undercoat.



89mm Radius corner hinges



CHROME or
SATIN CHROME



BRASS



STAINLESS
STEEL

Knock down hinged door and jamb system.
Two radius corner 89mm butt hinges to suit
2040mm. Three radius corner 89mm butt
hinges to suit 2340mm. 3 Knuckle half hinge
fixed to jamb, 2 knuckle half hinge fixed to door.
Check your state office for standard hinge
colour. Door also available with face hole and
latch hole.

For all door handing, determine by viewing
hinge knuckle on side of door.

DOOR SIZES	PRIMECOAT MDF	MOULDED PANEL WOODGRAIN	MOULDED PANEL SMOOTH	ACCENT	SPM	SORRENTO	CHIC	LINEAR 230/240	HST1 STRATA	HUMECRAFT
2040x520/620/720/770/820x35 Hinged	\$ 55	\$ 88	\$ 92	\$ 89	\$ 96	\$ 168	\$ 265	\$ 168	\$ 74	\$ 198

DOOR SIZES	PRIMECOAT MDF	ASC, ALP	ACCENT	SPM	SORRENTO	CHIC	LINEAR 230/240	HST1 STRATA	HUMECRAFT
2340x520/620/720/770/820x35 Hinged									126 \$ 150

Doors supplied hinged only or hinged 54mm or 32mm face hole and 25mm latch hole.

Additional for radius corner latch fitted door add \$9. Additional for striker fitted jamb add \$2.50. Additional cost per hinge stainless steel\$8.

Any unlisted door POA

HINGED ONLY JAMB	FINISHED SIZE 2100=2040H DOORS	PINE	MAPLE	PMD	FINISHED SIZE 2400=2340H DOORS	PINE	MAPLE	PMD
Single Door Jamb Only								
SFJ92	2100x92x19	59	62	52	2400x92x19	71	76	67
SFJ98	2100x98x19	70	72	55	2400x98x19	80	83	68
SFJ112	2100x112x19	74	76	59	2400x112x19	83	86	74
SFJ116	2100x116x19	81	85	74	2400x116x19	95	102	85
Two Door Jamb Set								
DFJ92	2100x92x19	77	81	60	2400x92x19	94	106	77
DFJ98	2100x98x19	91	94	62	2400x98x19	105	107	79
DFJ112	2100x112x19	93	96	68	2400x112x19	110	117	86
DFJ116	2100x116x19	100	105	100	2400x116x19	119	127	97
Three Door Jamb Set								
TFJ92A	2100x92x19	171	183	159	2400x92x19	192	249	181
TFJ112A	2100x112x19	189	196	184	2400x112x19	230	251	215
TFJ116A	2100x116x19	201	208	195	2400x116x19	234	270	225
TFJ92B	2100x92x19	171	183	159	2400x92x19	192	249	181
TFJ112B	2100x112x19	189	196	184	2400x112x19	230	251	215
TFJ116B	2100x116x19	201	208	195	2400x116x19	234	270	225
Four Door Jamb Set								
FFJ92	2100x92x19	169	186	157	2400x92x19	202	242	195
FFJ112	2100x112x19	181	199	179	2400x112x19	230	257	220
FFJ116	2100x116x19	195	211	192	2400x116x19	239	274	227

Made To Order - Special sizes not available

Latch hole included. Lift off hinges same price. Latch/Striker sold as combination.

PRE-HUNG INSTALLATION



Scan QR code to view our
installation video





BF1 PC MDF
(LEAF)




BF1 PC MDF



BF1 SPM
(LEAF)



BF1 SPM



DESIGN CODE	BF1 PC MDF (LEAF)	BF1 PC MDF	BF1 SPM (LEAF)	BF1 SPM
2040x720/770/820x35 Bi-Fold		\$ 177		\$ 237
2015x355/380/405x35 Leaf	\$ 79		\$ 111	

All bi-folds supplied in reversible 2 door sets, hinged together to suit normal opening widths as shown.

Tracks, fittings and installation instructions included.

Multi-fold leaves supplied as single doors in sizes shown - track and fittings extra see page 43

Bi-fold and multi-fold opening sizes refer below and page 43

Special Sizes POA



BI-FOLD

INTERNAL
SYSTEMS

Opening Size Calculations

Bi-folds are supplied to suit openings designed for 2040x720/770/820 doors

Bi-fold doors are supplied in sizes 2015x712/762/812

To calculate opening height for Bi-fold	mm
Leaf Height	2015
Allowance for track and fittings	23
Clearance under leaf for pivot (add extra clearance for floor coverings)	22
Total opening height	2060
To calculate opening width for Bi-fold	mm
Leaf width x number of leaves (eg 405 leaf x 2)	810
Clearance for each gap 3mm x 3	9
Total width	819mm for 820mm opening

STANDARD BI-FOLD



TWO STANDARD BI-FOLD



BIFOLD DOOR INSTALLATION



Scan QR code to view our
installation video





WHEEL ASSEMBLY
Also pictured is timber finger grip on door edge



TOP TRACK
Nylon guides supplied to fix top of doors to ensure smooth operation



BOTTOM TRACK
Easy maintenance with door height adjustment in edge of door



White



Chrome



FLUSH RANGE
PAGE 38



ACCENT RANGE
PAGE 34



MOULDED
PAGES 36-37



LINEAR RANGE
PAGE 31



SORRENTO
PAGE 29



HUMECRAFT
PAGE 28



CHIC RANGE
PAGE 33



STRATA RANGE
PAGE 32



PREMIUM RANGE
PAGE 35



MIRROR
SQUARE TOP



MIRROR
ARCH TOP



MIRROR
FULL

TRACK AND JAMB

Unit Type to suit 2040mm	93x19	98x19	112x19	116x19
2 Door	\$ 123	\$ 135	\$ 141	\$ 144
3 Door	\$ 169	\$ 180	\$ 182	\$ 184
4 Door	\$ 212	\$ 227	\$ 231	\$ 237

2340mm high Jamb Additional Cost \$30

Each Smartrobe door includes two nylon wheels encased in steel assemblies. Doors are reversible (except mirror) with height adjustment to the edge of door.

DOOR

Door Type	2040x520/620/720/770/820x35	2040x870x35	2340x520/620/720/770/820	2340x870x35
Primecoat	\$ 72	\$ 81	\$ 100	\$ 122
SPM	\$ 102	\$ 118	\$ 141	\$ 314
Accent	\$ 99	\$ 105	\$ 132	\$ 141
Pacific/Oakfield/Vienna/Chateau/Denmark/Caprice	\$ 98	\$ 106		
Hayman	\$ 105	\$ 114		
Ascot/Alpine	\$ 105	\$ 114	\$ 182	\$ 197
Linear HLR230, 240, 270	\$ 150	\$ 161	\$ 175	\$ 186
Sorrento	\$ 150	\$ 161	\$ 175	\$ 186
Premium	\$ 150	\$ 161	\$ 175	\$ 186
Humecraft(PCMDF)	\$ 180	\$ 216	\$ 222	\$ 259
Chic	\$ 278	\$ 297	\$ 442	\$ 451
Strata HST1	\$ 85	\$ 95	\$ 133	\$ 144
Strata HST4, HST5	\$ 113	\$ 122	\$ 161	\$ 172
Strata HST1M	\$ 151	\$ 160	\$ 203	\$ 216
Strata HST4M	\$ 180	\$ 188	\$ 235	\$ 250
Mirror Primed MDF	\$ 298	\$ 323	\$ 393	\$ 431
Mirror SPM	\$ 327	\$ 351	\$ 438	\$ 462
Additional Cost per door 2 Meranti/Pine Finger Grips	\$ 34	\$ 34	\$ 37	\$ 37
Any unlisted door	POA	POA	POA	POA

Made To Order

Cancellations or alterations for made to order doors will only be accepted on the day of ordering

DOOR SIZE - UNIT HEIGHT (2040 = 2115, 2340 = 2415)				
DOOR WIDTH	WIDTH		WIDTH	
	INCLUDING 2 FINGER GRIPS PER DOOR		NO FINGER GRIPS	
	Unit Size	Stud Size	Unit Size	Stud Size
4x870	3670	3675	3460	3465
3x870	2770	2775	2610	2615
2x870	1870	1875	1760	1765
4x820	3470	3475	3260	3265
3x820	2620	2625	2460	2465
2x820	1770	1775	1660	1665
4x770	3270	3275	3060	3065
3x770	2470	2475	2310	2315
2x770	1670	1675	1560	1565
4x720	3070	3075	2860	2865
3x720	2320	2325	2160	2165
2x720	1570	1575	1460	1465
4x620	2670	2675	2460	2465
3x620	2020	2025	1860	1865
2x620	1370	1375	1260	1265
4x520	2270	2275	2060	2065
3x520	1720	1725	1560	1565
2x520	1170	1175	1060	1065

SMARTROBE INSTALLATION



Scan QR code to view our
installation video



MULTI-FOLD

INTERNAL
SYSTEMS

Opening Size Calculations

Standard leaf sizes are 2015x355/380/405. Standard opening sizes are 2075mm x width to suit even number of leaves.

To calculate opening height for Multi-fold sets	mm
Leaf Height	2015
Allowance for track and fittings and under door clearance	60
Standard opening height	2075
To calculate opening width for Multi-fold sets (This example uses a four door application using 405mm leaves).	mm
Leaf width x number of leaves (eg 405mm leaf x 4)	1620
Add 2mm between each leaf (eg 4 leaves)	6
Allow 6mm clearance at each jamb	12
Total width	1638

MULTI-FOLD TRACK AND FITTINGS

4 Leaf Set	155
6 Leaf Set	203
8 Leaf Set	251

MULTI-FOLD PARTS

2.0m track only - suit 4 leaf multi-fold	31
2.5m track only - suit 6 leaf multi-fold	37
3.4m track only - suit 8 leaf multi-fold	45
Starter pack	70
Add on pack	57

4 LEAF SET: 2.0M TRACK PLUS

A 1 Starter, 1 Add On Pack



B 2 Starter Packs



6 LEAF SET : 2.5M TRACK PLUS

C 1 Starter, 2 Add On Packs



D 2 Starter, 1 Add On Packs



8 LEAF SET: 3.4M TRACK PLUS

E 1 Starter, 3 Add On Packs




F 2 Starter, 2 Add On Packs



G 2 Starter, 2 Add On Packs



ASPIRE AND EVOLUTION
Super smooth ball bearing assembly and carrier featuring nylon lock tab for easy door removal and reinstallation without additional adjustments required.



U TRACK DOOR STOP
For double cavity application

Cavity Units are recommended for 35mm doors



ASPIRE Premium Metal Cavity Unit

- Top of the range with galvanised steel back posts slats and track - termite proof
- Smooth 4 wheel ball bearing carriages
- Jump free U track - smooth operation
- Maximum door mass 70kg
- Quick release mechanism to easily remove door for painting or modification



EVOLUTION Timber Deluxe Cavity Unit


Available in plain or treated timber

- Same architrave height as a hinged door
- Smooth 4 wheel ball bearing carriages
- Jump free U track - smooth operation
- Maximum door mass 70kg
- Quick release mechanism to easily remove door for painting or modification

CAVITY TO SUIT STUD THICKNESS

Evolution	70mm, 75mm	90mm, 100mm
2040x620/720/770/820	\$ 153	\$ 153
2040x870	\$ 159	\$ 159
2040x920	\$ 191	\$ 191
2340x620/720/770/820	\$ 279	\$ 279
2340x870	\$ 285	\$ 285
2340x920	\$ 318	\$ 318
Special sizes up to 2340x919	\$ 327	\$ 327
Special sizes up to 2400x1200		\$ 361
Aspire	70mm	90mm
2040x620/720/770/820	\$ 186	\$ 186
2040x870	\$ 202	\$ 202
2040x920	\$ 231	\$ 231
Special Size	POA	POA
Extras		
Closing Jamb	Additional \$32	
Aspire/Evolution - track door stop	Additional \$21	
Staingrade upgrade	Additional \$51	

For more extras refer to page 52



OPENING SIZES

Unit size is tight, please allow extra for packing when preparing the opening.

A - Height = Door height + 70mm (QLD. VIC. SA. TAS. WA)

A - Height = Door height + 80mm (NSW. ACT)

B - Opening width for Flush pull = 2 x Door + 10mm
(Flush pull the door protrudes 50mm)

B - Opening width for Flush jamb = 2 x Door + 60mm
(Flush jamb the door is flush with split jamb)

COMING SOON

EVOLUTION PREMIUM

Floor to ceiling zero clearance cavity unit.

Max door mass 125kg.

CAVITY UNIT INSTALLATION



Scan QR code to view our installation video



OVERSIZE DOORS



AIR GRILLS

- Aluminium
- Snap in



ALUMINIUM T-BARS



METAL CLAD DOORS

- Zinc
- Colorbond

At Hume Doors & Timber we manufacture doors for a multitude of applications and your State office will gladly accept your enquiry no matter how large or small.

As a guide, we provide the following:

Door Sizes	Up to 4200mm high and 2400mm wide. Door faces may have joins.		
Door Thickness	We provide 35/37/40/45/50mm thick doors. Check locally for thicker doors.		
Door Face Types	Primed MDF (medium density fibreboard)		
	Raw MDF		
	Tempered Hardboard		
	Plywood Veneers	Standard species	SPM, Tasmanian Oak, Lauan, Merbau
		Optional Veneers	From across the world – Oak, Ash, Pine, Cedar, etc. Check your state for availability.
	Metal Clad Doors – Standard 0.9mm thick zinc. Other sizes and options available (Single side voids warranty)		
Door Cores	Hi Density Honeycomb Paper Core		
	Polystyrene Core		
	Particle Board Core		
	Pine Blockboard Core		
Edge Strips	Available in various materials including pine, meranti and tasmanian oak. Optional material P.O.A.		
Glass Openings	To suit vision panels, etc, including 600mm diameter porthole design.		
Glazing	Full glazing options available including annealed, toughened and laminated glass, decorative patterns, vision privacy, noise control, security laminate, etc		
Air Conditioning Grills	Standard sized 150x600, 200x600, 450x600, 600x600 or made to order to suit non rated doors		
Viewing Panels	Aluminium viewing panels to suit fire rated doors – 600x100, 300x200, 450x120. Various sized vision panels available to non fire rated doors		
T-Bars	Aluminium T-Bars 1.8mm thick with rubber seal – non rated. Fire rated T-Bars also available		

- The range of Hume fire rated doors is fully tested and approved in accordance with Australian Standard AS 1905.1 with testing and certification by the CSIRO.
- All doors are supplied with metal reinforcing plates as standard, with provision for 3 hinges, an automatic closer and a lock. (Match with fire door frames refer to page 47)
- Fire door core material is a monolithic vermiculite (no asbestos).
- Hume Doors also supplies fire doors with vision panels, and for pairs of doors we offer aluminium T Bar meeting stiles, aluminium bullnose meeting stiles as well as the option of 2 way swing doors (double action). **Pairs of doors must be 45mm thick and must be ordered as pairs.**

Before installation please refer to our certification list including approved hardware.

For certification and tags to suit doors please contact your Hume State Office.



FIRE DOORS

- 1 Hour
- 2 Hour
- 3 Hour
- 4 Hour



GLAZED PANELS

- Suit Firedoors
- Panel Sizes:
600x100, 300x200 or 450x120

MINI FIRE DOORS - NOMINAL 35MM THICK



	1 hour	1 hour	1 hour	2 hour	2 hour
	MDF	Ply	Tempered Hardboard	Ply	Tempered Hardboard
Standard Sizes	37mm	36mm	35mm	36mm	35mm
2040x820	\$ 278	\$ 311	\$ 327	\$ 345	\$ 334
2040x870	\$ 333	\$ 366	\$ 383	\$ 400	\$ 390
2040x920	\$ 353	\$ 395	\$ 412	\$ 429	\$ 421
Special Size up to:					
2050x820	\$ 324	\$ 359	\$ 375	\$ 391	\$ 381
2100x920	\$ 380	\$ 421	\$ 437	\$ 453	\$ 446
2100x1200	\$ 462	\$ 504	\$ 530	\$ 546	\$ 535
2400x920	\$ 471	\$ 487	\$ 504	\$ 571	\$ 563
2400x1200	\$ 504	\$ 555	\$ 572	\$ 613	\$ 603

MAXI FIRE DOORS - NOMINAL 45MM THICK

	1 hour	1 hour	1 hour	2 hour	2 hour	3 hour	4 hours
	MDF	Ply	Tempered Hardboard	Ply	Tempered Hardboard	Tempered Hardboard	Tempered Hardboard
Standard Sizes	47mm	46mm	45mm	46mm	45mm	45mm	45mm
2040x820	\$ 302	\$ 336	\$ 353	\$ 369	\$ 360	\$ 387	\$ 404
2040x870	\$ 352	\$ 387	\$ 404	\$ 420	\$ 410	\$ 446	\$ 471
2040x920	\$ 369	\$ 404	\$ 420	\$ 437	\$ 427	\$ 455	\$ 479
Special Size up to:							
2050x820	\$ 353	\$ 387	\$ 403	\$ 421	\$ 410		
2100x920	\$ 396	\$ 437	\$ 462	\$ 471	\$ 460	\$ 487	\$ 513
2100x1200	\$ 471	\$ 521	\$ 539	\$ 555	\$ 545	\$ 562	\$ 587
2400x920	\$ 487	\$ 504	\$ 521	\$ 588	\$ 578	\$ 555	\$ 580
2400x1200	\$ 539	\$ 576	\$ 588	\$ 630	\$ 621	\$ 646	\$ 671

Extra cost options

Robax Vision Panels 600x100, 300x200 or 450x120	POA	Additional
T-bar including intumescent seal to form pairs 2100mm long	215	Additional
T-bar including intumescent seal to form pairs 2400mm long	270	Additional
Tags	9	Per door



- 3 hinges (required to meet door manufacturer's guarantee for solid doors)
- Hinges screw fixed to frame to allow removal if required for easy door hanging
- Simple installation
- Ready for priming or painting
- Zinc finish
- All components supplied for brick/block and partition walls
- Left or right hand available

NON RATED KNOCK DOWN											
Height	Width	N86	N93	N102	N114	N145	N193	NM114	NM145	NM193	
2065	724	\$ 126	\$ 109	\$ 121	\$ 115	\$ 143	\$ 168	\$ 168	\$ 185	\$ 243	
2065	824	\$ 126	\$ 109	\$ 121	\$ 115	\$ 143	\$ 168	\$ 168	\$ 185	\$ 243	
2065	874	\$ 126	\$ 109	\$ 121	\$ 115	\$ 143	\$ 168	\$ 168	\$ 185	\$ 243	
2065	924	\$ 126	\$ 109	\$ 121	\$ 115	\$ 143	\$ 168	\$ 168	\$ 185	\$ 243	
2065	1246	\$ 148	\$ 122	\$ 135	\$ 125	\$ 160	\$ 218	\$ 221	\$ 235	\$ 294	
2065	1446	\$ 148	\$ 122	\$ 135	\$ 125	\$ 160	\$ 218	\$ 221	\$ 235	\$ 294	
2065	1646	\$ 148	\$ 122	\$ 135	\$ 125	\$ 160	\$ 218	\$ 221	\$ 235	\$ 294	

114 frames supplied with stud clips, brick ties and retail packaging

Code: N = to suit 35mm non fire rated door, NM = to suit 40mm non fire rated door, 114, 145 etc = throat size

FIRE RATED KNOCK DOWN									
Height	Width	F114	F145	F193	FM114	FM145	FM193		
2055	824	\$ 151	\$ 163	\$ 210	\$ 212	\$ 226	\$ 294		
2055	874	\$ 151	\$ 163	\$ 210	\$ 212	\$ 226	\$ 294		
2055	924	\$ 151	\$ 163	\$ 210	\$ 212	\$ 226	\$ 294		
2055	1246				\$ 285	\$ 269	\$ 343		
2055	1446				\$ 285	\$ 269	\$ 343		
2055	1646				\$ 285	\$ 269	\$ 343		

Fire rated steel frames supplied with brick tiles only

Code: F = to suit 35-37mm fire rated door, FM = to suit 45-47mm fire rated door, 114, 145 etc = throat size


Additional Extras

Stud clips	\$20 per set
Tube and strap fixings	\$62 per frame
Dimple fixing	\$33 per frame
Retail Packaging	\$30 per frame
Assembled frames POA	


Contact your local Hume state office for custom orders

Steel door frame warranty refer to page 53


Cancellations or alterations for made to order doors will only be accepted on the day of ordering




CORNER DETAIL



JAMB BRICK




JAMB STEEL




STUD CLIPS




STRAP FIX



TUBE FIX




JAMB GYPROCK



		FROSTED					CONTEMPORARY		
Square (■) denotes the glass available for this door or sidelight. N.B. Clear glass available for ALL doors and sidelites. Availability varies for each state.									
		Frosted Black Orchid	Frosted Rose Bud	Frosted Kookaburra Jewel	Kookaburra Green Leaves (Cathedral)	Wysteria (Cathedral)	Africana	Rice Paper	Translucent or Frost
ENTRANCE	Savoy1200	XS24, XS26, XS28, XS45					■	■	■
	Verve	VER1, VER2, VER4, VER6, VER8, VER11						■	■
	Linear 100 Series	XLR110, XLR120, XLR160, XLR180							
	Illusion	XIL1, XIL2, XIL3, XIL6, JST11					■		
		XIL21, XIL22, XIL23, XIL26, JST11					■		
	Newington	XN6, XN12					■		
		XN1, XN2, XN9, XN5, XN11, XN13, XN14, XN16					■	■	■
		XN7					■	■	■
	Nexus	NEX30, NEX40					■	■	■
		NEX35					■	■	■
	Savoy	XS3, XS4	■	■	■	■	■	■	■
		XS11					■	■	■
		XS24, XS26, XS28, XS45					■	■	■
	Joinery	JST1, JST2, JST11, JST12, JST4, JST5, JST6, JST10					■	■	■
	Regency	XR1, XR2		■	■				■
		XR5, XR6		■	■				■
	Vaucluse Premier	XVP5, XVP6		■	■	■			
		XVP12, XVP13, XVP14	■	■	■	■	■	■	■
	Grange	XGE4, XGE5, XGE8					■	■	■
	Carringbush	XCB1, XCB2, XCB5				■			
	Sandgate	SG8, SG9, SG10	■	■	■	■			■
	Glass Opening	XF1, XF3, XF8					■	■	■
INTERNAL	Joinery/ Lincoln	LIN1, LIN10					■	■	■
		SAV3	■	■	■				■
	Humecraft	HMC5, BF30	■	■	■	■	■	■	■
		HMC11					■	■	■
	Moulded Panel	OAK-G, BF19, ASC-G, BF28	■	■	■				■
	Linear 200 Series	HLR210, HLR220, HLR260, HLR280							

Glass colours are as accurate as modern photographic and printing processes allow.

Glass images are not to scale.

Factory glazed doors comply with glazing standards AS 1288-2006

CONTEMPORARY				TRIPLE GLAZE LEADLITE							BUDGET LEADLITE			LINEAR	
															
Cathedral	Panama	Slumped	Geostep	Triple Glaze Bevelled Jewel	Triple Glaze Bevelled Flower	Triple Glaze Classique	Triple Glaze Bevelled Flower	Triple Glaze Tear Drop	Triple Glaze Argyle	Triple Glaze Crystal Blue	Budget 3 Diamond Bevel	Budget Bevel Flower	Budget Diamond Cluster	Linear Clear	Linear Satinlite
■			■												
■			■												
														■	■
■		■	■												
■		■	■												
■		■	■												
■		■	■												
■	■		■								■	■	■		
■		■	■												
■			■												
					■	■		■							
■	■			■		■	■		■	■	■	■	■		
■															
■	■		■						■	■	■	■	■		
■			■								■	■	■		
■															
■	■														
■	■														
■	■										■	■	■		
■	■														
														■	■

PROFILE	PRODUCT RANGE	APPLICATIONS	STANDARD WIDTH (MM)	STANDARD LENGTH (MM)
4.5mm PRIMA flex 	Arrissed Edge on all 4 sides	Suitable for gable end cladding and eaves, carport and verandah linings	450/600 900 1200	2400 1800,2400,2700,3000 1800,2100,2400,2700,3000
6.0mm PRIMA flex 	Arrissed Edge on all 4 sides	Multipurpose building boards for external cladding and heavy-duty eaves and ceiling linings.	900 1200	1800,2400,2700,3000 1800,2400,2700,3000
7.5mm PRIMA plank 	Square Edge	Siding board that comes with a choice of smooth and traditional woodgrain finish.	230 300	4200 4200
7.5mm PRIMA base 	Square rebate on 2 long sides and 1 edge	Premium substrate for external texture coating system.	900 1200	2400,2725,3000 2400,2725,3000
6.0mm PRIMA aqua 	Square rebate on 2 long sides and sanded	Water resistant internal linings and eaves lining board for perfect seamless and flush finish.	900 1200 1350	2400,3000,3600 1800,2400,2700,3000,3600,4200 2400,3000,3600
6.0mm PRIMA lattice 	Arrissed Edge on all 4 sides	For use on gable ends, screens, pergolas and fences. Available in both square and diamond pattern.	900 1200	1800,2400,3000 1800,2400,3000
6.0mm PRIMA Ceramic Tile Underlay 	Square Edge	Underlay sheet with preprinted (optional) fixing points.	900 1200	1800 1800

Check with your nearest PRIMA stockist for availability

ALL SIZES ARE IN MILLIMETRES. CHECK YOUR STATE FOR AVAILABILITY.

○ SILK TRIM - Medium density fibreboard (HMR)

● PINE TRIM - Finger Jointed Pine

● MERANTI - Stain grade



These additional extras must be applied to the special size door price.

Additional Extras		Additional Extras	
Extra Lock Block (flush doors) 35/40mm	22	Cut down Blockboard STPC per cut	42
50mm Frame 35mm Door	60	Stable door conversion	123
50mm Frame 40mm	67	Grooved Bottom Rail 15mm x 5mm	23
90mm Frame 35mm	87	Grooved Bottom Rail including 50mm Solid Rail 35mm x 15mm	115
90mm Frame 40mm	101	Bi-fold Track & Fittings Standard	58
90mm Solid Rail 35mm Door	22	Bi-fold Track & Fittings Heavy Duty	101
90mm Solid Rail 40mm Door	26	Face of Wall Slider (Timber Pelmet) excludes Closing Jamb (not available in Victoria)	187
90mm Solid Stile 35mm Door	46	Edge Strip Door Meranti*2 sides Tas Oak Price on Application (Vic KDHW Only \$80)	69
90mm Solid Stile 40mm Door	50	Edge Strip Door Meranti*4 sides Tas Oak Price on Application (Vic KDHW Only \$120)	112
Glass opening includes beads honeycomb Door	120	Edge Strip Door Meranti Rebated Meeting Stiles Extra (PR)	80
Glass opening includes beads solid Door	133	Drill Face Hole/Latch Hole Honeycomb Door (not available in Victoria)	6
Vent opening Honeycomb or solid Door	74	Evolution Cavity 2 wheel carriages/wheel assemblies, guides, etc.	32
Rebating pair of Doors	51	Evolution Cavity (track - up to 870 door)	34
Astragal Joining pair of Doors	POA	Evolution Cavity (track - up to 1200 door)	48
Aluminium T-Bar 2400mm high 1.8mm thick including seals	51	Evolution Cavity U-Track Stop	21
Mushroom Stop 2100mm Length Pine/Meranti	34	Supply and install lane mortice lock	149
Mushroom Stop 2400mm Length Pine/Meranti	39	Supply only extended striker plate	42



GUARANTEE DOORS

Subject to terms and conditions set forth herein, doors manufactured by: Hume Doors & Timber (Aust) Pty. Ltd., Hume Doors & Timber (Qld) Pty. Ltd., Hume Doors & Timber (Vic) Pty. Ltd., Hume Doors & Timber (SA) Pty. Ltd. or Hume Doors & Timber (WA) Pty. Ltd. (hereinafter referred to as "the Company") are guaranteed by the manufacturer for five years from the date of shipment by the manufacturer to be of good material and workmanship, free from defects which render them unserviceable or unfit for the use for which they were manufactured.

TERMS AND CONDITIONS

Natural variations in the colour, texture or grain pattern of the wood or MDF are not to be considered defects. Doors must be accorded reasonable treatment by the purchaser and should be stored or hung in dry buildings and not in damp, moist or freshly plastered areas. The utility or structural strength must not be impaired in the fitting of the door, the application of hardware, or cutting and altering of the door for lights, louvers, panels or any special details. A maximum of 3mm may be trimmed from any edge of the door. This must be done evenly. Normal "show-through" of frame components in doors shall not be considered a defect. Entrance/solid doors up to 2040 x 820 require three hinges, larger doors require four hinges or pivot system. ENTRANCE DOORS SHOULD BE HUNG IN WEATHER PROTECTED AREAS.

Doors and door systems including pivot systems that are installed in a fully exposed situation including opening out doors will not be warranted unless there is adequate overhead protection.

Immediately after fitting, and prior to hanging, the entire door, including the top and bottom edges, must receive two coats of undercoat and two coats of paint. This includes doors that are supplied raw or factory primed. If staining, exterior grade varnish or sealer must be used and its application to be equivalent to paint finish, to prevent absorption of moisture. Semi gloss or satin finishes are recommended for all doors to reduce "show-through".

Exterior finishes to be applied strictly in accordance with paint

manufacturers instructions. Entrance and exterior doors should be finished in light reflective colours to reduce the risk of heat absorption which may cause warping. DARK COLOURS MAY VOID WARRANTY. Regular maintenance should be provided to prevent deterioration. Where any legislation provides for remedies for the Company's breach of a condition or warranty whether statutory or otherwise, then, at the Company's option, the customer's sole remedy for such breach except a breach of Section 69 of the Trade Practices Act will be limited to: such remedy, or the repair of the products, or the replacement of the products or the re-supply of the products; or the payment of the cost of replacing the products; or the cost of having the services supplied again; or the re-provision of the services. No claim will be accepted unless notified in writing to the Company within seven (7) days of the date of delivery of the products or the supply of the services.

The Company will not be held responsible for additional charges of hanging, painting or other charges arising from the replacement of doors. Any such defects must be brought to the attention of the manufacturer when discovered and in any event within five years from the date of shipment by the Company. The Company is not liable to reimburse any purchaser for doors repaired or replaced without the prior written consent of the Company to such repair or replacement. The Company will not assume responsibility for doors which become defective because of failure to follow these conditions or hazards of shipment or storage, after doors leave the control of the Company. The Company will not be liable for any costs, claims, damages or demands arising from the personal injury, loss or damage whatsoever occurring to the customer or its agents, servants as a result of either acts or omissions of the customer. The Company will not be liable for any consequential loss or damage, whether due to its negligence or otherwise. The Company will not be liable to the customer for the Company's failure to comply with its obligations to the customer due to any cause beyond the Company's reasonable control and the Company's obligations affected by such cause are suspended while the cause continues to prevent or hinder the Company's performance.

ADVISORY NOTE

Considerable damage can occur during the delivery of doors particularly to country areas. "Special Packaging" is recommended (optional extra cost) in an attempt to prevent transit damage. The Company is not responsible for any transit damage.

INTERPRETATION OF WARP

Warp shall be interpreted as meaning the cupping/bowing or twisting of doors. It refers to distortion within the door itself and not its relationship to the jamb or frame in which it is hung. Warp exceeding 5mm for doors up to 2100 x 920mm, 6mm for doors over 2100 x 920mm and up to 2340 x 920mm and 8mm for doors up to 2340 x 1200mm shall be considered a defect. Doors in excess of 2340mm high or 1200mm wide are not guaranteed against warp.

EXCLUSIONS

The guarantee against warp does not apply to the following:


- Doors with face veneers of different species.
- Doors that are improperly hung or do not swing freely.
- External flush doors which have been painted or stained dark colours, or different colours each face.

Experience has demonstrated that when warp occurs after doors have been delivered to storage or building sites, it is usually due to improper storage or adverse moisture conditions after hanging and not to faulty manufacture. The Company will accept no responsibility for doors when moisture content of the timber falls below 12% or exceeds 18%. The Company will not accept responsibility for conditions wholly beyond its control. However, the Company should be consulted promptly if excessive warping occurs to provide assistance in overcoming the difficulty.

DESIGN CODE 2040X820X35/40/45	KILOGRAMS
Hollowcore Honeycomb	14
Solicores Particleboard	40
Solidcore Timber Blockboard	35
Firedoor	40
Moulded Panel / Strata	15
Sorrento / Premium	18
Lincoln / Joinery / Savoy	30
Newington / Vauluse / Verve	40
Camden / Sandgate / Trend	15

DESIGN CODE 2040X1200X35/40/45	KILOGRAMS
Hollowcore Honeycomb	18
Solicores Particleboard	58
Solidcore Timber Blockboard	56
Sorrento / Premium	30
Savoy 2340x1200x40	48
Newington / Vauluse / Verve	58

Measurements are a guide ONLY, mass may vary



STEEL DOOR FRAME WARRANTY

Subject to terms and conditions set forth herein, steel door frames manufactured and/or supplied by: Hume Doors & Timber (Aust) Pty. Ltd., Hume Doors & Timber (Qld) Pty. Ltd., Hume Doors & Timber (Vic) Pty. Ltd., Hume Doors & Timber (SA) Pty. Ltd. or Hume Doors & Timber (WA) Pty. Ltd. (hereinafter referred to as "the Company") are warranted by the manufacturer and/or supplier for one year from the date of shipment by the manufacturer and/or supplier to be of good material and workmanship, free from defects which render them unserviceable or unfit for the use for which they were manufactured.

THE COMPANY WARRANTS:

- Goods manufactured and/or supplied for a period of one (1) year as from the date of shipment, to be free from defects in material and workmanship which would render them unserviceable or unfit for normal use.
- To the extent permitted by law or the express provision of any statute or otherwise hereby expressly excluded and in respect warranties that cannot be so excluded, these terms and conditions shall be read such that those statutory warranties are read as being in addition to the warranties hereby given.
- Subject to Clause 2, the warranty in Clause 1 shall be read subject to the following matters being excluded as defects:
 - Frames not accorded reasonable treatment by the customer.
 - Damage or defects arising out of, or in connection with, shipment or storage after frames leave the control of the company (i.e. delivered to site or handed over to a carrier). Frames must be inspected by the customer for visible defects immediately upon delivery.
 - Claims for non conforming deliveries (incomplete defective or incorrectly supplied) will only be considered if made within 3 working days of receipt or delivery of frames. All delivery checks are the responsibility of the customer.
 - Under NO circumstance will the company be liable if frames are installed before checking that they are supplied correctly and are free from defects.
 - Factory priming is only to protect frames in transport and general handling it is the responsibility of the customer to immediately on delivery of all frames apply 2 coats of compatible sealing priming to ensure corrosion or the like does not occur.
 - It is the responsibility of the installer to ensure that the frames are installed plumb, square and suitably anchored using the correct fixing points.
 - Storage and security of the frames is not the responsibility of the company.
 - Stainless steel hinges are required to be maintained every 2 months to ensure prevention of tarnishing and corrosion.

- Damage or defects arising out of, or in connection with, shipment or storage after frames leave the control of the company (i.e. delivered to site or handed over to a carrier). Frames must be inspected by the customer for visible defects immediately upon delivery.
- Claims for non conforming deliveries (incomplete defective or incorrectly supplied) will only be considered if made within 3 working days of receipt or delivery of frames. All delivery checks are the responsibility of the customer.
- Under NO circumstance will the company be liable if frames are installed before checking that they are supplied correctly and are free from defects.
- Factory priming is only to protect frames in transport and general handling it is the responsibility of the customer to immediately on delivery of all frames apply 2 coats of compatible sealing priming to ensure corrosion or the like does not occur.
- It is the responsibility of the installer to ensure that the frames are installed plumb, square and suitably anchored using the correct fixing points.
- Storage and security of the frames is not the responsibility of the company.
- Stainless steel hinges are required to be maintained every 2 months to ensure prevention of tarnishing and corrosion.



HUME DOORS DELIVERY



Delivery

Metro	\$90 NETT/drop
Sites	Fork unload \$150 NETT/drop Crane unload \$200 NETT/drop Hand unload \$250 NETT/drop
Export packaging	POA
WA only Pivot and Alfresco	\$250 NETT/drop



TERMS & CONDITIONS OF SALE

SPARK BUSINESS GROUP PTY LTD

These are the entire Terms and Conditions of Sale of all goods merchandise and services ("the goods") supplied by HUME DOORS & TIMBER (AUST) PTY LTD ABN 39 001 472 493, HUME DOORS & TIMBER (VIC) PTY LTD ABN 87 006 329 906, HUME DOORS & TIMBER (QLD) PTY LTD ABN 25 009 994 996, HUME DOORS & TIMBER (SA) PTY LTD ABN 34 007 512 209, HUME DOORS & TIMBER (WA) PTY LTD ABN 62 009 421 56 ("Hume Doors") to any person, firm or company placing an order with Hume Doors for the purchase of any goods ("the Customer"). Except as otherwise expressly agreed upon in writing between a duly authorised officer of Hume Doors and the Customer, these Terms and Conditions shall apply notwithstanding any provisions to the contrary which may appear on any order form or other document issued by any Customer.

GENERAL

1. All orders placed with Hume Doors shall only be accepted subject to these Terms and Conditions. Hume Doors may at any time, and from time to time alter these Terms and Conditions of Sale and such altered Terms and Conditions of Sale shall apply after notification by Hume Doors to the Customer.
2. If a Customer cancels or alters any order or part order for special goods or standard goods with special materials at any time after Hume Doors has received the order then Hume Doors reserves the right to charge to the Customer the cost of any special goods or materials already acquired for the order together with the cost of any labour and tooling expended to the date of such cancellation or alterations.
3. Goods and Services Tax ("GST") Sales Tax or any other applicable tax or duty payable shall be paid by or reimbursed by the Customer to Hume Doors on demand and the Customer shall indemnify and keep indemnified Hume Doors in respect of all taxes and duties including GST arising out of any sale of goods or the subsequent use of goods after the sale to the Customer.
4. All prices at which goods are referred to in Hume Doors' price lists and/or arrangements current at the date of invoice and prices shall be subject to change without notice.

TERMS OF PAYMENT

- 5a) Unless otherwise stated in writing all prices are strictly nett. The granting of credit to a Customer shall be at the absolute discretion of Hume Doors and unless otherwise demanded by Hume Doors the Customer shall make payment of all amounts payable within thirty (30) days after the end of the month in which delivery is made.
- b) Customers shall not be entitled to withhold payment of any account by reason of any account query, dispute or set off. The Customer agrees to pay Hume Doors Administration and Handling fees in respect of any copies of documents required or other processing involved in the conduct of the account and such fees will be charged to the Customer's account.
6. If the Customer fails to make payment in accordance with Clause 5, Hume Doors shall be entitled to:
 - a) Require the payment of cash before delivery of any further goods and if on specials, it is cash before manufacture;
 - b) Charge an interest charge at the rate of one point five percent (1.50%) per month on a cumulative basis on all overdue amounts (including late payment charges and amounts other than the price) calculated on a day to day basis on any monies due but unpaid, such interest charge to be computed from the due date for payment AND the parties agree that such interest charge is not a penalty but is a true measure of damages incurred by Hume Doors. Payments received from the Customer will be credited first against any interest charge and all such fees shall be payable on demand;
 - c) Claim from the Customer all costs, expenses and charges incurred on any account whatsoever including but not limited to any action taken by Hume Doors to recover monies or goods due from the Customer including but not limited to any mercantile agents costs and legal costs and disbursements on a solicitor-client basis; and
 - d) Cease any further deliveries to the Customer and to terminate any agreement in relation to goods that have not been delivered.
- e) Customers having overdue accounts will be precluded from participating in any special deals, discounts, bonus payments, redemptions, rebates and all other incentive programs until their accounts are no longer overdue.
- f) If there shall be any breach to the terms & conditions, all monies payable by the customer to Hume Doors shall immediately become payable notwithstanding that the period for payment shall not have expired.
- g) To secure repayment of all amounts the Customer owes to Hume Doors on any account from time to time, the Customer charges in favour of Hume Doors all of its real property from time to time, wherever located. Pursuant to this charge, the Customer confirms Hume Doors' caveatable interest and consents to Hume Doors lodging a caveat over the Customer's real property at any time. Immediately on Hume Doors' request, the Customer agrees to execute a mortgage in Hume Doors' favour over any of the real property (in registrable form for Torrens or Strata title property).

DELIVERY

7. Any date or time quoted for delivery is an estimate only and Hume Doors shall endeavour to effect delivery at the time or times required by the Customer but failure to do so shall not confer any right of cancellation or refusal of delivery on the Customer or render Hume Doors liable for any loss or damages directly or indirectly sustained by the Customer as a result thereof.
8. The Customer shall not be relieved of any obligation to accept or pay for goods by reason of any delay in delivery or any strike, lockout, unavailability of materials, accidents to machinery, differences with workmen, breakdowns, shortages of supplies or labour, fires, floods, storm or tempest, transport delays, acts of God, restrictions or intervention imposed by any laws, regulations, governments or agencies thereof and any other cause beyond the control of Hume Doors or any other cause whatsoever.
9. Hume Doors' obligation to deliver shall be discharged on arrival of the goods at the Customer's nominated delivery destination, nominated transport company, nominated agent or the address appearing on the invoice. The Customer shall unload the goods upon delivery, provided that if the Customer is unable or unwilling to accept physical delivery of the goods when the goods are ready for delivery, Hume Doors shall be entitled to charge a fee for any delay experienced or arrange for the storage of the goods at the risk and cost of the Customer including all transportation, storage and other consequential costs. Hume Doors may, at its discretion, make and invoice partial deliveries and each partial delivery shall be a separate sale pursuant to these Terms and Conditions of Sale.

INSPECTION

10. The Customer shall examine the goods immediately after delivery and Hume Doors shall not be liable for any incorrect delivery, shortage, defect or damage unless Hume Doors receives details in writing within seven (7) days of the date of delivery of the goods.

PROPERTY AND RISK

11. Notwithstanding delivery of the goods or their installation, property in any given goods shall remain with Hume Doors until the Customer has paid and discharged any and all other indebtedness to Hume Doors on any account whatsoever, including all applicable GST and other taxes, levies and duties. Any payment made by or on behalf of a Customer which is later avoided by the application of any Statutory Provision shall be deemed not to discharge the Customer's indebtedness and, in such an event the parties are to be restored to rights which each respectively would have had if the payment had not been made.
12. The risk in the goods shall pass to the Customer upon delivery to the Customer or his agent or to a transport company nominated by the Customer.
13. The Customer acknowledges that it is in possession of the goods solely as a bailee for Hume Doors until payment as defined in clause 5 has been made in full to Hume Doors and until such payment:
 - a) The Customer shall be fully responsible for any loss or damage to the goods whatsoever and howsoever caused following delivery; and
 - b) The Customer shall store the goods separately from its own goods and those of any other party and in a manner which clearly identifies the goods, whether as separate chattels or as components, as the property of Hume Doors.
- c) The Customer shall maintain records of goods owned by Hume Doors identifying them as Hume Doors' property, of the persons to whom the goods are sold or disposed of and of the payments made by such persons for such goods. The Customer shall allow Hume Doors to inspect these records and the goods themselves on request.
14. The Customer hereby irrevocably grants to Hume Doors, its agents and servants, an unrestricted right and licence, without notice to enter premises occupied by the Customer to identify and remove any of the goods the property of Hume Doors in accordance with the Terms and Conditions of Sale without in any way being liable to the Customer or any person claiming through the customer. Hume Doors shall have the right to sell or dispose of any such goods removed or otherwise in its sole discretion and shall not be liable for any loss occasioned thereby.
15. Hume Doors licenses the Customer to install the goods. If the goods are affixed to other materials, the totality thereof shall be the sole and exclusive property of Hume Doors until payment as defined in clause 5 has been made in full to Hume Doors unless the other materials or part thereof are or is the property of a party or parties other than the Customer in which case the totality thereof shall be deemed to be owned as tenants in common with such other party or parties in shares corresponding to the respective amounts paid or payable by the Customer in respect of such other party or parties.
16. The Customer shall be at liberty to agree to sell the goods (independently or affixed to other materials) subject to the condition that until payment has been made in accordance with clause 5, the Customer shall sell as an agent and bailee for Hume Doors and that the entire proceeds from the sale thereof shall be held in a separate account on trust for Hume Doors.
17. The right to on-sell, deal or otherwise dispose of the goods in the normal course of trade may be revoked at any time by Hume Doors and shall automatically cease if a Receiver is appointed over any of the assets on the undertaking of the Customer or if a winding up order is made against the Customer or if the Customer goes into voluntary liquidation (otherwise than for the purpose of reconstruction or amalgamation) or administration or calls a meeting of, or makes any arrangement or composition with, creditors or commits any act of bankruptcy or where the Customer is in default of any of its obligations to Hume Doors.

PPSA

18. The customer shall do all such things and sign all such documents as are necessary and reasonably required to enable Hume Doors to acquire a perfected security, which is continuously perfected, in respect of its interest in all goods supplied, under the Personal Property Securities Act 2009 (Cth) ("the Act").
19. The customer shall provide all such information as is required to enable Hume Doors to be in a position to register a purchase money security interest ("PMSI").
20. The customer acknowledges that a purchase money security interest is granted in favour of Hume Doors, in priority to all other creditors, in all goods that are supplied from time to time as a security for the customer's obligations to Hume Doors.
21. The customer agrees that it will indemnify Hume Doors for any liability for any costs of registration, maintenance, enforcement or discharge of security interest and such other costs and expenses as Hume Doors may incur.
22. The customer agrees to further grant a security interest in all present and after acquired goods as security for all monies now and in the future owing by the customer.
23. The customer agrees to waive or exclude such sections of the Act as Hume Doors may require, subject to those sections being capable of exclusion.
24. The customer agrees that it will not, without notice, change its name or initiate any change to any registered documentation, or act in any manner which would impact on the registered security interest of Hume Doors.

WARRANTY

25. Subject to payment in full being made as defined in clause 5, Hume Doors shall use its best endeavours to pass on to the Customer the benefit of any warranties or guarantees it receives in respect of goods or parts thereof supplied to the Customer.

LIMITATION OF LIABILITY

26. These Terms and Conditions of Sale do not exclude, restrict or modify the application of any provisions of any Commonwealth, State or Territorial Law which by law cannot be excluded, restricted or modified.
27. Sale to Non-Consumers
 - a) i) In the case of goods supplied by Hume Doors to a Customer who is not a "consumer" (as defined in the Trade Practices Act, 1974 as amended from time to time ("the Act")), if the goods do not correspond with the description of them on the invoice or are defective, then provided that the goods are preserved intact and made available for inspection by a representative of Hume Doors and are returned to Hume Doors in the

same order and condition as that in which they were delivered, Hume Doors shall at its option replace those goods or reimburse the Customer for the amount of the purchase price paid for them, but any claim in this respect must be made in writing within thirty (30) days of the date of delivery of these goods.

- ii) Should the Customer seek indemnity from Hume Doors in respect of any claim by a consumer on the Customer as a result of a breach of condition or warranty implied by the Act in a contract for the supply of goods by the Customer to that consumer, sub-paragraph (i) will not apply and in respect of goods that are of a kind ordinarily acquired for personal, domestic or household use or consumption ("consumer goods") Hume Doors' liability is limited to indemnifying the Customer in accordance with the Act, limited to a liability to pay to the Customer an amount equal to the cost of replacing the goods or the cost of obtaining equivalent goods or the cost of having the goods repaired, whichever is the lesser amount.
- b) Sales to Consumers: In the case of goods supplied by Hume Doors to a Customer who is a consumer, to the extent that the goods are not consumer goods, the liability of Hume Doors to the Customer for breach of any warranty or condition (other than a warranty or condition implied by section 69 of the Act) or for breach of any duty of care shall in all cases be limited, at the option of Hume Doors, to any one or more of the replacement of the goods or the supply of equivalent goods, the repair of the goods or acquiring equivalent goods or the payment of the cost of having the product repaired.
- c) Except for those conditions and warranties implied by the Act or other sale of goods or consumer protection legislation which may not be excluded, the Customer agrees that:
 - i) It has not relied on any inducement, representation or statement made by or on behalf of Hume Doors in purchasing the goods and there are no implied conditions or warranties herein and no collateral contracts in connection herewith (except such as may be in writing and signed by a duly authorised representative of Hume Doors); and
 - ii) This clause sets out the entire liability of Hume Doors in respect of its liability under the Act or otherwise in respect of liabilities to a consumer for a breach of a condition or warranty with respect to the sale of goods or goods. In no circumstances will Hume Doors incur any liability in respect of or arising out of or in connection with any special, consequential, direct or indirect loss, damage, harm or injury suffered or incurred by the Customer.

FORCE MAJEURE

28. Hume Doors shall not be liable for any failure or delay in supply or delivery of the goods where such failure or delay is wholly or partly due to any cause or circumstance whatsoever outside the reasonable control of Hume Doors including, but not limited to, war, strikes, lockouts, industrial disputes or unrest, government restrictions or intervention, transport delays, fire, act of God, breakdown of plant, shortage of supplies or labour, storm or tempest, theft, vandalism, riots, civil commotions or accidents of any kind.

TERMINATION

29. If the Customer fails to comply with any of these Terms and Conditions or being a natural person or persons commits any act of bankruptcy, or being a corporation passes a resolution for winding up or liquidation (other than for the purposes of reorganisation or reconstruction) or administration or enters into any composition or arrangement with creditors or if a receiver or manager or administrator or controller is appointed for any property or assets of the Customer or becomes liable to be wound up by reason of insolvency or if any petition is presented for its winding up, or if a liquidator or provisional liquidator or administrator is appointed, Hume Doors may, in addition to exercising all or any of its rights against the Customer, suspend any further deliveries and immediately recover possession of any goods not paid for in accordance with these Terms and Conditions.

RETURNS

30. Other than in respect of Hume Doors' obligations pursuant to clause 20 hereof Hume Doors shall not be liable to accept any returned goods but may in its absolute discretion accept the return of goods, provided that such goods shall only be accepted for return with the prior written approval of a duly authorised representative of Hume Doors. Goods returned for credit pursuant to this clause will be subject to a handling and administration charge equivalent to minimum of 25% of the invoiced value of the returned goods. Return freight and other expenses will be paid for by the Customer and no returns of special goods will be accepted. Any returned goods must be accompanied with the relevant invoice numbers and/or a Goods Return Authority.

GOVERNING LAW

31. The Customer agrees that these Terms and Conditions of Sale shall be construed according to the laws of the State or Territory as Hume Doors may in its sole discretion determine. Proceedings may be instituted in such State or Territory as Hume Doors may in its sole discretion determine. Failing such determination the Customer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of Queensland applying the laws of the State of Queensland.

SERVICING OF DOCUMENTS

32. The Customer agrees that service of any notices or Court documents may be effected by forwarding same by pre-paid post or facsimile to the last known address of the Customer.

STATEMENT OF DEBT


33. A certificate signed by a Director, Secretary, Financial Controller or Credit Manager of Hume Doors shall be prima facie evidence of the amount of indebtedness of the Customer to Hume Doors at that time.

PRIVACY ACT

34. Hume Doors' policy on the handling of personal information is to comply with the National Privacy Principles for the fair handling of personal information, as set out in the Privacy Act, 1988.

OVERHEAD PROTECTION

SPARK BUSINESS GROUP PTY LTD



With Australia's climate extremes exterior/entrance doors will weather differently and timber doors are more susceptible to the elements than steel, aluminium or fibreglass doors.

Depending on your location and aspect the required overhead protection will vary, with tropical areas generally requiring more overhang than southern states. The chart below will assist in determining the size of overhead protection which will vary depending on home design and adjacent walls.

Dimension 'C' – subject to adjacent walls – minimum width same width as entry frame

Note: colour choice for your exterior door will also affect weathering. Dark colours absorb heat, accelerating door deterioration, warping and bowing. For door guarantee refer page 52.

CLIMATE	DOOR DIRECTION			
	North	South	East	West
Coastal	$A = 1/2 B$	$A = B$	$A = 1/2 B$	$A = B$
Tropical	$A = B$	$A = B$	$A = B$	$A = B$
Arid	$A = B$	$A = 1/2 B$	$A = B$	$A = 1/2 B$
Mild	$A = 1/2 B$	$A = 1/2 B$	$A = 1/2 B$	$A = B$



CARE & MAINTENANCE

1. After selecting and purchasing your Hume door, store flat in a dry, well ventilated area prior to installation.
2. Your timber door may be affected by changes in temperature, moisture and location.
3. Before fitting the door, all six door surfaces should be sealed initially then after installation painted, stained or clear finished with good quality products. Follow the paint manufacturer's instructions with the correct number of coats on ALL surfaces.
4. Light reflective colours are recommended for Entrance Doors to reduce the possibility of bow, twist or warp. Dark colours may void Hume guarantee. Semi gloss finishes are recommended. Paint with a light reflectance value (LRV) finish greater than 50 should be used on External Doors. White – LRV approx, 95 Black – LRV approx 5.
5. Use the same colour on all six door surfaces. Different colours may cause doors to warp.
6. Entrance Doors require overhead protection (above).
7. Location and fitting of your door furniture depends on door construction. Honeycomb core doors have a lock block (piece of timber) located generally on the side with the Hume label and door furniture should be fitted in this location. Solid doors may have door furniture installed at any selected height, either side of door.
8. Door maintenance is necessary for long term performance and periodic inspections are recommended. At the first signs of deterioration, your door should be properly refinished, making sure that all bottom surfaces of the door receive proper resealing and painting.
9. To clean your door, use a damp cloth. Do not hose or use chemicals or abrasives on your door. Lightly oil hinges and door furniture for optimum performance.

Contact your nearest Hume Doors stockist or the Hume Doors website for more information.





NEW SOUTH WALES (HEAD OFFICE)

HUME DOORS & TIMBER – (AUST) PTY LTD
ABN 39 001 472 493

Head Office & Showroom

120 Hume Highway, Lansvale NSW 2166
PO Box 333, Cabramatta NSW 2166
P | 02 9794 1111 F | 02 9794 1199 E | doorsales@humedoors.com.au
timber@humedoors.com.au info@humedoors.com.au

Port Macquarie Branch

No. 2 Belah Road, Port Macquarie NSW 2444
P | 02 6581 0011 F | 02 6581 0091 E | hdtpm@humedoors.com.au

Newcastle Branch

7 Waterloo Avenue, Thornton NSW 2322
P | 02 4966 8880 F | 02 4966 8881 E | hdtnc@humedoors.com.au



QUEENSLAND

HUME DOORS & TIMBER (QLD) PTY LTD
ABN 25 009 994 996

86 – 92 Mudgee Street, Kingston QLD 4114
PO Box 2243, Logan City D.C. Qld 4114
P | 07 3489 6200 F | 07 3489 6299 E | sales@humedoorsqld.com.au

Sunshine Coast Branch

14 Junction Drive, Coolumb Beach Qld 4573
P | 07 5446 2640 F | 07 5446 3530 E | hdtcoolumb@humedoorsqld.com.au

Cairns Branch

Cnr Kenny Street & Owen Cl, Portsmith Qld 4870
P | 07 4041 2099 F | 07 4041 2047 E | hdtcairns@humedoorsqld.com.au

Northern Territory Branch

3 Adams Road (Cnr Beresford), Yarrowonga NT 0830
P | 08 8932 3733 F | 08 8932 3799 E | hdtnt@humedoorsqld.com.au



VICTORIA

HUME DOORS & TIMBER (VIC) PTY LTD
ABN 87 006 329 906

33 Remington Drive, South Dandenong VIC 3175
PO Box 4236, South Dandenong VIC 3164
P | 03 9799 6888 F | 03 9799 9688 E | hdtvic@humedoors.com.au

Tasmania serviced by Victoria



SOUTH AUSTRALIA

HUME DOORS & TIMBER (SA) PTY LTD
ABN 34 007 512 209

89 Heaslip Road, Burton SA 5110
PO Box 2037, Salisbury Downs SA 5108
P | 08 8280 2000 F | 08 8280 8099 E | hdtsa@humedoors.com.au



WESTERN AUSTRALIA

HUME DOORS & TIMBER (WA) PTY LTD
ABN 62 009 421 569

75 Briggs Street, Carlisle WA 6101
PO Box 118, Welshpool WA 6986
P | 08 9470 1800 F | 08 9472 3802 E | hdtwa@humedoors.com.au

Doors illustrated in this catalogue are constantly being improved and we reserve the right to change prices or specifications without notice. Doors are supplied unfinished and unglazed unless otherwise specified. Doors in showrooms and some displays are factory finished. Similar results may not be achievable using normal painting applications e.g. brushes, rollers, etc.