




PRICELIST 2020

NEW SOUTH WALES





"When you are designing a space it is the attention to every detail that elevates a space from every day to an experience. The doors you select can have a huge impact on how people transition from one space to another, as well as how the spaces integrate.

They consolidate the style of your home and provide a quality experience both in touch and sight."

- Naomi Findlay

NAOMI FINDLAY

Creating healthy, wealthy & beautiful spaces.



WELCOME TO HUME DOORS & TIMBER

HUME'S VALUES

- *To innovate and make a difference in your home*
- *To continue to build valued relationships with staff, suppliers and distributors*
- *To continue to improve on our environmental sustainability and recycling*



Scan QR code to view our 60 year history video

Hume Doors & Timber is the nation's largest 100% Australian owned timber door manufacturer with over 60 years of proud history. Hume Doors will always stand by its family based values and exceptional customer service.

Whether leading the way in sustainability, innovation or design, Hume Doors & Timber remains committed to developing outstanding products for the Australian market.

Hume Doors & Timber complies with Australian Standard AS 2688-2017 for the manufacture and importation of timber doors.



CONTENTS

ENTRANCE DOORS

- 6 Savoy1200
- 7 Savoy820
- 8 Verve
- 9 Linear
- 10 Illusion
- 11 Joinery
- 12 Newington
- 13 Vaucluse
- 14 Regency
- 15 Vaucluse Premier
- 16 Carringbush
- 17 Nexus
- 18 Glass Opening

ENTRANCE SYSTEMS

- 19 Pivot Frames
- 20 Standard Frames
- 21 Weatherguard Frames
- 22 Alfresco Multifold

BUSHFIRE RESISTANT DOORS & FRAMES

- 23 BAL (Bushfire Attack Level)
- 23 BAL12.5 Doors & Frames
- 24 BAL 19 & 29 Doors
- 25 BAL 19 & 29 BAL Merbau Weatherguard Frames
- 26-27 BAL 40 Doors
- 28 BAL 40 Merbau Weatherguard Frames
- 28 BAL Additional Extras

INTERNAL BARN DOORS

- 30 Frontier Standard Barn Doors
- 31 Frontier Ultimate Barn Doors
- 32 Frontier Rustic Barn Doors
- 33 Frontier Track System

INTERNAL DOORS

- 34 Hampton
- 35 Strata
- 36 Humecraft
- 37 Sorrento
- 38 Joinery
- 39 Linear
- 40 Moulded Panel Woodgrain Skin
- 41 Moulded Panel Smooth Skin
- 42 Accent

FLUSH DOORS

- 44 Internal Honeycomb core
- 44 External Honeycomb core
- 45 Solicore (SCX1)
- 45 Blockboard (STPC)

INTERNAL SYSTEMS

- 46 Cavity Units
- 47 Cavity Units Additional Extras
- 47 Evolution Premium
- 48-49 Smartrobe
- 50-51 Bi-Fold
- 52 Multi-Fold
- 53 Pre-Hung

COMMERCIAL

- 54 Commercial Products
- 55 Fire Doors
- 56 Steel Door Frames

GLASS

- 58-59 Glazing Options

TIMBER

- 60 Fibre-Cement Products
- 61 Timber Mouldings Profiles

EXTRAS

- 29 Overhead Protection
- 29 Care and Maintenance
- 43 How to hang a door
- 57 Additional Extras
- 57 Door Mass and Rebated Handing
- 62 Guarantee Doors
- 62 Steel Door Frame Warranty
- 62 Hume Doors Delivery
- 63 Terms and Conditions of Sale
- 64 Contact Details



Look out for our BAL symbol throughout the pricelist for compliance. Doors must be installed as per AS3959 to conform to BAL (Bushfire Attack Level) compliance. Refer to our website for further information on BAL Ratings for Doors: www.humedoors.com.au/downloads



Look out for our sound rating symbol throughout the pricelist. To achieve the rating doors must be installed with seals of equivalent RW/STC and must be installed as per the seal manufactures recommendations. Refer to our website for further information: www.humedoors.com.au/downloads



ENVIRONMENTAL

Hume Doors & Timber is committed to operating its entire business processes in an environmentally sustainable manner at all times. We embrace environmental awareness, protection and enhancement.

Our goal is to be regarded as an environmentally responsible corporate citizen that practices environmental stewardship and provides our valued customer base with complete confidence that our products have been produced in accordance with applicable independent environmental standards.

- Reusing and recycling by-products, packaging and waste material
- Reducing the level of packaging and consumables used
- Capturing, storing and using rainwater for our water needs
- Maximise transport loads, thus reducing energy requirements

We embrace environmental awareness, protection and enhancement.

Timber is a fully sustainable resource that is non-toxic, reusable and versatile. The continued growth and planting of forests aid in the reduction of carbon dioxide. The future of our products, business, industry and customer satisfaction is directly linked to the sustainable management of the world's forests.

Our manufacturing and distribution processes have been designed to minimise our environmental footprint by, among other things:

- Utilising energy to its maximum efficiency
- Subscribing to renewal energy sources (where possible)
- Utilising recycled product (where possible)
- Organising our transportation routes to minimise energy requirements of our vehicle fleet
- Providing reliable, long lasting products that are backed by a 5 year guarantee
- Ensuring our suppliers of raw material products are accredited by appropriate independent, third party environmental stewardship programs including FSC (Forest Stewardship Council), PEFC (Programme for the Endorsement of Forest Certification Schemes), AFS (Australian Forestry Standard), etc and hold to the principles of and guidelines contained within these programs.



FSC® & PEFC™ CERTIFICATION

The mission of FSC is to support environmentally appropriate, socially beneficial, and economically viable management of the world's forests.

PEFC is committed to conserving forests and their invaluable biodiversity, and the communities and families that own, work and live in and around forests. Paper honeycomb core is manufactured from 97-98% recycled pulp (predominantly cellulose), or post-consumer reclaimed old corrugated cardboard (OCC) materials.

Environmentally appropriate forest management ensures that the harvest of timber and non-timber products maintains the forest's biodiversity, productivity and ecological processes.

Our major door components have the following environmental footprint:

- Door faces are made from either PEFC or FSC mix sources, AFS or certified ISO 14001 materials.
- Door infills are made from PEFC or FSC mix sources or from reclaimed wood chips and AFS.
- Door stiles, rails and lock blocks are sourced from PEFC or FSC certified suppliers.
- Many raw materials are sourced from Hume Pine NZ Ltd which is FSC certified (SW-CoC-000815).

Hume Doors & Timber is PEFC and/or FSC Chain of Custody certified and certified material in the products are traceable to certified sources.

Socially beneficial forest management helps both local people and society at large to enjoy long term benefits and also provides strong incentives to local people to sustain the forest resources and adhere to long-term management plans. Economically viable forest management means that forest operations are structured and managed so as to be sufficiently profitable, without generating financial profit at the expense of the forest resources, the ecosystem or affected communities. The tension between the need to generate adequate financial returns and the principles of responsible forest operations can be reduced through efforts to market forest products for their best value.

Hume Doors will not use, manufacture or market any product or service unless we have total satisfaction that it can be achieved safely and in an environmentally sustainable manner.

Hume Doors & Timber use adhesives that have been formally tested for formaldehyde emissions and Volatile Organic Compounds (VOC) as recommended by the Green Building Council.



The mark of
responsible forestry

FSC® CERTIFICATION

Hume Doors & Timber (Aust) Pty Ltd is a certified member of the Forest Stewardship Council® (SGS-CoC-009377).



The mark of
responsible forestry

FSC® CERTIFICATION

Hume Doors & Timber (Qld) Pty Ltd is a certified member of the Forest Stewardship Council® (SGS-CoC-009405).



PEFC™ CERTIFICATION

Hume Doors & Timber (Aust) Pty Ltd is a member of the Programme for the Endorsement of Forest Certification Schemes (AU17/05236).



XS24



XS26



XS28



XS45

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Africana (G3)	Low E (G3)	Geostep (G4)	Rice Paper (G4)
XS24	2040x1200x40	818	1106	1199	1199	1199	1266	1266	1502	1502
	2340x1200x40	883	1174	1266	1266	1266	1331	1331	1568	1568
XS26	2040x1200x40	857	1166	1258	1258	1258	1318	1318	1561	1561
	2340x1200x40	923	1226	1318	1318	1318	1383	1383	1622	1622
XS28	2040x1200x40	876	1239	1331	1331	1331	1397	1397	1634	1634
	2340x1200x40	943	1305	1397	1397	1397	1462	1462	1700	1700
XS45	2040x1200x40	883	1193	1285	1285	1285	1350	1350	1589	1589
	2340x1200x40	949	1258	1350	1350	1350	1410	1410	1653	1653

Made To Order

Face Option

Tassie Oak / Merbau / Blackbutt

Additional \$1018

Special Size

Min 1990x1100x40 - Max 2400x1200x40

Additional \$1018

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



SPM (standard)



Tassie Oak



Merbau




Blackbutt

GLASS OPTIONS




Clear




Cathedral



Grey Tint



Translucent



Africana



Low E



Geostep



Rice Paper



DOOR CONSTRUCTION

Engineered Joinery

STILES AND RAILS

INFILL PANEL
Glass or Solid Infill

FACE MATERIAL:
Selected face material

BOTTOM RAILS



XS2



XS3



XS4



XS11



XS24



XS26



XS28



XS45

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Frost Coloured Design (G2)	Translucent (G2)	Frost Panama (G3)	Africana (G6)	Low E (G6)	Geostep (G7)	Rice Paper (G7)
XS2	2040x820x40	428										
XS3	2040x820x40	449	625	751	751	751	751	843	887	887	935	935
XS4	2040x400x40	290	379	442	442	442	442	487	560	560	626	626
XS11	2040x820x40	449	574	646	646		646		719	719	770	770
XS24	2040x820x40	449	613	672	672		672		784	784	897	897
XS26	2040x820x40	461	626	691	691		691		804	804	916	916
XS28	2040x820x40	475	633	726	726		726		837	837	943	943
XS45	2040x820x40	475	770	890	890		890		1101	1101	1199	1199

Made To Order				Optional Raised Panel and Moulding			
Face Option	Tassie Oak / Merbau / Blackbutt	XS11, XS24, XS26, XS28, XS45	Additional \$1018	Timber Mouldings one face - Additional	105	105	64
Special Size	Min 1990x805x40 - Max 2400x1100x40	XS11, XS24, XS26, XS28, XS45	Additional \$1018	Raised Panels one face - Additional	67	40	27

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



SPM (standard)



Tassie Oak
XS11, 24, 26,
28, 45



Merbau
XS11, 24, 26,
28, 45




Blackbutt
XS11, 24, 26,
28, 45

GLASS OPTIONS



Clear




Cathedral



Grey Tint




Translucent




Africana



Low E



Geostep



Rice Paper

FROST COLOURED DESIGN GLASS



Frosted Kookaburra Jewel



Frosted Black Orchid



Frosted Wisteria



Kookaburra Green Leaves



Frosted Rose Bud

PANAMA GLASS



Panama



Optional raised panel and moulding to suit:
XS2, XS3, XS4



DOOR CONSTRUCTION

Engineered Joinery

STILES AND RAILS

INFILL PANEL
Glass or Solid Infill

FACE MATERIAL
Selected face material

BOTTOM RAILS



VER1



VER4



VER6



VER11

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Geostep (G3)	Low E (G3)	Rice Paper (G3)
VER1	2040x820x40	364	469	523	523	523	584	584	584
VER4	2040x820x40	432	542	609	609	609	675	675	675
VER6	2040x820x40	444	596	656	656	656	729	729	729
VER11	2040x820x40	408	523	578	578	578	645	645	645

Made To Order

Face Option	SPM - Stain Grade	Additional \$55
Face Option	Tassie Oak / Merbau / Blackbutt	Additional \$1018
Special Size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2040x1020x40	Additional \$165
Special Size	2040x1200x40	Additional \$335
Special Size	2340x820x40	Additional \$118
Special Size	Min 1990x805x40 - Max 2400x1200x40	Additional \$371

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects.
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering


FACE OPTIONS



GLASS OPTIONS



DOOR CONSTRUCTION





XLR120



XLR130



XLR140



XLR150



XLR160



XLR170




XLR300



XLR310



XLR500



XLR600

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Africana (G4)
XLR120	2040x820x40	364	475	548	548	548	651
XLR130	2040x820x40	304					
XLR140	2040x820x40	304					
XLR150	2040x820x40	596					
XLR160	2040x820x40	656	766	840	840	840	942
XLR170	2040x820x40	304					
XLR300	2040x820x40	712					
XLR310	2040x820x40	695					
XLR500	2040x820x40	596					
XLR600	2040x820x40	712					

FACE OPTIONS

DuraXP
XLR120,
130,140,170
(standard)

SPM
XLR150,160,300,
310,500,600
(standard)

Made To Order


Special Size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2040x1020x40	Additional \$165
Special Size	2340x820x40	Additional \$118
Special Size	Min 1990x805x40 - Max 2400x1200x40	Additional \$371

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Alignment of horizontal rout is not guaranteed for pairs
- Not suitable for rebated pairs.
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Routed: Both sides
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

GLASS OPTIONS



Clear




Cathedral



Grey Tint



Translucent




Africana



DOOR CONSTRUCTION

Solid HMR MDF Core (DB)





XIL1



XIL6



XIL21



XIL26

DESIGN CODE	Standard Size (mm)	Clear (G1)	Grey Tint (G2)	Frost (G2)	Africana (G3)	Translucent (G4)
XIL1	2040x820x40	902	1008	1008	1022	1022
	2340x820x40	1081	1560		1590	1590
XIL6	2040x820x40	902	1008	1008	1022	1022
	2340x820x40	1081	1560		1590	1590
XIL21	2040x1200x40	1095	1212		1226	1226
	2340x1200x40	1452	1931		1960	1960
XIL26	2040x1200x40	1095	1212		1226	1226
	2340x1200x40	1452	1931		1960	1960

Made To Order		
Special Size	2040x920x40	Additional \$99
Special Size	Min 1990x805x40 - Max 2400x1200x40	Additional \$1018

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Chrome bolts are visible to inside of timber floating panels for standard doors.
- Timber floating panels remain the same size and are glued to glass for made to order doors.
- Sidelite option refer Joinery (JST11) on page 11
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



SPM

GLASS OPTIONS




Clear



Grey Tint



Frost



Africana




Translucent



DOOR CONSTRUCTION

Engineered Joinery





JST1

JST11



JST4

JST12



JST2



JST6



JST10

JST5



XL10

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Clear Laminate (G2)	Cathedral (G3)	Double Glaze Clear (G3)	Grey Tint (G3)	Translucent (G3)	Africana (G4)	Double Glaze Frost (G4)	Low E (G4)	Geostep (G5)	Rice Paper (G5)
JST1	2040x820x40	336	633	691	759	759	759	759	862	862	862	1008	1008
	2040x1200x40	468	897	910	975		975	975	1095		1095	1207	1207
JST11	2040x400x40	265	409	436	461		461	461	633		633	751	751
JST4	2040x720/820x40	389	691	745	818		818	818	923		923	1068	1068
JST12	2040x400x40	284	428	455	520		520	520	653		653	770	770
JST2	2040x820x40	363	659	719	784		784	784	890		890	1034	1034
JST6	2040x720/820x40	482	666	705	784		784	784	890		890	995	995
JST10	2040x620/720/770/820x40	409	705	764	830		830	830	935		935	1081	1081
JST5	2040x400x40	284	428	455	482		482	482	653		653	770	770
XL10	2040x820x40	541											

Made To Order

Face Option	Tassie Oak / Merbau / Blackbutt	JST1, JST2, JST11	Additional \$434
Special Size	2040x870x40	JST1	Additional \$69
Special Size	2040x920x40	JST1	Additional \$99
Special Size	2340x720/820/40	JST1	Additional \$99
Special Size	Min 1990x805x40 - Max 2400x1200x40	JST1	Additional \$489
Special Size	Min 1990x805x40 - Max 2400x1200x40	JST2	Additional \$608
Sidelite Special Size	Min 1990x330x40 - Max 2400x500x40	JST11	Additional \$489

■ For additional extras refer to page 57


■ **JST1 Clear comes with safety decals on glass**

■ Trimming Instructions: 3mm from the top, bottom and each stile

■ Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects

■ Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS

SPM
(standard)Tassie Oak
JST1, 11, 2Merbau
JST1, 11, 2Blackbutt
JST1, 11, 2

GLASS OPTIONS



Clear

Clear Laminate

Cathedral

Double Glaze Clear

Grey Tint

Translucent



Africana

Double Glaze Frost

Low E


Geostep

Rice Paper

DOOR CONSTRUCTION

Engineered Joinery





DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Millenium Slumped (G3)	Africana (G4)	Low E (G4)	Geostep (G5)	Rice Paper (G5)
XN1	2040x820x40	341	450	523	523	523	578	603	603	639	639
XN2	2040x820x40	359	469	542	542	542	590	620	620	664	664
XN5	2040x820x40	377	493	560	560	560	615	626	626	675	675
XN11	2040x400x40	262	347	412	412	412	444	456	456	510	510
XN6	2040x820x40	396	542	626	626	626	736	766		827	
XN12	2040x400x40	274	420	505	505	505	615	645		706	
XN7	2040x820x40	377	493	560	560	560	615	626	626	675	675
XN9	2040x400x40	268	377	426	426	426	505	590	590	639	639
XN14	2040x200x40	219	329	377	377	377	456	480	480	518	518
XN16	2040x820x40	408	584	669	669	669	766	766	766	840	840

Made To Order		
Face Option	SPM - Stain Grade	Additional \$55
Face Option	*Tassie Oak / Merbau / Blackbutt	Additional \$1018
Special Size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2040x1020x40	Additional \$165
Special Size	2040x1200x40	Additional \$335
Special Size	2340x820x40	Additional \$118
Special Size	Min 1990x805x40 - Max 2400x1200x40	Additional \$371
Sidelite Special Size	Min 1990x330x40 - Max 2400x500x40	Additional \$223

- *Tassie Oak / Merbau / Blackbutt not available for XN6 & XN12
- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering


FACE OPTIONS



GLASS OPTIONS



DOOR CONSTRUCTION





XV1



XV4



XV9



XV10



XV14



XV18



XV20

DESIGN CODE	Standard Size (mm)	Design	Unglazed
XV1, XV4, XV9, XV10, XV14, XV18, XV20	2040x820x40	One side only	243
	2040x820x40	Both sides	354

Made To Order		
Face Option	SPM - Stain Grade	Additional \$55
Special Size	2040x720/770x40	Additional \$86
Special Size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2040x1020x40	Additional \$165
Special Size	2040x1200x40	Additional \$335
Special Size	2340x820x40	Additional \$118
Special Size	Min 1990x805x40 - Max 2400x1200x40	Additional \$371

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Sidelite option refer Newington (XN9 & XN14) on page 12
- Routed: One side for standard doors
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering


FACE OPTIONS



DuraXP
(standard)




SPM





ENTRANCE DOORS REGENCY



XR4



XR4 (1200)



XR5




XR6

DESIGN CODE	Standard Size (mm)	Un glazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Frost Coloured Design (G3)	Africana (G4)	Low E (G4)	Triple Glaze Leadlight (G5)
XR4	2040x820x40	475								
	2040x1200x40	810								
XR5	2040x820x40	493	755	862	862	862	894	942	942	1024
XR6	2040x400x40	369	501	537	537	537	562	600	600	762

Optional Raised Moulding	XR4	XR4(1200)	XR5	XR6
Timber Mouldings internal face - Additional	185	205	185	93

Made To Order		
Face Option	SPM - Stain Grade	Additional \$55
Special Size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2040x1020x40	Additional \$165
Special Size	2340x820x40	Additional \$118
Special Size	Min 1990x805x40 - Max 2100x1200x40	Additional \$371
Sidelite Special Size	Min 1990x330x40 - Max 2100x520x40	Additional \$223

DOOR CONSTRUCTION




- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Routed: Both sides standard
- Moulding: One side standard (External face only). Optional both sides
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering


FACE OPTIONS



GLASS OPTIONS




FROST COLOURED DESIGN GLASS



Sidelite versions shown


TRIPLE GLAZED LEADLIGHT GLASS



Door versions shown



ENTRANCE DOORS VAUCLUSE PREMIER



XVP11



XVP12



XVP13



XVP20



XVP22



Optional Raised
Panel to suit:
XVP11, 12, 13

DESIGN CODE	Standard Size (mm)	Un glazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Frost Coloured Design (G2)	Translucent (G2)	Frost Panama (G3)	Triple Glaze Budget Leadlight (G3)	Africana (G4)	Low E (G4)	Rice Paper (G5)	Triple Glaze Leadlight (G6)
XVP11	2040x820x40	364											
XVP12	2040x820x40	402	564	681	681	681	681	766	766	804	804	900	1041
XVP13	2040x400x40	274	359	414	414	414	414	456	456	475	475	523	590
XVP20	2040x820x40	371											
XVP22	2040x820x40	389	651	758	758		758			838	838		


Made To Order		
Face Option	SPM - Stain Grade	Additional \$55
Special Size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2040x1020x40	Additional \$165
Special Size	2340x820x40	Additional \$118
Special Size	Min 1990x805x40 - Max 2100x1200x40	Additional \$371
Sidelite Special Size	Min 1990x330x40 - Max 2100x500x40	Additional \$223

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Routed: Both sides standard
- Moulding: One side standard (External face only). Optional both sides
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

Optional Raised Panel and Moulding	XVP11	XVP12	XVP13
Timber Mouldings internal face - Additional	100	100	61
Raised Panels one face - Additional	62	37	25

DOOR CONSTRUCTION


Solid HMR MDF Core (DB)



FACE OPTIONS



FROST COLOURED DESIGN GLASS



PANAMA GLASS



For other glass designs refer to Glazing Options table on page 58-59

GLASS OPTIONS





XCB1



XCB2

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Frost Coloured Design (G2)	Translucent (G2)	Triple Glaze Leadlight (G3)
XCB1	2040x820x40	549	674	762	762	762	762	1030
XCB2	2040x400x40	326	413	469	469	469	469	650

Made To Order		
Face Option	SPM - Stain Grade	Additional \$55
Special Size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2040x1020x40	Additional \$165
Special Size	2340x820x40	Additional \$118
Special Size	Min 1990x805x40 - Max 2100x1100x40	Additional \$371
Sidelite Special Size	Min 1990x330x40 - Max 2100x520x40	Additional \$223

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Routed: Both sides standard
- Moulding: One side standard (External face only). Optional both sides
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



DuraXP (standard)



SPM

GLASS OPTIONS




Clear



Cathedral




Grey Tint



Translucent

FROST COLOURED DESIGN GLASS



Wysteria Frost

TRIPLE GLAZED LEADLIGHT GLASS



Triple Glaze Argyle Leadlight




Triple Glaze Crystal Blue

DOOR CONSTRUCTION



Solid HMR MDF Core (DB)





NEX30



NEX35



NEX36



NEX38



NEX40

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Africana (G3)	Millenium Slumped (G3)	Low E (G4)	Geostep (G5)	Rice Paper (G5)
NEX30	2040x820x40	426	711	821	821	821	1016	1016	1064	1106	1106
NEX35	2040x820x40	396	530	645	645	645	724		772	834	834
NEX36	2040x820x40	408	543	664	664	664	744		792	853	853
NEX38	2040x820x40	422	550	669	669	669	777		825	880	880
NEX40	2040x1200x40	699	974	1058	1058	1058	1113	1113	1143	1423	1423

Made To Order

Face Option	SPM - Stain Grade	Additional \$55
Face Option	Tassie Oak / Merbau / Blackbutt	Additional \$1018
Special Size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2040x1020x40	Additional \$165
Special Size	2340x820x40	Additional \$118
Special Size	2340x1200x40	Additional \$335
Special Size	Min 1990x805x40 - Max 2400x1200x40	NEX30, NEX35, NEX36, NEX38 Additional \$371
Special Size	Min 1990x1100x40 - Max 2400x1200x40	NEX40 Additional \$371

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



DuraXP (standard)

SPM



Merbau

Tassie Oak



Blackbutt

GLASS OPTIONS




Clear

Cathedral

Grey Tint

Translucent




Africana

Low E

Geostep

Rice Paper




Millenium Slumped

DOOR CONSTRUCTION





Solid HMR MDF Core (DB)





ENTRANCE DOORS GLASS OPENING



XF1



XF3



XF8

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G3)	Translucent (G3)	Africana (G4)	Geostep (G5)	Low E (G5)	Rice Paper (G5)
XF1 (Honeycomb X1)	2040x720/770/820x35	161	251	309	321	321	366	425	425	425
	2040x720/770/820x40	193	283	341	353	353	398	456	456	456
XF1 (Solicores SCX1)	2040x720/770/820x35	298	388	446	458	458	503	561	561	561
	2040x720/770/820x40	335	425	483	494	494	540	598	598	598
XF3 (Honeycomb X1)	2040x720/770/820x35	169	264	335	346	346	390	449	449	449
	2040x720/770/820x40	202	297	368	379	379	423	482	482	482
XF3 (Solicores SCX1)	2040x720/770/820x35	307	402	472	484	484	528	586	586	586
	2040x720/770/820x40	341	436	507	518	518	563	621	621	621
XF8* (Solid DB)	2040x720/770/820x40	341	436	507	518	518	563	621	621	621

Made To Order		
Face Option	SPM - Stain Grade	Additional \$55
Special Size	Tassie Oak / Merbau	Additional \$1018
Special Size	2040x870x35/40	Additional \$32
Special Size	2040x920x35/40	Additional \$55
Special Size	2340x820x35/40	Additional \$118
Special Size	2340x870/920x35/40	Additional \$173
Special Size	Min 1990x705x35/40 - Max 2400x1200x35/40	Additional \$371

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- *XF8 only Routed: One side
- *XF8 is solid HMR MDF Core (DB) construction only
- XF1 and XF3 in DuraXP and Paint Grade Ply are the same price.
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering


FACE OPTIONS



GLASS OPTIONS




DOOR CONSTRUCTION




(XF1, XF3)

DOOR CONSTRUCTION




(XF1, XF3)






DOOR CONSTRUCTION



(XF8)



A = Frame Width
B = Frame Height
C = Frame Depth
D = Frame Thickness



DOORS NOT INCLUDED

- Door cost is additional. Allow for up to 1200 wide door. To choose your door see the entrance range.
- 2160 High frame suits 2040x1200 doors
- 2460 High frame suits 2340x1200 doors

- Assembled pivot entry frame incorporates:
 - Heavy-duty pivot fittings
 - Hydraulic self closer
 - Full perimeter seals
 - Optional glazed sidelite/s or hiltite

DESIGN CODE	Frame suits	Unit Size (+/- 5mm)	Frame Depth & Thickness	Pine/ Meranti	Pine/ Meranti Clear	Pine/ Meranti Translucent	Pine/ Meranti Africana	Merbau	Merbau Clear	Merbau Translucent	Merbau Africana
PIV A/B	1 x door(2040x1200)	2160 x 1266	140x30	1591				2304			
		2160 x 1266	160x30	1654				2367			
	1 x door(2340x1200)	2460 x 1266	140x30	1716				2429			
		2460 x 1266	160x30	1811				2524			
PIV CG/DG	1 x door(2040x1200) 1 x glass sidelite	2160 x Up to 1650	140x30		2544	2695	2790		3256	3408	3503
		2160 x Up to 1650	160x30		2670	2822	2918		3383	3535	3630
	1 x door(2340x1200) 1 x glass sidelite	2460 x Up to 1650	140x30		2733	2924	3064		3446	3637	3777
		2460 x Up to 1650	160x30		2860	3052	3190		3573	3765	3903
PIV EG/FG	1 x door(2040x1200) 2 x glass sidelite	2160 x Up to 2100	140x30		3306	3623	3942		4019	4336	4655
		2160 x Up to 2100	160x30		3434	3750	4068		4146	4463	4781
	1 x door(2340x1200) 2 x glass sidelite	2460 x Up to 2100	140x30		3623	4018	4424		4336	4730	5136
		2460 x Up to 2100	160x30		3750	4145	4551		4463	4858	5264

Replacement Parts	
Loose stop including seal (each)	48
Threshold plate (aluminium)	113
Door seal bottom (complete)	88
Door seal top (complete)	83
Hydraulic closer for pivot frame	426

Additional Extras		
Glazing bar horizontal add on to suit CG/DG/EG/FG	114	per side
Hiltite Option	P.O.A.	
Special size frames and other glazing options	P.O.A.	

- Door & frame should be supplied together, for system operational purposes
- Door cost additional. For prices allow for 1200mm wide door
- Frame depth and thickness is 160x30mm or 140x30mm (Refer to diagram) and includes plant on stops
- Frame Material: Pine / Meranti as standard (check with your state) and merbau as an optional extra
- Pivot systems are not recommended for exposed situations. Consider Weatherguard
- Modular construction may be supplied with EG/FG frames depending on location
- Packing & delivering charges may apply depending on location



Scan QR code to view Pivot installation video



ENTRANCE SYSTEMS STANDARD FRAMES

ASSEMBLED FRAMES


DESIGN CODE	Frame Suits	Unit Size (+/- 5mm)	Frame Depth & Thickness	Pine Assembled	Meranti Assembled	Merbau Assembled
SEF A/B	1 x door(2040x820)	2110x867	140x31	344	395	752
		2110x867	160x31	433	498	852
SEF A/B	1 x door(2040x1200)	2110x1247	140x31	421	472	829
		2110x1247	160x31	510	575	929
SEF C/D	1 x door(2040x820) 1 x sidelite(2040x400)	2110x1287	140x31	630	723	1317
		2110x1287	160x31	700	806	1417
SEF CG/DG	1 x door(2040x820) 1 x glass sidelite 5mm toughened clear	2110x1210	140x31	732	842	1436
		2110x1210	160x31	776	891	1536
		2110x1310	140x31	840	965	1559
		2110x1310	160x31	897	1032	1659
		2110x1410	140x31	878	1009	1603
		2110x1410	160x31	948	1091	1703
		2110x1510	140x31	992	1141	1735
		2110x1510	160x31	1081	1243	1835
SEF E/F	1 x door(2040x820) 2 x sidelite(2040x400)	2110x1708	140x31	776	891	1604
		2110x1708	160x31	916	1053	1704
SEF EG/FG	1 x door(2040x820) 2 x glass sidelite 5mm toughened clear	2110x1450	140x31	967	1111	1824
		2110x1450	160x31	1043	1199	1924
		2110x1550	140x31	1030	1184	1897
		2110x1550	160x31	1075	1237	1997
		2110x1650	140x31	1081	1243	1956
		2110x1650	160x31	1138	1309	2056
SEF G/H	2 x rebated door(2040x820)	2110x1677	140x31	630	723	1080
		2110x1677	160x31	687	790	1180
SEF G/H	2 x door(2040x820) 1 x Mushroom Stop / T-Bar	2110x1700	140x31	630	723	1080
		2110x1700	160x31	687	790	1180

KNOCK DOWN (KD) FRAMES

DESIGN CODE	Frame Suits	Unit Size (+/- 5mm)	Frame Depth & Thickness	Pine Quick Frame (KD)
SEF A/B	1 x door(2040x820)	2110x867	140x31	229
		2120x887	140x41	318
	1 x door(2040x1200)	2110x1247	140x31	306
		2120x1267	140x41	395
SEF C/D	1 x door(2040x820) 1 x sidelite(2040x400)	2110x1287	140x31	401
		2120x1307	140x41	458
SEF G/H	2 x rebated door(2040x820)	2110x1677	140x31	350
		2120x1697	140x41	478
SEF G/H	2 x door(2040x820) 1 x Mushroom Stop / T-Bar	2110x1700	140x31	350
		2120x1720	140x41	478


- Entrance frames incorporating timber sill
- Clear glass is standard
- Glazing to AS1288-2006
- Doors not included
- 820mm Door has 3 hinges
- 1200mm Door has 4 hinges
- Frame Material: Pine is standard. Meranti & Merbau are optional extras
- Knock down frames supplied unglazed

HANDING OF FRAME




Additional Extras

Frame width upgrade for door over 820 wide up to 870 wide or sidelite over 400 wide	40	per frame
Frame width upgrade for door over 870 wide up to 1200 wide (4 hinges) standard frame	77	per frame
Frame height upgrade for doors from 2040 high to 2340 high	211	per frame
Frame height upgrade for special height doors	385	per frame
Glazing bar horizontal add on to suit CG/DG/EG/FG	114	per side
Upgrade from RP86 to RP4 door seal 820 door standard frame	33	per door
Supply and fit two reverse flush bolts to double doors (per door)	178	per door
Shrink wrap frame for additional protection	39	per frame
Perimeter weather seal fitted to standard frames (suit single or double doors)	88	per frame
Hinge 100mm	10	each



REBATED

For pairs of doors to eliminate draughts, noise, etc.
Reduces the width of a pair of doors by 12mm.



MUSHROOM STOP

Mushroom stop is an alternative to rebated doors for pairs of doors to eliminate draughts, noise etc.
Increases the width of a pair of doors by 12mm.

- Premium energy efficient entry frames
- Self-draining aluminium sill - improved moisture control
- Frames have a full perimeter seal - improves energy efficiency and noise reduction

DESIGN CODE	Frame Suits	Unit Size (+/- 5mm)	Frame Depth & Thickness (mm)	Pine/Meranti Assembled	Translucent Glass (Additional price)
WG A/B	1 x door(2040x820)	2100x887	140x40	421	
		2100x887	160x40	497	
	1 x door(2040x1200)	2100x1267	140x40	684	
		2100x1267	160x40	719	
WG C/D	1 x door(2040x820) 1 x sidelite(2040x400)	2100x1317	140x40	776	
		2100x1317	160x40	858	
WG CG/DG	1 x door(2040x820) 1 x glass sidelite 5mm toughened clear	2100x1210	140x40	871	64
		2100x1210	160x40	929	64
		2100x1310	140x40	1043	70
		2100x1310	160x40	1106	70
		2100x1410	140x40	1094	88
		2100x1410	160x40	1157	88
		2100x1510	140x40	1202	102
		2100x1510	160x40	1303	102
WG E/F	1 x door(2040x820) 2 x sidelite(2040x400)	2100x1748	140x40	902	
		2100x1748	160x40	987	
WG EG/FG	1 x door(2040x820) 2 x glass sidelite 5mm toughened clear	2100x1450	140x40	1170	88
		2100x1450	160x40	1246	88
		2100x1550	140x40	1252	108
		2100x1550	160x40	1329	108
		2100x1650	140x40	1348	121
		2100x1650	160x40	1449	121
		2100x1750	140x40	1430	140
		2100x1750	160x40	1538	140
WG G/H	2 x rebated door(2040x820)	2100x1697	140x40	776	
		2100x1697	160x40	840	
WG G/H	2 x door(2040x820) 1 x Mushroom Stop / T-Bar	2100x1719	140x40	776	
		2100x1719	160x40	840	

Additional Extras


Frame width upgrade for door over 820 wide up to 870 wide or sidelite over 400 wide	40	per frame
Frame width upgrade for door over 870 wide up to 1200 wide (4 hinges) standard frame	77	per frame
Frame height upgrade for doors from 2040 high to 2340 high	211	per frame
Frame height upgrade for special height doors	385	per frame
Glazing bar horizontal add on to suit CG/DG/EG/FG	114	per side
Wheelchair sill	115	per door
Supply and fit two reverse flush bolts to double doors (per door)	178	per door
Shrink wrap frame for additional protection	39	per frame
Hinge 100mm	10	each

- Frame material: Pine / Meranti as standard (Check your state)
- Frame material: Merbau option - refer to BAL compliant Weatherguard frames on page 25
- Doors not included
- 820mm doors has 3 hinges
- 1200mm doors has 4 hinges



























MERANTI WEATHERGUARD

HANDING OF FRAME





ALFRESCO CONFIGURATIONS				Door Width (mm)	Frame Width (+/- 10mm)	Frame Height (mm)	
						2125	2425
2 DOORS			2D2L 2D2R	620	1313	\$3676	\$4002
				720	1513		
				770	1613		
				820	1713		
3 DOORS			3D3L 3D3R	620	1935	\$4292	\$4648
				720	2235		
				770	2385		
				820	2535		
3 DOORS			3D2L1R 3D1L2R	620	1935	\$4499	\$4856
				720	2235		
				770	2385		
				820	2535		
4 DOORS			4D4L 4D4R	620	2558	\$5687	\$6192
				720	2958		
				770	3158		
				820	3358		
4 DOORS			4D3L1R 4D1L3R	620	2558	\$5525	\$6030
				720	2958		
				770	3158		
				820	3358		
4 DOORS			4D2L2R	620	2558	\$5903	\$6400
				720	2958		
				770	3158		
				820	3358		
5 DOORS			5D5L 5D5R	620	3181	\$6386	\$7054
				720	3681		
				770	3931		
				820	4181		
5 DOORS			5D4L1R 5D1L4R	620	3181	\$6616	\$7277
				720	3681		
				770	3931		
				820	4181		
5 DOORS			5D3L2R 5D2L3R	620	3181	\$6616	\$7277
				720	3681		
				770	3931		
				820	4181		
6 DOORS			6D6L 6D6R	620	3803	\$7418	\$8257
				720	4403		
				770	4703		
				820	5003		
6 DOORS			6D5L1R 6D1L5R	620	3803	\$7247	\$8093
				720	4403		
				770	4703		
				820	5003		
6 DOORS			6D4L2R 6D2L4R	620	3803	\$7611	\$8450
				720	4403		
				770	4703		
				820	5003		
6 DOORS			6D3L3R	620	3803	\$7247	\$8093
				720	4403		
				770	4703		
				820	5003		

ALFRESCO HEIGHT GUIDE	
Door Height (mm)	Frame Height (mm)
2040	2125
2340	2425
2040	2155(Vic only)
2340	2455(Vic only)

- Incorporating Joinery JST1 clear glazed doors
- JST1 Clear comes with safety decals on glass
- Doors installed into a multi-fold system
- All units are viewed from the outside and all doors open to the outside
- Special sizes available P.O.A.
- Other Joinery door models available P.O.A.



Scan QR-code for Alfresco installation video



BUSHFIRE RESISTANT DOORS & FRAMES

BAL (BUSHFIRE ATTACK LEVEL)


LOOK OUT FOR OUR BAL SYMBOL

Hume Doors & Timber has extensively tested our comprehensive range of doors and door frame systems to meet the AS1530.8.1 criteria set for buildings in Bushfire Attack Level (BAL) zoned areas. All our BAL tests are conducted in Australia by an independent third party fire testing consultancy firm.

Doors must be installed as per AS3959 to conform to BAL compliance. Refer to our website for further information: www.humedoors.com.au



Bushfire Attack Level (BAL) is measured in increments of radiant heat, this is expressed in kilowatts/m² which defines your BAL Rating requirement. Diagram below shows the BAL ratings along with the radiant heat flux for each zone.



BUSHFIRE RESISTANT DOORS & FRAMES

BAL 12.5 DOORS & FRAMES



ENTRANCE RANGE (PAGES 6-18)

The complete range of Entrance doors are BAL12.5 compliant.

NOTE: Illusion Range

- BAL12.5 is only available for doors glazed with Clear Laminate, Grey Laminate and Translucent.

NOTE: Glass Opening Range

- BAL12.5 is only available for 40mm thick and solid construction



PIVOT FRAMES (PAGE 19)

- Meranti Pivot System Only.
- Tested to AS1530.8.1 when supplied as a complete unit (door & frame).
- BAL12.5 compliant when installed as per AS3559.




WEATHERGUARD ENTRY FRAMES (PAGE 22)

- Meranti Weatherguard Frames Only.
- Tested to AS1530.8.1 when supplied as a complete unit (door & frame).
- BAL12.5 compliant when installed as per AS3559.



BUSHFIRE RESISTANT DOORS & FRAMES BAL19 & BAL29 DOORS



BFR1



BFR2



BFR3



BFR4



BFR5



BFR6



BFR7



BFR8



BFR9



BFR13



BFR14



BFR15



BFR30

DESIGN CODE	Standard Size (mm)	Un glazed	Clear (G1)	Grey Tint (G2)	Africana (G3)	Frost (G4)
BFR1	2040x820x40		596	620	656	688
BFR2	2040x820x40		596	620	656	688
BFR3	2040x820x40		542	560	590	596
BFR4	2040x820x40		609	626	669	706
BFR5	2040x820x40		729	766	809	834
BFR6	2040x820x40		633	656	694	741
BFR7	2040x820x40		596	620	656	688
BFR8	2040x820x40		754	785	834	961
BFR9	2040x820x40	384				
BFR13	2040x820x40	377				
BFR14	2040x820x40		596	626	719	719
BFR15	2040x820x40		560	578	656	664
BFR30	2040x820x40	345				

Made To Order		
Face Option	SPM - Stain Grade	Additional \$55
Face Option	Merbau	Additional \$1018
Special size	2040x870x40	Additional \$86
Special Size	2040x920x40	Additional \$106
Special Size	2340x820x40	Additional \$118
Special Size	Min 1990x805x40 - Max 2400x1200x40	Additional \$371

Door thickness is 40mm

- We recommend ordering Door & Frame together to ensure compliance with BAL
- A minimum of 3 x 100mm square butt hinges for doors up to 2040x820mm. For doors over this size 4 x 100mm square butt hinges are required
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- *BFR9 only Routed: Both sides | *BFR13 only Moulding: One side
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



DuraXP (standard)



SPM



Merbau


TOUGHENED GLASS OPTIONS




Clear (6mm)



Grey Tint (6mm)



Africana (6mm)




Frost (6mm)




DOOR CONSTRUCTION

Solid HMR MDF Core (DB)



BAL19 & 29 GLAZING PROFILE






DESIGN CODE	Unit Size (+/- 5mm)	Frame Suits (Door not included)	Frame Depth & Thickness	Merbau Assembled	6mm Frost Glass Additional
BAL19 & 29 MERBAU WG A/B	2100x887	1 x Door(2040x820)	140x40	777	
	2100x887	1 x Door(2040x820)	160x40	877	
	2400x1267	1 x Door(2340x1200)	140x40	1215	
	2400x1267	1 x Door(2340x1200)	160x40	1315	
BAL19 & 29 MERBAU WG C/D	2100x1317	1 x Door(2040x820) 1 x Sidelite(2040x400)	140x40	1370	
	2100x1317	1 x Door(2040x820) 1 x Sidelite(2040x400)	160x40	1470	
	2400x1317	1 x Door(2340x820) 1 x Sidelite(2340x400)	140x40	1580	
	2400x1317	1 x Door(2340x820) 1 x Sidelite(2340x400)	160x40	1680	
BAL19 & 29 MERBAU WG CG/DG	2100x1410	1 x Door(2040x820) 1 x Glass sidelite 6mm Toughened Clear	140x40	1688	97
	2100x1410	1 x Door(2040x820) 1 x Glass sidelite 6mm Toughened Clear	160x40	1788	97
	2400x1410	1 x Door(2340x820) 1 x Glass sidelite 6mm Toughened Clear	140x40	1898	113
	2400x1410	1 x Door(2340x820) 1 x Glass sidelite 6mm Toughened Clear	160x40	1998	113
BAL19 & 29 MERBAU WG E/F	2100x1748	1 x Door(2040x820) 2 x Sidelite(2040x400)	140x40	1615	
	2100x1748	1 x Door(2040x820) 2 x Sidelite(2040x400)	160x40	1715	
	2400x1748	1 x Door(2340x820) 2 x Sidelite(2340x400)	140x40	1825	
	2400x1748	1 x Door(2340x820) 2 x Sidelite(2340x400)	160x40	1925	
BAL19 & 29 MERBAU WG EG/FG	2100x1650	1 x Door(2040x820) 2 x Glass sidelite 6mm Toughened Clear	140x40	2061	133
	2100x1650	1 x Door(2040x820) 2 x Glass sidelite 6mm Toughened Clear	160x40	2161	133
	2400x1650	1 x Door(2340x820) 2 x Glass sidelite 6mm Toughened Clear	140x40	2271	154
	2400x1650	1 x Door(2340x820) 2 x Glass sidelite 6mm Toughened Clear	160x40	2371	154
BAL19 & 29 MERBAU WG G/H	2100x1719	2 x Door(2040x820) 1 x Mushroom Stop/T-Bar	140x40	1132	
	2100x1719	2 x Door(2040x820) 1 x Mushroom Stop/T-Bar	160x40	1232	
	2400x1719	2 x Door(2340x820) 1 x Mushroom Stop/T-Bar	140x40	1342	
	2400x1719	2 x Door(2340x820) 1 x Mushroom Stop/T-Bar	160x40	1442	



HANDING OF FRAME




- We recommend ordering Door & Frame together to ensure compliance with BAL.
- TIMBER: Hardwood Jamb and head compliant with BAL19 & 29 as per AS3959.
- FRAMES: Frames are fitted with an intumescent fire & smoke perimeter seal compliant to BAL19 & 29, the seal is removable for painting and is easily reinstalled.
- GLASS: Complies with AS3959 - 6mm Toughened glass required, if glass portions are open-able or are within 400mm of the ground they must be screened with a BAL approved screen (screens not included)
- BAL19 & 29 Merbau Weatherguard entrance frames are suited for bushfire zones BAL12.5, 19, 29 when installed as per AS3959.
- CG/DG & EG/FG frames are glazed using 6mm toughened glass and must be screened with a BAL compliant screen as per AS3959



BUSHFIRE RESISTANT DOORS & FRAMES

BAL 40 DOORS



DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Grey Tint (G2)	Africana (G3)	Frost (G4)
BFR400	2040x820x45	345				
BFR401	2040x820x45		686	779	779	779
BFR402	2040x820x45		708	779	801	801
BFR405	2040x820x45		925	962	962	962
BFR407	2040x820x45		925	962	962	962
BFR409	2040x400x45		638	699	699	699
BFR4013	2040x820x45		925	962	962	962
BFR4017	2040x820x45		686	779	779	779

Made To Order		
Face Option	SPM - Stain Grade	Additional \$55
Face Option	Merbau*	Additional \$1018
Special Size	2040x870x45	Additional \$86
Special Size	2040x920x45	Additional \$106
Special Size	2340x820x45	Additional \$118
Special Size	2040x1200x45	Additional \$335
Special Size	Min 1990x805x45 - Max 2340x1200x45	Additional \$371
Special Size Sidelite	Min 1990x330x45 - Max 2340x500x45	Additional \$223

- *Merbau not available for BFR4017
- Door thickness is 45mm
- Door & Frame must be supplied together to comply to BAL40 as tested to AS1530.8.1
- Door systems supplied with a minimum 4 x 100mm square butt hinges as tested to AS1530.8.1 and compliant to BAL40
- 6mm Toughened safety glass and double-sided fire-resistant hardwood glazing bead as tested to AS1530.8.1.
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Trimming Instructions: Cannot be trimmed!
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering


FACE OPTIONS




6MM TOUGHENED GLASS OPTIONS



DOOR CONSTRUCTION



BAL40 GLAZING PROFILE





BUSHFIRE RESISTANT DOORS & FRAMES

BAL 40 DOORS



BFR4018



BFR4019




BFR4020



BFR4021



BFR4022



BFR4023



BFR4024



BFR4025




BFR4026

DESIGN CODE	Standard Size (mm)	Unglazed
BFR4018, BFR4019, BFR4020, BFR4021, BFR4022, BFR4023, BFR4024, BFR4025, BFR4026	2040x820x45	404



Made To Order		
Special Size	2040x870x45	Additional \$86
Special Size	2040x920x45	Additional \$106
Special Size	2340x820x45	Additional \$118
Special Size	Min 1990x805x45 - Max 2340x1200x45	Additional \$371

- Door thickness is 45mm
- Door & Frame must be supplied together to comply to BAL40 as tested to AS1530.8.1
- Door systems supplied with a minimum 4 x 100mm square butt hinges as tested to AS1530.8.1 and compliant to BAL40
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Trimming Instructions: Cannot be trimmed!
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



DuraXP
(standard)




Watch our BAL40 burn test video.




BUSHFIRE RESISTANT DOORS & FRAMES

BAL40 MERBAU WEATHERGUARD FRAMES



DESIGN CODE	Unit Size (+/- 5mm)	Frame Suits (Door not included)	Frame Depth & Thickness	Merbau Assembled
BAL40 MERBAU WG A/B	2100x887	1 x Door(2040x820)	140x40	877
	2100x887	1 x Door(2040x820)	160x40	977
	2400x1267	1 x Door(2340x1200)	140x40	1315
	2400x1267	1 x Door(2340x1200)	160x40	1415
BAL40 MERBAU WG C/D	2100x1317	1 x Door(2040x820) 1 x Sidelite(2040x400)	140x40	1470
	2100x1317	1 x Door(2040x820) 1 x Sidelite(2040x400)	160x40	1570
	2400x1317	1 x Door(2340x820) 1 x Sidelite(2340x400)	140x40	1680
	2400x1317	1 x Door(2340x820) 1 x Sidelite(2340x400)	160x40	1780

HANDING OF FRAME



- Frames supplied with a minimum 4 x 100mm square butt hinges as tested to AS1530.8.1 and compliant to BAL40
- Hardwood Jambs and head compliant with BAL40 and tested to AS1530.8.1
- Door & Frame must be supplied together to comply to BAL40 as tested to AS1530.8.1



BUSHFIRE RESISTANT DOORS & FRAMES

BAL ADDITIONAL EXTRAS


- These additional extras must be applied to the door/frame price.

Additional Extras for Doors				
Aluminium T-Bar 2400mm high 1.8mm thick including seals	To suit BAL12.5, 19 & 29 ONLY	65		each
Mushroom Stop 2100mm Length Merbau	To suit BAL12.5, 19 & 29 ONLY	101		each
Mushroom Stop 2400mm Length Merbau	To suit BAL12.5, 19 & 29 ONLY	115		each
Hinge 100mm		10		each

Additional Extras for Frames				
Frame width upgrade for door over 820 wide up to 870 wide or sidelite over 400 wide		40		per frame
Frame width upgrade for door over 870 wide up to 1200 wide (4 hinges) standard frame		77		per frame
Frame height upgrade for special height doors		385		per frame
Shrink wrap frame for additional protection		39		per frame



OVERHEAD PROTECTION



With Australia's climate extremes entrance doors will weather differently and timber doors are more susceptible to the elements than steel, aluminium or fibreglass doors.

Depending on your location and aspect the required overhead protection will vary, with tropical areas generally requiring more overhang than southern states.

The chart below will assist in determining the size of overhead protection which will vary depending on home design and adjacent walls.

Dimension 'C' – subject to adjacent walls – minimum width same width as entry frame

Note: colour choice for your exterior door will also affect weathering. Dark colours absorb heat, accelerating door deterioration, warping and bowing. For door guarantee refer page 62.

OVERHEAD PROTECTION CALCULATION				
Climate	North	South	East	West
Coastal	$A = 1/2 B$	$A = B$	$A = 1/2 B$	$A = B$
Tropical	$A = B$	$A = B$	$A = B$	$A = B$
Arid	$A = B$	$A = 1/2 B$	$A = B$	$A = 1/2 B$
Mild	$A = 1/2 B$	$A = 1/2 B$	$A = 1/2 B$	$A = B$



CARE & MAINTENANCE

- Your timber door may be affected by changes in temperature, moisture and location. After selecting and purchasing your Hume door, store flat in a dry, well-ventilated area before installation.
- Before fitting the door, all six door surfaces should be sealed initially then after installation painted, stained or clear finished with good quality products. Follow the paint manufacturer's instructions with the correct number of coats on ALL surfaces.
- Light reflective colours are recommended for Entrance Doors to reduce the possibility of bow, twist or warp. Dark colours may void Hume guarantee. Semi-gloss finishes are recommended. Paint with a light reflectance value (LRV) finish greater than 50 should be used on External Doors. White – LRV approx 95, Black – LRV approx 5.
- Use the same colour on all six door surfaces. Different colours may cause doors to warp.
- Entrance Doors require overhead protection.
- Location and fitting of your door furniture can depend on door construction. Solid doors (doors rated for BAL12.5, BAL19, BAL29 & BAL40) may have door furniture installed at any selected height, either side of the door.
- Door maintenance is necessary for long term performance and periodic inspections are recommended. At the first signs of deterioration, your door should be properly refinished. Make sure that all surfaces of the door receive proper resealing and painting.
- To clean your door, use a damp cloth. Do not hose or use chemicals or abrasives on your door. Lightly oil hinges and door furniture for optimum performance.
- Contact your nearest Hume Doors stockist or the Hume Doors website for more information.





FBDS1

- Deep linear rout designs
- Available in PCMD for paint or SPM for Stain
- Made to measure customised designs and sizing available



FBDS2



FBDS3



FBDS4



FBDS5


DESIGN CODE	Standard Size (mm)	Unglazed
FBDS1, FBDS2, FBDS3, FBDS4, FBDS5	2150x1000x35	357

Made To Order		
Grooved Bottom Rail	20x10mm	Additional \$61
Pre-drill roller holes (diameter)	4x10mm	Additional \$61
Face Options	SPM Stain Grade	Additional \$193
Special Sizes	Min 2150x720x35 - Max 2400x1200x35	Additional \$371

- Frontier Track Sliding System is sold separately
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering



Frontier Standard Profile





FBDU1

- Frame and Infill constructed shaker style door
- Available in PC MDF for paint



FBDU2



FBDU3



FBDU4



FBDU5


DESIGN CODE	Standard Size (mm)	Unglazed
FBDU1, FBDU2, FBDU3, FBDU4, FBDU5	2150x1000x35	476

Made To Order		
Grooved Bottom Rail	20x10mm	Additional \$61
Pre-drill roller holes (diameter)	4x10mm	Additional \$61

- Special sizes not available
- Frontier Track Sliding System is sold separately
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering



Frontier Ultimate Profile



**FBDRG4**
(GREY)**FBDRB2**
(BROWN)**FBDRW4**
(WHITE)

DESIGN CODE	Standard Size (mm)	Unglazed
FBDRB2, FBDRW4, FBDRG4	2150x1000x35	638


Made To Order		
Grooved Bottom Rail	20x10mm	Additional \$61
Pre-drill roller holes (diameter)	4x10mm	Additional \$61

- Special sizes not available
- Bottom rail is pre-grooved 20x10mm
- Roller holes are pre-drilled
- Frontier Track Sliding System is sold separately
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

- PVC wrapped shaker style door
- Pre-finished
- Pre-Drilled roller holes & Grooved bottom rail



Frontier Rustic Profile





INTERNAL BARN DOORS FRONTIER TRACK SYSTEM



- High quality powder coat finish
- Quiet operation on nylon wheels



Scan QR code to see Frontier Barn Door Sliding System installation video

FRONTIER TRACK & FITTINGS

2M TRACK & FITTINGS	Suits doors up to 1000mm wide 1 Door (Single)	173
2.4M TRACK & FITTINGS	Suits doors up to 1200mm wide 1 Door (Single)	314
3M TRACK & FITTINGS	Suit doors up to 1500mm wide 1 Door (Single)	365

- Frontier Track Sliding System is sold separately



FRONTIER PRODUCT DETAILS

Track Length	2000/2400/3000mm
Maximum Door Width	1000/1200/1500mm
Maximum Opening Width (square set)	900/1100/1400mm
Maximum Door Weight	80kg
Door Thickness	35-40mm
Material	Steel
Finish	Black Powder Coat
Application	Frontier track suits doors up to maximum of 1500mm wide only. 2 Kits required for double door installation.
Fixing	Frontier Sliding System includes: Fixing screws to suit masonry and plasterboard walls. Tracks are pre-drilled.
To calculate door size	Height = Opening Height + 50mm Width = Opening width + 100mm





INTERNAL DOORS HAMPTON



HAM1



HAM4



HAM5



HAM6



HAM10



HAM12




HAM16

DESIGN CODE	Standard Size (mm)	Infill Panel	Clear (G1)	Translucent (G2)
HAM1	2040x520/620/720/770/820x35	344	376	612
	2040x870x35	358	404	640
	2040x920x35	371	409	645
	2340x520/620/720/770/820x35	379	420	656
	2340x870x35	404	448	684
	2340x920x35	428	453	689
HAM4	2040x520/620/720/770/820x35	448	481	715
	2040x870x35	466	509	743
	2040x920x35	483	514	748
	2340x520/620/720/770/820x35	492	525	759
	2340x870x35	516	553	787
	2340x920x35	539	558	792
HAM5	2040x520/620/720/770/820x35	428	468	702
	2040x870x35	450	496	730
	2040x920x35	471	501	735
	2340x520/620/720/770/820x35	477	512	746
	2340x870x35	499	540	774
	2340x920x35	520	545	779
HAM6, HAM10	2040x520/620/720/770/820x35	369	468	702
	2040x870x35	381	496	730
	2040x920x35	392	501	735
	2340x520/620/720/770/820x35	416	512	746
	2340x870x35	428	540	774
	2340x920x35	439	545	779
HAM12, HAM16	2040x520/620/720/770/820x35	381	468	702
	2040x870x35	393	496	730
	2040x920x35	404	501	735
	2340x520/620/720/770/820x35	427	512	746
	2340x870x35	439	540	774
	2340x920x35	450	545	779



HAM1
(TRANSLUCENT)



HAM4
(CLEAR)

All Hampton Design doors are available with Translucent and Clear glass options

FACE OPTIONS



Primed MDF
(standard)

GLASS OPTIONS



Clear




Translucent



DOOR CONSTRUCTION

Hampton Construction (Internal)



Made To Order

Special Size	Min 1990x400x35 - Max 2400x1200x35	P.O.A.
Custom Design	Design your own Hampton doors	P.O.A.

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering



HST1



HST4



HST5



HST1M



HST4M



HST1

2340mm High

All Strata Design doors are available in 2340mm high option

DESIGN CODE	Standard Size (mm)	Unglazed
HST1	2040x410/420/460/520/620/720/770/820x35	86
	2040x870x35	99
	2040x920x35	130
	2340x410/420/460/520/620/720/770/820x35	149
	2340x870x35	165
	2340x920x35	190
HST4, HST5	2040x410/420/460/520/620/720/770/820x35	124
	2040x870x35	136
	2040x920x35	167
	2340x410/420/460/520/620/720/770/820x35	186
	2340x870x35	202
	2340x920x35	227
HST1M	2040x410/420/460/520/620/720/770/820x35	173
	2040x870x35	185
	2040x920x35	203
	2340x410/420/460/520/620/720/770/820x35	242
	2340x870x35	260
	2340x920x35	291
HST4M	2040x410/420/460/520/620/720/770/820x35	212
	2040x870x35	222
	2040x920x35	252
	2340x410/420/460/520/620/720/770/820x35	285
	2340x870x35	304
	2340x920x35	335

FACE OPTIONS

Details of Strata textured surface




FACE OPTIONS



DOOR CONSTRUCTION

Honeycomb Core (Hollow Core H1)



Made To Order

Special Size	Min 1990x330x35 - Max 2340x920x35	Additional \$138
Solid Construction	Solicore Particleboard Core (SCX1)	Additional \$113

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- For Bifold option refer to page 50-52
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering



DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G3)	Africana (G4)	Rice Paper (G5)
HMC1, HMC2, HMC4, HMC7, HMC8, HMC9, HMC10	2040x520/620/720/770/820x35	212						
	2040x870x35	262						
	2040x920x35	318						
	2340x520/620/720/770/820x35	267						
	2340x870x35	317						
	2340x920x35	373						
HMC11	2040x520/620/720/770/820x35	260	593	657	657	668	750	891
	2040x870x35	310	589	707	707	718	800	941
	2040x920x35	366	645	763	763	776	858	999
	2340x520/620/720/770/820x35	391	670	788	788	799	881	
	2340x870x35	441	720	838	838	849	931	
	2340x920x35	497	776	894	894	907	989	

Made To Order

Face Option	SPM Stain Grade	Additional \$55
Special Size	Min 1990x410x35 - Max 2400x1200x35	Additional \$310

- For additional extras refer to page 57
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Routed: Both sides (Excluding HMC11)
- For Bifold option refer to page 50-52
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS




GLASS OPTIONS



DOOR CONSTRUCTION

Solid HMR MDF Core(HV) (Internal)





SOR1



SOR2



SOR5



SOR6



SOR7



SOR8



SOR11



SOR12


DESIGN CODE	Standard Size (mm)	Unglazed
SOR1, SOR2, SOR5, SOR6, SOR7, SOR8, SOR11, SOR12	2040x520/620/720/770/820x35	172
	2040x870x35	186
	2040x920x35	212
	2340x520/620/720/770/820x35	205
	2340x870x35	219
	2340x920x35	309

Made To Order

Special Size Min 1990x410x35 - Max 2400x1200x35 Additional \$186

- For additional extras refer to page 57
- Routed: Both sides
- For Bifold option refer to page 50-52
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS



Primed MDF
(6mm thick)





INTERNAL DOORS JOINERY



LIN1



LIN2



LIN10



SAV2



SAV3

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Clear Laminate (G2)	Cathedral (G3)	Double Glaze Clear (720/820 only) (G3)	Frost Coloured Design (G3)	Grey Tint (G3)	Translucent (G3)	Africana (G4)	Double Glaze Frost (820 only) (G4)	Geostep (G5)	Rice Paper (G5)
LIN1	2040x620/720/770/820x35	304	600	661	726	726		726	726	824	824	975	975
LIN2, SAV2	2040x620/720/770/820x35	389											
SAV3	2040x820x35	403	578		705		705	705	705	797		837	837
LIN10	2040x620/720/770/820x35	330	626	686	752			752	752	857		1003	1003

Made To Order

Face Option	Tassie Oak / Merbau	LIN1 only	Additional \$434
Special Size	2340x620/720/770/820x35	LIN1 only	Additional \$99
Special Size	2040x870x35	LIN1 only	Additional \$69
Special Size	Min 1990x400x35 Max 2400x1200x35	LIN1 only	Additional \$478

- For additional extras refer to page 57
- LIN1 Clear comes with safety decals on glass**
- Trimming Instructions: 3mm from the top, bottom and each stile
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

DOOR CONSTRUCTION

Engineered Joinery




FACE OPTIONS



SPM
(standard)



Merbau
LIN1




Tassie Oak
LIN1

GLASS OPTIONS



Clear



Clear Laminate




Cathedral




Double Glaze Clear



Grey Tint




Translucent




Africana



Double Glaze Frost



Geostep



Rice Paper

FROST COLOURED DESIGN GLASS



Frosted Kookaburra Jewel



Frosted Black Orchid



Frosted Wysteria



Kookaburra Green Leaves



Frosted Rose Bud






DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Africana (G3)
HLR210	2040x620/720/770/820x35	279	552	607	607	607	688
	2040x870x35	305	578	633	633	633	714
	2040x920x35	373	646	701	701	701	782
	2340x820x35	410	683	738	738	738	819






DESIGN CODE	Standard Size (mm)	Unglazed
HLR230, HLR240, HLR270	2040x520/620/720/770/820x35	172
	2040x870x35	186
	2040x920x35	212
	2340x520/620/720/770/820x35	205
	2340x870x35	219
	2340x920x35	299
HLR250, HLR500	2040x520/620/720/770/820x35	412
	2040x870x35	431
	2040x920x35	453
	2340x520/620/720/770/820x35	471
	2340x870x35	497
	2340x920x35	565
HLR400, HLR600	2040x520/620/720/770/820x35	513
	2040x870x35	532
	2040x920x35	554
	2340x520/620/720/770/820x35	572
	2340x870x35	598
	2340x920x35	666
HLR410	2040x520/620/720/770/820x35	495
	2040x870x35	514
	2040x920x35	535
	2340x520/620/720/770/820x35	555
	2340x870x35	581
	2340x920x35	649

Made To Order		
Special Size	Min 1990x400x35 Max 2400x1200x35	Additional \$489

- For additional extras refer to page 57
- 2340mm high HLR210 has same size glass openings as 2040mm high door
- Trimming Instructions: 3mm from the top, bottom and each stile
- Alignment of horizontal rout is not guaranteed for pairs
- Not suitable for rebated pairs
- Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects
- Routed: Both sides
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering



FACE OPTIONS	
 Primed MDF HLR210, 230, 240 270 (standard)	 SPM HLR250, 400, 410, 500, 600 (standard)

GLASS OPTIONS	
 Clear	 Cathedral
 Grey Tint	 Translucent
 Africana	

OAKFIELD	CAPRICE	PACIFIC	DENMARK	CHATEAU	VIENNA
OAK-G (HONEYCOMB)	OAK (HONEYCOMB) XB2 (SOLICORE)	CAP (HONEYCOMB) XB11 (SOLICORE)	PAC (HONEYCOMB) XB1 (SOLICORE)	DEN (HONEYCOMB) XB6 (SOLICORE)	CHA (HONEYCOMB) XB7 (SOLICORE)
					VIE (HONEYCOMB) XB5 (SOLICORE)

HONEYCOMB CORE LARGE CELL (HOLLOW CORE MOULDED PANEL)

DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Frost Coloured Design (G3)	Frost Panama (G4)
OAK-G	2040x720/770/820x35	255	428	539	539	539	577	626
	2040x870x35	273	460	571	571	571		
	2040x920x35	310	460	571	571	571		
OAK, CAP, PAC, DEN, CHA, VIE	2040x410/420/460/520/620/720/770/820x35	103						
	2040x870x35	114						
	2040x920x35	140						

SOLICORE PARTICLEBOARD CORE (SCX1 MOULDED PANEL)

DESIGN CODE	Standard Size (mm)	Unglazed
XB1, XB2, XB5, XB6, XB7, XB11	2040x720/770/820x35/40	221
	2040x870x35/40	232
	2040x920x35/40	258

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- For Bifold option refer to page 50-52
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering




FACE OPTIONS

Moulded Panel
Woodgrain Skin



GLASS OPTIONS



FROST COLOURED DESIGN



PANAMA GLASS





HONEYCOMB CORE LARGE CELL (HOLLOW CORE MOULDED PANEL)



DESIGN CODE	Standard Size (mm)	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Frost Coloured Design (G3)	Frost Panama (G4)
ASC-G	2040x720/770/820x35	274	448	559	559	559	597	646
	2040x870x35	305	480	591	591	591		
	2040x920x35	325	480	591	591	591		
ASC, ALP	2040x520/620/720/770/820x35	113						
	2040x870x35	125						
	2040x920x35	157						
	2340x620/720/770/820x35	215						
	2340x870x35	234						
HAY	2040x520/620/720/770/820x35	113						
	2040x870x35	125						
	2040x920x35	157						



SOLICORE PARTICLEBOARD CORE (SCX1 MOULDED PANEL)


DESIGN CODE	Standard Size (mm)	Unglazed
XB8, XB12, XB13	2040x720/770/820x35/40	231
	2040x870x35/40	243
	2040x920x35/40	275
	2340x720/770/820x35/40	333
	2340x870x35/40	352
	2340x920x35/40	392

- For additional extras refer to page 57
- Trimming Instructions: 3mm from the top, bottom and each stile
- For Bifold option refer to page 50-52
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering





INTERNAL DOORS ACCENT



HAG9
PRE9



HAG11
PRE11



HAG12
PRE12



HAG14
PRE14



HAG18
PRE18



HA4
PRE4



HA5
PRE5



HA40
PRE40


DESIGN CODE	Standard Size (mm)	Hollowcore (H1 PC MDF)	Solicore (SCX1 PC MDF)	DESIGN CODE	Standard Size (mm)	Hollowcore (SG 6mm Skin)
HAG9, HAG11, HAG12, HAG14, HAG18, HA4, HA5, HA40	2040x410/420/460/520/620/720/770/820x35	104	216	PRE9, PRE11, PRE12, PRE14, PRE18, PRE4, PRE5, PRE40	2040x410/420/460/520/620/720/770/820x35	172
	2040x870x35	113	258		2040x870x35	186
	2040x920x35	140	325		2040x920x35	212
	2340x520/620/720/770/820x35	148	335		2340x520/620/720/770/820x35	205
	2340x870x35	160	363		2340x870x35	219
	2340x920x35	174	429		2340x920x35	231

Made To Order

Face Option	DuraXP		Additional \$48
Special Size	Min 1990x400x35 - Max 2100x920x35	Hollowcore (H1 PC MDF) / Hollowcore (SG 6mm Skin)	Additional \$222
Special Size	Min 2100x920x35 - Max 2400x1200x35	Hollowcore (H1 PC MDF) / Hollowcore (SG 6mm Skin)	Additional \$290
Special Size	Min 1990x400x35 - Max 2100x920x35	Solicore (SCX1 PC MDF)	Additional \$475
Special Size	Min 2100x920x35 - Max 2400x1200x35	Solicore (SCX1 PC MDF)	Additional \$587

- For additional extras refer to page 57
- HA4 alignment of horizontal rout is not guaranteed for pairs.
- HA4 not suitable for rebated pairs.
- Trimming Instructions: 3mm from the top, bottom and each stile
- Routed: Both sides
- For Bifold option refer to page 50-52
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

FACE OPTIONS




Primed MDF
(standard)



DuraXP


DOOR CONSTRUCTION

Honeycomb Core (Hollow Core H1)




DOOR CONSTRUCTION

Solicore Particleboard Core (SCX1 PC MDF)



DOOR CONSTRUCTION

Honeycomb Core (Hollowcore SG 6mm Skin)





HOW TO HANG A DOOR

- Tools required – drill, screwdriver, chisel (25mm), hole saws (54mm and 25mm) tape measure, hammer, small wedges (2)
- If replacing an existing door, use this door as a template to locate hinges and face hole/s onto your new door. To measure a door, see Figure 1.
- Should a new frame be required, this may be purchased in either knock down or assembled from your Hume Doors & Timber stockist. If making your own frame, allow clearance for your door of 3mm at top and each side plus 5mm under door allowing for floor coverings, tiles, etc. It is important to ensure that your frame is square and plumb.
- Your new door may require planing to fit the opening. A maximum 3mm may be trimmed from any edge of the door.
- Hinges required – 2 hinges for internal doors (non solid), 3 or 4 hinges for solid and entrance doors, depending on door size. Locate and install hinges to jamb in desired locations. Measure hinge locations from jamb onto door (remember to allow clearance between top of door and frame). Chisel hinge cut outs into edge of door.
- Stand door into frame to check hinge locations are correct. Use wedges to adjust door height, locate other hinge leaf into door and screw into place with 2 screws per hinge.
- Your door should now swing freely. If any final adjustment is required, make these, fit remaining screws, and your door is ready to have door furniture installed. Fit door furniture as per manufacturers instructions.
- Door should now be removed, fully painted on all six surfaces as well as behind hinges (refer Care and Maintenance information) and then reinstalled into the opening and the door furniture refitted.



Scan QR code to watch video




FIGURE 1:
Measure existing door

- Check measure the height on both sides of the door.
- Then measure the width at the top, middle and the bottom of the door.
- Also measure the door thickness.




FIGURE 2

- Is the door frame square?
- Check by measuring diagonally as illustrated.
- If the frame is out of square, you may require a slightly larger door and trim it to size.
- A trimming allowance of up to 3mm is allowed on all doors.




FIGURE 3

Important:

- Approximately 3mm clearance is required at the top and sides of the door.
- 5mm at the bottom (above the floor covering).



FLUSH DOORS HONEYCOMB CORE




INTERNAL HONEYCOMB CORE (H1) NON SOLID

DESIGN CODE	COMMERCIAL PRIMECOAT PCSG (6mm PC MDF skin)	PRIMECOAT MDF	SPM
Standard size (mm)			
2040x410/420/460/520/620/720/770/820x35	138	70	109
2040x870x35	174	82	130
2040x920x35	196	102	146
2340x520/620/720/770/820x35	174	107	160
Special size (mm) up to			
2040x870x35		189	242
2100x920x35	316	206	262
2340x920x35	360	229	291
2400x1200x35	400	244	352
2700x1200x35	440	369	
3000x1200x35	P.O.A.		
4200x2400x35*	P.O.A.		

Made to order		
Door Thickness	40mm	Additional \$66
Door Thickness	45mm	Additional \$191

- *For Special Sizes up to 4200x2400x35mm the door has skin joints and reinforced core
- For additional extras refer to page 57
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering




EXTERNAL HONEYCOMB CORE (X1) NON SOLID

DESIGN CODE	DURAXP	PAINT PLY A'BOND	SPM	TASSIE OAK
Standard size (mm)				
2040x520/620/720/770/820x35	116	103	116	
2040x870x35	140	109	140	
2040x920x35	160	136	160	
2040x720/770/820x40	134	118	134	
2040x870x40	163	138	163	
Special size (mm) up to				
2100x920x35	244	242	249	1262
2340x920x35	268	270	302	1286
2400x1200x35	307	300	352	1325
2700x1200x35	470			
3000x1200x35		P.O.A.		

Made to order		
Door Thickness	40mm	Additional \$66
Door Thickness	45mm	Additional \$191

- For additional extras refer to page 57
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering





FLUSH DOORS SOLICORE (SCX1)




SOLICORE TIMBER FRAME WATER RESISTANT PARTICLE BOARD CORE (SCX1)

DESIGN CODE	PRIMECOAT MDF (Internal Use Only)	DURAXP	A'BOND PLY PAINT GRADE	SPM	TASSIE OAK
Standard size (mm)					
2040x520/620/720/770/820x35	157	193	197	209	
2040x870x35	197	212	238	251	
2040x920x35	264	281	307	316	
2040x1020x35	331	350	360	381	
2340x520/620/720/770/820x35	261	287	300	313	
2340x870x35	300	311	324	353	
2040x720/770/820x40	201	217	226	241	
2040x870x40	220	253	313	266	
2040x920x40	278	287	317	328	
2040x1020x40	336	357	377	390	
Special size (mm) up to					
2040x870x35	272	311	335	360	1329
2100x920x35	340	366	396	400	1384
2340x920x35	385	397	465	482	1415
2400x1200x35	431	442	511	539	1460
2700x1200x35	549	561	694		
3000x1200x35			758		
4200x2400x35*	P.O.A.		P.O.A.		

Made to order

Door Thickness	40mm	Additional \$66
Door Thickness	45mm	Additional \$191



- *For Special Sizes up to 4200x2400x35mm the door has skin joints and reinforced core
- For additional extras refer to page 57
- For glass openings in SCX1 doors refer to page 57
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering



FLUSH DOORS BLOCKBOARD (STPC)



SOLID TIMBER PINE CORE (STPC BLOCKBOARD)

DESIGN CODE	DURAXP	A'BOND PLY PAINT GRADE	SPM
Standard size (mm)			
2040x820x35	211	191	219
2100x920x35	266	251	294
2400x920x35	323	358	372
2100x1200x35	358	377	398
2400x1200x35	377	394	417
2700x1200x35	594	739	
2040x820x40	227	207	238
2100x920x40	285	273	301
2400x920x40	344	400	413
2100x1200x40	386	405	424
2400x1200x40	404	451	454
2700x1200x40	630	806	


- For additional extras refer to page 57
- For factory cut down doors refer to page 57
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

IMPORTANT NOTE

- STPC doors are not recommended for exposed situations consider metal clad
- Due to open ended core plate all surfaces must be sealed - OTHERWISE GUARANTEE VOID.
- Blockboard (STPC) are not recommended for high gloss paints due to potential core show-through. Solicore (SCX1) doors are recommended as an alternative.

DOOR CONSTRUCTION

Solid Timber Pine Core (STPC Blockboard)





INTERNAL SYSTEMS CAVITY UNITS

■ Cavity Units are recommended for 35mm doors only




Scan QR-code for Cavity installation video



Features	EVOLUTION TIMBER	EVOLUTION COMPLETE	EVOLUTION STEEL CAVITY (ASPIRE)
Available in plain or treated timber	✓	✓	
Same architrave height as a hinged door	✓	✓	
Smooth 4 Wheel Ball Bearing Carriages	✓	✓	✓
Jump free U track - Smooth operation	✓	✓	✓
Maximum door mass 70kg	✓	✓	✓
Quick release mechanism	✓	✓	✓
One Touch Release System		✓	
Soft Closer Technology		✓	
Tough Composite Split Jambs			✓
Galvanised steel back posts slats & track - 100% Termite proof			✓

CAVITY UNITS	Standard Size (mm)	Stud Thickness (mm)	
EVOLUTION TIMBER	2040x620/720/770/820	70/75/90/100	203
	2040x870	70/75/90/100	211
	2040x920	70/75/90/100	252
	2340x620/720/770/820	90/100	369
	2340x870	90/100	377
	2340x920	90/100	421
	Special sizes up to 2340x919	90/100	433
	Special sizes up to 2400x1200	90/100	478
EVOLUTION COMPLETE	2040x620/720/770/820	70/75/90/100	269
	2040x870	70/75/90/100	277
	2040x920	70/75/90/100	310
	2340x620/720/770/820	90/100	435
	2340x870	90/100	443
	2340x920	90/100	487
	Special sizes up to 2340x919	90/100	499
	Special sizes up to 2400x1200	90/100	544
EVOLUTION STEEL (ASPIRE)	2040x620/720/770/820	64/70/90	246
	2040x870	64/70/90	267
	2040x920	64/70/90	305
	Special Size	64/70/90	P.O.A.



EVOLUTION TIMBER CAVITY UNIT OPENING SIZES

NOTE: Unit size is tight, allow extra space for packing when preparing the opening.

A = Door height + 70mm (QLD, WA)

A = Door height + 80mm (NSW, VIC, ACT, SA, TAS)

B - Opening width for Flush pull = 2 x Door + 10mm
(Flush pull the door protrudes 50mm)

B - Opening width for Flush jamb = 2 x Door + 60mm
(Flush jamb the door is flush with split jamb)

■ Evolution Steel Cavity with 64mm stud suits 13mm sheeting material only



INTERNAL SYSTEMS

CAVITY UNITS ADDITIONAL EXTRAS

Additional Extras


Soft Closer	Additional \$46
Evolution Touch	Additional \$26
Closing Jamb	Additional \$41
Evolution Steel/Evolution Timber - Cavity Track Door Stop	Additional \$27
Staingrade upgrade	Additional \$65
Timber Pelmet to suit double Cavity Unit	Additional P.O.A.

- For more extras refer to page 57
- Cancellations or alterations for made to order Cavity Units will only be accepted on the day of ordering


ADD ON OPTIONS FOR EVOLUTION TIMBER & EVOLUTION STEEL

SOFT CLOSER

(Available separately)




Scan QR-code for Soft Closer installation video



CAVITY TRACK DOOR STOP

(For double cavity application)



ONE TOUCH RELEASE

(Available separately)

INTERNAL SYSTEMS

EVOLUTION PREMIUM



FLOOR TO CEILING ZERO CLEARANCE CAVITY UNIT

- Floor to Ceiling Zero Clearance
- Creates large open living spaces
- Impressive large door openings
- Virtually invisible - hidden track system
- Soft closer - prevents door slamming
- One touch operation - push to release door

Made to order

Evolution Premium is a fully customised solution.
Download the order form at:
www.humedoors.com.au/door-systems

- Cancellations or alterations for made to order doors will only be accepted on the day of ordering



IMPORTANT INFORMATION FOR PREMIUM CAVITY UNIT

MAXIMUM DOOR SIZE	3000x1300mm
MAXIMUM DOOR WEIGHT	120kg
STUD THICKNESS	90mm
SOFT CLOSE OPTION	Maximum door weight = 100kg
OVERALL UNIT HEIGHT	Floor level (slab/sheet) to underside of ceiling + 50mm
OVERALL UNIT WIDTH	Door Width x 2 + 50mm
DOOR HEIGHT CALCULATION	Finished floor to underside of ceiling less 15mm for clearances
CLEARANCES	Under Door = 10mm Above Door = 5mm (Standard) (Can be adjusted to minimum 3mm)



INTERNAL SYSTEMS SMARTROBE



PRIMECOAT
(PAGE 44)



SPM
(PAGE 44)



ACCENT RANGE
(PAGE 42)



LINEAR RANGE
(PAGE 39)



SORRENTO
(PAGE 37)



HAMPTON
(PAGE 34)



HUMECRAFT
(PAGE 36)



STRATA RANGE
(PAGE 35)



MIRROR ARCH TOP



FULL MIRROR



**MOULDED PANEL
WOODGRAIN**
(PAGE 40)



**MOULDED PANEL
SMOOTHSKIN**
(PAGE 41)

- Smartrobe doors and Smartrobe Track & Fittings should be ordered together for system operational purposes
- Each Smartrobe door includes two nylon wheels encased in steel assemblies
- Doors are reversible (except mirror) with height adjustment to the edge of door

SMARTROBE DOORS	2040x520/620/720/770/820x35 (mm)	2040x870x35 (mm)	2340x520/620/720/770/820 (mm)	2340x870x35 (mm)
PRIMECOAT	96	108	132	161
SPM	136	157	186	255
ACCENT	130	139	174	186
LINEAR (HLR230, 240, 270)	198	213	231	246
SORRENTO	198	213	231	246
HAMPTON	P.O.A.	P.O.A.	P.O.A.	P.O.A.
HUMECRAFT(PC MDF)	237	286	293	341
STRATA (HST1)	113	126	175	191
STRATA (HST4, HST5)	149	161	213	228
STRATA (HST1M)	200	212	268	286
STRATA (HST4M)	237	248	311	330
MIRROR PRIMED MDF	394	426	519	569
MIRROR SPM	433	465	578	611
MOULDED PANEL WOODGRAIN (Pacific, Oakfield, Vienna, Chateau, Denmark, Caprice)	129	140		
MOULDED PANEL SMOOTH (Hayman)	139	151		
MOULDED PANEL SMOOTH (Ascot, Alpine)	139	151	241	260

Additional Extras

Additional Cost per door 2 Meranti/Pine Finger Grips	To suit door height 2040mm	Additional \$44
Additional Cost per door 2 Meranti/Pine Finger Grips	To suit door height 2340mm	Additional \$50
Any unlisted door		P.O.A.



INTERNAL SYSTEMS SMARTROBE

■ To suit 2040mm high doors



WHEEL ASSEMBLY

Also pictured is timber finger grip on door edge



TOP TRACK

Nylon guides supplied to fix top of doors to ensure smooth operation



BOTTOM TRACK

Easy maintenance with door height adjustment in edge of door

SMARTROBE TRACK & JAMB	Jamb 93x19 (mm)	Jamb 98x19 (mm)	Jamb 112x19 (mm)	Jamb 116x19 (mm)
2 DOOR	162	179	186	191
3 DOOR	223	237	241	247
4 DOOR	280	301	305	314

Additional Extras
2340mm high Jamb
Additional \$37

- Alignment of horizontal rout is not guaranteed
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

TRACK COLOUR OPTIONS



White



Chrome

SMARTROBE CALCULATION TABLE

Door Height = Unit Height

2040mm = 2115mm

2340mm = 2415mm

Door Width (mm)	Number of doors	No finger Grips		Two Finger Grips per door	
		Unit Size Width (mm)	Stud Size Width (mm)	Unit Size Width (mm)	Stud Size Width (mm)
870	4	3460	3465	3670	3675
	3	2610	2615	2770	2775
	2	1760	1765	1870	1875
820	4	3260	3265	3470	3475
	3	2460	2465	2620	2625
	2	1660	1665	1770	1775
770	4	3060	3065	3270	3275
	3	2310	2315	2470	2475
	2	1560	1565	1670	1675
720	4	2860	2865	3070	3075
	3	2160	2165	2320	2325
	2	1460	1465	1570	1575
620	4	2460	2465	2670	2675
	3	1860	1865	2020	2025
	2	1260	1265	1370	1375
520	4	2060	2065	2270	2275
	3	1560	1565	1720	1725
	2	1060	1065	1170	1175




Scan QR-code for Smartrobe
installation video



■ Standard size for all bi-folds is 2040x720/770/820x35

FLUSH (PAGE 44)



BF1 PCMD

BF1 SPM

ACCENT (PAGE 42)



BF HAG9

SORRENTO (PAGE 37)



BF SOR1

STRATA (PAGE 35)



BF HST1

HUMECRAFT (PAGE 36)



BF29

BF30

BF35

MOULDED PANEL SMOOTH (PAGE 41)



ASCOT
(BF27)

ASCOT-G
(BF28)

HAYMAN
(BF6)

MOULDED PANEL WOODGRAIN (PAGE 40)



CAPRICE
(BF34)

PACIFIC
(BF15)

OAKFIELD
(BF18)

OAKFIELD-G
(BF19)

VIENNA
(BF25)

DENMARK
(BF26)

CHATEAU
(BF33)

BI-FOLD ORIENTATION

Single Bi-fold



Double Bi-fold



Scan QR-code for Bi-fold
installation video



INTERNAL SYSTEMS BI-FOLD

■ Standard size for all bi-folds is 2040x720/770/820x35

GLAZED BI-FOLDS


BIFOLD RANGE	DESIGN CODE	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Frost Coloured Design (G3)	Frost Panama (G4)
MOULDED PANEL WOODGRAIN SKIN	OAKFIELD-G (BF19)	335	509	620	620	620	657	707
MOULDED PANEL SMOOTH SKIN	ASCOT-G (BF28)	354	527	638	638	638	676	725
HUMECRAFT (PCMDF)	BF30*	403	569	688	688	775 (G3)	688 (G2)	775 (G3)
	BF35*	474	669	816	816	915 (G3)		

■ *BF30 and BF35 have different G codes for glass shown next to their price

NON GLAZED BI-FOLDS

BIFOLD RANGE	DESIGN CODE	Unglazed
FLUSH	BF1 PCMDF	234
	BF1 SPM	314
ACCENT	COMPLETE ACCENT RANGE	348
MOULDED PANEL WOODGRAIN SKIN	PACIFIC (BF15) OAKFIELD (BF18) VIENNA (BF25) CHATEAU (BF33) DENMARK (BF26) CAPRICE (BF34)	260
MOULDED PANEL SMOOTH SKIN	ASCOT (BF27) HAYMAN (BF6)	293
SORRENTO	COMPLETE SORRENTO RANGE	355
HUMECRAFT (PCMDF)	BF29	354
STRATA	BF HST1	269
	BF HST4, BF HST5	307
	BF HST1M	356
	BF HST4M	395

Additional Extras	
Bi-Fold Track and Fittings	Additional \$70
<ul style="list-style-type: none"> ■ All Bi-folds supplied in reversible 2 door sets, hinged together to suit normal opening widths ■ Tracks, fittings and installation instructions are included ■ Special Sizes P.O.A. ■ Cancellations or alterations for made to order doors will only be accepted on the day of ordering 	



OPENING SIZES


OPENING SIZES: Bi-folds are supplied to suit openings designed for 2040x720/770/820 doors
BI-FOLD SIZES: Bi-fold doors are supplied in sizes 2015x712/762/812 bifolds

CALCULATE OPENING HEIGHT FOR BI-FOLD


Leaf Height	2015mm
Allowance for track and fittings	23mm
Clearance under leaf for pivot (add extra clearance for floor coverings)	22mm
Total opening height	2060mm

CALCULATE OPENING WIDTH FOR BI-FOLD

Leaf width x number of leaves (eg 405 leaf x 2)	810mm
Clearance for each gap 3mm x 3	9mm
Total width	819mm for 820mm opening



GLASS OPTIONS





INTERNAL SYSTEMS MULTI-FOLD

■ Standard size for all Multi-folds is 2015x355/380/405x35



MULTI-FOLD ORIENTATION

4 LEAF SET: (2.0m track plus pack/s)



6 LEAF SET: (2.5m track plus pack/s)



8 LEAF SET: (3.4m track plus pack/s)



GLAZED MULTI-FOLDS

MULTI-FOLD RANGE	DESIGN CODE	Unglazed	Clear (G1)	Cathedral (G2)	Grey Tint (G2)	Translucent (G2)	Frost Coloured Design (G3)	Frost Panama (G4)
MOULDED PANEL WOODGRAIN SKIN	OAKFIELD-G (MF19)	159	246	302	302	302	319	345
MOULDED PANEL SMOOTH SKIN	ASCOT-G (MF28)	174	261	317	317	317	335	360
HUMECRAFT(PC MDF)	MF30*	184	271	326	326	360 (G3)	326 (G2)	360 (G3)
	MF35*	252	349	423	423	472 (G3)		

- *MF30 and MF35 have different G codes for glass as noted
- To see all Multifold leaf designs refer to Bifold page 50
- Multi-fold leaves, track and fittings should be ordered together, for system operational purposes
- Multi-fold leaves supplied as single door leaves

NON GLAZED MULTI-FOLDS

MULTI-FOLD RANGE	DESIGN CODE	Unglazed
FLUSH	MF1 PC MDF	104
	MF1 SPM	147
ACCENT	COMPLETE ACCENT RANGE	165
MOULDED PANEL WOODGRAIN SKIN	PACIFIC (MF15) OAKFIELD (MF18) VIENNA (MF25) CHATEAU (MF33) DENMARK (MF26) CAPRICE (MF34)	118
MOULDED PANEL SMOOTH SKIN	ASCOT (MF27) HAYMAN (MF6)	136
SORRENTO	COMPLETE SORRENTO RANGE	156
HUMECRAFT(PC MDF)	MF29	159
STRATA	MF HST1	122
	MF HST4, MF HST5	149
	MF HST1M	170
	MF HST4M	196

MULTI-FOLD TRACK & FITTINGS

4 Leaf Set	185
6 Leaf Set	242
8 Leaf Set	300

MULTI-FOLD PARTS

2.0m track only - suit 4 leaf multi-fold	38
2.5m track only - suit 6 leaf multi-fold	44
3.4m track only - suit 8 leaf multi-fold	54
Starter pack	84
Add on pack	69

- Special Sizes P.O.A.
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering

OPENING SIZE CALCULATIONS

- Standard leaf sizes are 2015x355/380/405
- Standard opening sizes are 2075mm x width to suit even number of leaves.

TO CALCULATE OPENING HEIGHT FOR MULTI-FOLD SETS	
Leaf Height	2015
Allowance for track and fittings and under door clearance	60
Total Height for Standard opening	2075
TO CALCULATE OPENING WIDTH FOR MULTI-FOLD SETS (This example uses a four door application using 405mm leaves)	
Leaf width x number of leaves (eg 405mm leaf x 4)	1620
Add 2mm between each leaf (eg 4 leaves)	6
Allow 6mm clearance at each jamb	12
Total width	1638



CHROME OR
SATIN CHROME



MATT BLACK



STAINLESS STEEL

- Knock down hinged door and jamb system
- For all door handing, determine by viewing hinge knuckle on side of door
- Standard & lift-off butt hinges are 89mm radius corners. Lift-off hinges are no extra cost.
- 2040mm high doors have 2 hinges
- 2340mm high doors have 3 hinges
- Three-knuckle half hinge fixed to jamb and two-knuckle half hinge fixed to door
- Doors supplied hinged only or hinged with face hole. Available face hole sizes 50/32/22mm
- 25mm Latch hole included with doors supplied with face hole

PREHUNG DOORS 2040MM HIGH (HINGED ONLY OR HINGED WITH FACE HOLE)

DESIGN CODE	PRIMECOAT MDF	MOULDED PANEL WOODGRAIN	MOULDED PANEL SMOOTH	ACCENT	SPM	SORRENTO	LINEAR (HLR230, 240, 270)	STRATA (HST1)	HUMECRAFT	HAMPTON (HAM1)
2040x520/620/720/770/820x35	76	120	127	121	132	230	230	102	271	402
2040x870x35	88	131	139	130	153	244	244	113	321	416
2040x920x35	108	157	171	157	169	270	270	144	377	429

PREHUNG DOORS 2340MM HIGH (HINGED ONLY OR HINGED WITH FACE HOLE)

DESIGN CODE	PRIMECOAT MDF	MOULDED PANEL SMOOTH (ASC, ALP)	ACCENT	SPM	SORRENTO	LINEAR (HLR230, 240, 270)	STRATA (HST1)	HUMECRAFT	HAMPTON (HAM1)
2340x520/620/720/770/820x35	120	240	174	206	265	265	175	329	439

PREHUNG HINGED ONLY JAMB


DESIGN CODE	Number of doors per unit	Finished size (mm) 2100h suits 2040h doors	Pine	Maple	PMDF	Finished size (mm) 2400h suits 2340h doors	Pine	Maple	PMDF
SFJ92	Single door jamb only (SFJ)	2100x92x19	73	77	65	2400x92x19	88	95	84
SFJ98		2100x98x19	87	89	69	2400x98x19	100	103	85
SFJ112		2100x112x19	92	95	73	2400x112x19	103	107	92
SFJ116		2100x116x19	101	105	92	2400x116x19	118	127	105
DFJ92	Two door jamb set (DFJ)	2100x92x19	96	101	75	2400x92x19	117	132	96
DFJ98		2100x98x19	113	117	77	2400x98x19	130	133	99
DFJ112		2100x112x19	116	119	85	2400x112x19	136	145	107
DFJ116		2100x116x19	124	130	124	2400x116x19	148	158	120
TFJ92A	Three door jamb set (TFJ)	2100x92x19	211	226	197	2400x92x19	238	307	224
TFJ112A		2100x112x19	234	242	227	2400x112x19	284	311	266
TFJ116A		2100x116x19	249	257	241	2400x116x19	289	333	278
TFJ92B		2100x92x19	211	226	197	2400x92x19	238	307	224
TFJ112B		2100x112x19	234	242	227	2400x112x19	284	311	266
TFJ116B		2100x116x19	249	257	241	2400x116x19	289	333	278
FFJ92	Four door jamb set (FFJ)	2100x92x19	209	230	194	2400x92x19	250	299	241
FFJ112		2100x112x19	224	246	222	2400x112x19	284	317	272
FFJ116		2100x116x19	241	260	238	2400x116x19	296	338	281

Additional Extras		
Drive in latch fitted door	Additional \$11	per door
Striker fitted to jamb	Additional \$4	per jamb
Stainless Steel hinges options	Additional \$10	per hinge
Black hinge option	Additional \$10	per hinge

- Latch/Striker sold as combination
- Any unlisted option or special size door P.O.A.
- For additional extras refer to page 57
- Doors and Jamb sold separately. We recommend buying doors and Prehung jamb together
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering




Scan QR-code for PRE-hung installation video



- Door & Prehung Jamb should be ordered together for system operational purposes.

HOW TO IDENTIFY HANDING?



Single Door Jamb Set



Suits door size (mm):

- 2040x520/620/720/770/820/870x35
- 2340x520/620/720/770/820/870x35
- 2 x stiles
- 1 x head


Double Door Jamb Set



Suits door size (mm):

- 2040x1040/1240/1440/1540/1640x35
- 2340x1040/1240/1440/1540/1640x35
- 2 x stiles, 1 x head

Three Door Jamb Set



Suits door size (mm):

- 2040x1560/1860/2160/2310/2460x35
- 2340x1560/1860/2160/2310/2460x35
- 2 x stiles
- 2 x heads (900/2100mm lengths)
- 1 x mullion (68/38mm)

Four Door Jamb Set



Suits door size (mm):

- 2040x2080/2480/2880/3080/3280x35
- 2340x2080/2480/2880/3080/3280x35
- 2 x stiles
- 2 x head (2 x 2100mm lengths)
- 1 x mullion 68/38mm



COMMERCIAL COMMERCIAL PRODUCTS

■ At Hume Doors & Timber we manufacture doors for a multitude of applications.



COMMERCIAL DOORS

Door Sizes	Up to 4200mm high and 2400mm wide. Door faces may have joins.
Door Thickness	35/37/40/45/50mm Thick doors. Check locally for thicker doors.
Face Options	Primed MDF, Raw MDF, Tempered Hardboard (Fire Doors only) or DuraXP, SPM, Tasmanian Oak, Merbau, Ash, Pine and Cedar. Additionally we can source special veneers upon request.
Door Cores	Hi Density Honeycomb Paper Core, Polystyrene Core, Particle Board Core, Pine Blockboard Core.
Glass Openings	Custom size vision panels including 600mm diameter porthole.
Glazing	Full glazing options available including annealed, toughened and laminated glass, decorative patterns, vision privacy, noise control and security laminate. Additionally we can source special glass upon request.

■ For all above information check your state for availability



METAL CLAD DOORS

Zinc	Standard 0.9mm thick zinc. Other sizes and options available (Single side cladding voids warranty).
Colorbond	Special sizes and colour options available.

■ For all above information check your state for availability



AIR GRILLS

Fire Rated	Standard sizes - 150/200/450/600x600.
Non Fire Rated	Made to order sizes also available.

■ For all above information check your state for availability



VISION PANEL

Fire Rated	Sizes to suit fire rated doors - 600x100, 300x200, 450x120.
Non Fire Rated	Made to order sizes available

■ For all above information check your state for availability



ALUMINIUM T-BARS

Fire Rated	Fire rated T-Bars available.
Non Fire Rated	Aluminium T-Bars 1.8mm thick with rubber seal.

■ For all above information check your state for availability



COMMERCIAL FIRE DOORS

- Match Fire Door with fire rated Steel Door Frame
- Hume fire rated doors are tested and approved in accordance with Australian Standard AS 1905.1 by the CSIRO
- Fire doors are supplied with metal reinforcing plates as standard with provisions for 3 hinges, an automatic closer and a lock
- Fire door core material is made from a monolithic vermiculite
- Fire doors are available with vision panels
- Pairs of doors must be 45mm thick and must be ordered as pairs
- For pairs of doors we offer:
 - Aluminium T-Bar meeting stiles
 - Aluminium bullnose meeting stiles
 - 2 way swing doors (double action)
- Refer to our approved hardware list before installation.
- For letter of compliance and tags to suit doors contact your Hume State Office



FIRE DOORS

- 1 Hour
- 2 Hour
- 3 Hour
- 4 Hour



ROBAX VISION PANEL

- 600x100
- 300x200
- 450x120

MINI FIRE DOORS - NOMINAL 35MM THICK

DESIGN CODE	Standard Sizes (mm)			Special Sizes (mm) up to				
	2040x820	2040x870	2040x920	2050x820	2100x920	2100x1200	2400x920	2400x1200
1 HOUR (MDF 37MM)	367	439	467	428	502	611	622	665
1 HOUR (PLY 36MM)	411	483	522	473	556	665	644	734
1 HOUR (THB 35MM)	433	505	544	495	577	700	665	755
2 HOURS (PLY 36MM)	456	528	567	516	599	721	754	810
2 HOURS (THB 35MM)	442	515	556	503	589	707	743	797

- THB is Tempered Hardboard

MAXI FIRE DOORS - NOMINAL 45MM THICK

DESIGN CODE	Standard Sizes (mm)			Special Sizes (mm) up to				
	2040x820	2040x870	2040x920	2050x820	2100x920	2100x1200	2400x920	2400x1200
1 HOUR (MDF 47MM)	399	466	488	467	523	622	644	711
1 HOUR (PLY 46MM)	444	511	533	512	577	688	665	761
1 HOUR (THB 45MM)	467	533	555	533	611	711	688	777
2 HOURS (PLY 46MM)	488	555	577	556	622	734	777	831
2 HOURS (THB 45MM)	476	542	564	542	608	720	764	820
3 HOURS (TREATED PLY 45MM)	512	589	601		644	742	734	853
4 HOURS (TREATED PLY 45MM)	533	622	633		677	776	766	886

- THB is Tempered Hardboard


Additional Extras		
Robax Vision Panels	600x100, 300x200 or 450x120	P.O.A.
T-bar including intumescent seal	Pairs 2100mm long	Additional \$257
T-bar including intumescent seal	Pairs 2400mm long	Additional \$322
Fire Door Tags		\$11 Per door
Letter of compliance		P.O.A.
Metal Clad and Capping		P.O.A.

- Cancellations or alterations for made to order doors will only be accepted on the day of ordering




Tel: 0288074717, www.sparkbusinessgroup.com.au, Email enquiry@sparkbusinessgroup.com.au


STEEL FRAME STANDARD HINGE AND LOCK POSITIONS (NON RATED FRAMES)




DOOR HANDINGS



STEEL FRAME PROFILE



PROFILE DETAILS



- Includes 3 hinges (Required to meet door guarantee for solid doors)
- Hinges screw fixed to frame to allow removal if required for easy door hanging
- Zinc finish, ready for priming or painting




NON FIRE RATED KNOCK DOWN STEEL FRAME

DESIGN CODE	Single Door Frame Size (mm)				Double Door Frame Size (mm)		
	2065x724	2065x824	2065x874	2065x924	2065x1246	2065x1446	2065x1646
N86	168	168	168	168	196	196	196
N93	145	145	145	145	161	161	161
N102	160	160	160	160	178	178	178
N114	152	152	152	152	165	165	165
N145	189	189	189	189	212	212	212
N193	212	212	212	212	289	289	289
NM114	222	222	222	222	292	292	292
NM145	245	245	245	245	311	311	311
NM193	322	322	322	322	389	389	389

- N = to suit 35mm non fire rated door
- NM = to suit 40mm non fire rated door
- Throat size is denoted by the number in the product code. For example N114 = 114mm throat size
- SPECIAL NOTE: N114x824, N114x924 frames supplied with stud clips, brick ties and retail packaging

ADDITIONAL EXTRAS



FIRE RATED KNOCK DOWN STEEL FRAME

DESIGN CODE	Single Door Frame Size (mm)			Double Door Frame Size (mm)		
	2055x824	2055x874	2055x924	2055x1246	2055x1446	2055x1646
F114	200	200	200			
F145	216	216	216			
F193	278	278	278			
FM114	280	280	280	355	355	355
FM145	300	300	300	377	377	377
FM193	389	389	389	454	454	454

- F = to suit 35-37mm fire rated door
- FM = to suit 45-47mm fire rated door
- Throat size is denoted by the number in the product code. For example FM114 = 114mm throat size
- All fire rated frames supplied in Victoria are assembled only (P.O.A.)
- SPECIAL NOTE: Fire rated steel frames supplied with brick ties only as standard

Additional Extras

Stud clips	Additional \$25	per set
Tube and strap fixings	Additional \$74	per frame
Dimple fixing	Additional \$40	per frame
Retail Packaging	Additional \$37	per frame
Assembled frames	P.O.A.	
Special sizes and profiles	P.O.A.	

- Contact your local Hume state office for custom orders
- Steel door frame warranty refer to page 62
- Cancellations or alterations for made to order doors will only be accepted on the day of ordering



ADDITIONAL EXTRAS

Additional Extras		Additional Extras	
Extra Lock Block for Honeycomb Flush doors	27	Cut down Blockboard STPC per cut	51
50mm Frame(stiles & rails) in a 35mm door	72	Stable door conversion	147
50mm Frame(stiles & rails) in a 40mm door	81	15 x 5mm Grooved Bottom Rail	28
90mm Frame(stiles & rails) in a 35mm door	104	35 x 15mm Grooved Bottom Rail including 50mm Solid Rail	138
90mm Frame(stiles & rails) in a 40mm door	121	20 x 10mm Grooved Bottom Rail for Barn Door Sliding System	61
50/90mm Solid Rail 35mm in a door	27	Bi-fold Track & Fittings Standard	70
50/90mm Solid Rail 40mm in a door	32	Bi-fold Track & Fittings Heavy Duty	121
50/90mm Solid Stile 35mm in a door	55	Face of Wall Slider (Timber Pelmet) excludes Closing Jamb (not available in Victoria)	223
50/90mm Solid Stile 40mm in a door	60	Drill Face Hole/Latch Hole for Honeycomb door (not available in Victoria).	8
Glass opening includes glazing beads for Honeycomb core door	143	Evolution Cavity Fittings Pack (2 wheel carriages/wheel assemblies, guides)	39
Glass opening includes glazing beads for Solid core door	159	Evolution Cavity Track - up to 870 door	41
Vent opening Honeycomb core or Solid core door	88	Evolution Cavity Track - up to 1200 door	58
Rebating a pair of doors	62	Evolution Cavity U-Track Stop for double Cavity Unit	26
Astragal Joining a pair of doors	P.O.A.	Timber Pelmet to suit double Cavity Unit	P.O.A.
Aluminium T-Bar 2400mm high 1.8mm thick including seals	62	Rout provision for mortice lock	178
Mushroom Stop 2100mm length (Pine/Meranti)	41	Extended striker plate. Supplied separately	51
Mushroom Stop 2400mm length (Pine/Meranti)	48	Rout out for hinges on 2040/2340mm entry door (no hinges)	44



DOOR MASS

DOOR MASS FOR 2040X820X35/40/45	KILOGRAMS
Hollowcore Honeycomb	14
Solicore Particleboard	45
Solid Timber Pine Core (Blockboard STPC)	35
Firedoor	40
Moulded Panel / Strata	15
Sorrento / Commercial Primecoat	18
Hampton	20
Joinery / Savoy	30
Newington / Vaucluse / Verve	40


DOOR MASS FOR 2040X1200X35/40/45	KILOGRAMS
Hollowcore Honeycomb	18
Solicore Particleboard	63
Solid Timber Pine Core (Blockboard STPC)	56
Sorrento / Commercial Primecoat	30
Savoy 2340x1200x40	48
Newington / Vaucluse / Verve	58
■ Measurements are a guide ONLY, mass may vary	



REBATE HANDING


STANDARD REBATE

Right hand door opens away first
(Opens Clockwise)



REVERSE REBATE

Left hand door opens away first
(Opens Anti-clockwise)



		FROST COLOURED DESIGN					GLASS OPTIONS					
												

- Square (■) denotes the glass available for this door or sidelight.
- Clear glass available for ALL doors and sidelites.
- Availability varies for each state.

ENTRANCE

Door Range	Design Code	Frosted Black Orchid	Frosted Rose Bud	Frosted Kookaburra Jewel	Kookaburra Green Leaves (Cathedral)	Wysteria (Cathedral)	Africana	Rice Paper	Translucent or Frost	Cathedral	Slumped	
Savoy1200	XS24, XS26, XS28, XS45						■	■	■	■		
Verve	VER1, VER4, VER6, VER11							■	■	■		
Linear (Entrance)	XLR120, XLR160						■		■	■		
Illusion	XIL1, XIL6						■		■			
	XIL21, XIL26						■		■			
Newington	XN6, XN12						■		■	■	■	
	XN1, XN2, XN9, XN5, XN11, XN14, XN16						■	■	■	■	■	
	XN7						■	■	■	■	■	
Nexus	NEX30, NEX40						■	■	■	■	■	
	NEX35, NEX36, NEX38						■	■	■	■		
Savoy 820	XS3, XS4	■	■	■	■	■	■	■	■	■		
	XS11						■	■	■	■	■	
	XS24, XS26, XS28, XS45						■	■	■	■		
Joinery	JST1, JST2, JST11, JST12, JST4, JST5, JST6, JST10						■	■	■	■		
Regency	XR5, XR6			■	■		■	■	■			
Vaucluse Premier	XVP12, XVP13	■	■	■	■	■	■	■	■	■		
	XVP22						■		■	■		
Carringbush	XCB1, XCB2					■			■			
Glass Opening	XF1, XF3, XF8						■	■	■	■		

INTERNAL

Joinery/ Lincoln	LIN1, LIN10						■	■	■	■		
	SAV3	■	■	■	■		■	■	■	■		
Humecraft	BF30	■	■	■	■	■	■	■	■	■		
	BF35								■	■		
	HMC11						■	■	■			
Moulded Panel	OAK-G, BF19, ASC-G, BF28	■		■	■		■	■	■	■		
Linear (Internal)	HLR210								■			

- Glass colours are as accurate as modern photographic and printing processes allow.
- Glass images are not to scale.
- Factory glazed doors comply with glazing standards AS 1288-2006




SPARK
SPARKBUSINESSGROUP.COM.AU
GROUP



TIMBER FIBRE-CEMENT PRODUCTS



FOR MORE INFORMATION VISIT WWW.HUMEDOORS.COM.AU/FIBRE-CEMENT

PRODUCT RANGE	Profile	Applications	Standard Width (mm)	Standard Length (mm)
4.5MM PRIMA FLEX	Arrised Edge on all 4 sides 	Suitable for gable end cladding and eaves, carport and verandah linings	450/600 900 1200	2400 1800,2400,2700,3000 1800,2100,2400,2700,3000
6.0MM PRIMA FLEX	Arrised Edge on all 4 sides 	Multi-purpose building boards for external cladding and heavy-duty eaves and ceiling linings.	900 1200	1800,2400,2700,3000 1800,2400,2700,3000
7.5MM PRIMA PLANK	Square Edge 	Siding board that comes with a choice of smooth and traditional woodgrain finish.	230 300	4200 4200
7.5MM PRIMA BASE	Square rebate on 2 long sides and 1 edge 	Premium substrate for external texture coating system.	900 1200	2400,2725,3000 2400,2725,3000
6.0MM PRIMA AQUA	Square rebate on 2 long sides and sanded 	Water resistant internal linings and eaves lining board for perfect seamless and flush finish.	900 1200 1350	2400,3000,3600 1800,2400,2700,3000,3600,4200 2400,3000,3600
6.0MM PRIMA LATTICE	Arrised Edge on all 4 sides 	For use on gable ends, screens, pergolas and fences. Available in both square and diamond pattern.	900 1200	1800,2400,3000 1800,2400,3000
6.0MM PRIMA CERAMIC TILE UNDERLAY	Square Edge 	Underlay sheet with preprinted (optional) fixing points.	900 1200	1800 1800

■ Check with your nearest PRIMA stockist for availability



TIMBER

TIMBER MOULDINGS PROFILES

TO VIEW THE FULL RANGE OF AVAILABLE PROFILES VISIT WWW.HUMEDOORS.COM.AU/TIMBER



PINETRIM PLUS - PRIMED

- Clear of defects
- Great workability
- Pre-primed and ready for painting



PINETRIM^{XT} H3 L.O.S.P. PRIMED TREATED PINE

- Pest Resistant
- Rot & Fungal Resistant
- Above ground external use



MERANTI

- Natural warmth of solid timber
- Designed for staining
- Traditional and modern designs



SILKTRIM

- Highly moisture resistant medium density fibreboard (HMR MDF)
- Safe to you and the environment (low formaldehyde levels) (E0)
- Innovative priming system - using the very best formulations to provide the greatest pre finishing coat in the market





TERMS & CONDITIONS OF SALE

These are the entire Terms and Conditions of Sale of all goods merchandise and services ("the goods") supplied by HUME DOORS & TIMBER (AUST) PTY LTD ABN 39 001 472 493, HUME DOORS & TIMBER (VIC) PTY LTD ABN 87 006 329 906, HUME DOORS & TIMBER (QLD) PTY LTD ABN 25 009 994 996, HUME DOORS & TIMBER (SA) PTY LTD ABN 34 007 512 209, HUME DOORS & TIMBER (WA) PTY LTD ABN 62 009 421 56 ("Hume Doors") to any person, firm or company placing an order with Hume Doors for the purchase of any goods ("the Customer"). Except as otherwise expressly agreed upon in writing between a duly authorised officer of Hume Doors and the Customer, these Terms and Conditions shall apply notwithstanding any provisions to the contrary which may appear on any order form or other document issued by any Customer.

GENERAL

1. All orders placed with Hume Doors shall only be accepted subject to these Terms and Conditions. Hume Doors may at any time, and from time to time alter these Terms and Conditions of Sale and such altered Terms and Conditions of Sale shall apply after notification by Hume Doors to the Customer.
2. If a Customer cancels or alters any order or part order for special goods or standard goods with special materials at any time after Hume Doors has received the order then Hume Doors reserves the right to charge to the Customer the costs of any special goods or materials already acquired for the order together with the cost of any labour and tooling expended to the date of such cancellation or alterations.
3. Goods and Services Tax ("GST") Sales Tax or any other applicable tax or duty payable shall be paid by or reimbursed by the Customer to Hume Doors on demand and the Customer shall indemnify and keep indemnified Hume Doors in respect of all taxes and duties including GST arising out of any sale of goods or the subsequent use of goods after the sale to the Customer.
4. All prices shall be those referred to in Hume Doors' price lists and/or arrangements current at the date of invoice and prices shall be subject to change without notice.

TERMS OF PAYMENT

- 5a) Unless otherwise stated in writing all prices are strictly nett. The granting of credit to a Customer shall be at the absolute discretion of Hume Doors and unless otherwise demanded by Hume Doors the Customer shall make payment of all amounts payable within thirty (30) days after the end of the month in which delivery is made.
- b) Customers shall not be entitled to withhold payment of any account by reason of any account query, dispute or set off. The Customer agrees to pay Hume Doors Administration and Handling fees in respect of any copies of documents required or other processing involved in the conduct of the account and such fees will be charged to the Customer's account.
6. If the Customer fails to make payment in accordance with Clause 5, Hume Doors shall be entitled to:
- a) Require the payment of cash before delivery of any further goods and if on specials, it is cash before manufacture;
 - b) Charge an interest charge at the rate of one point five percent (1.50%) per month on a cumulative basis on all overdue amounts (including late payment charges and amounts other than the price) calculated on a day to day basis on any monies due but unpaid, such interest charge to be computed from the due date for payment AND the parties agree that such interest charge is not a penalty but is a true measure of damages incurred by Hume Doors. Payments received from the Customer will be credited first against any interest charge and all such fees shall be payable on demand;
 - c) Claim from the Customer all costs, expenses and charges incurred on any account whatsoever including but not limited to any action taken by Hume Doors to recover monies or goods due from the Customer including but not limited to any mercantile agents costs and legal costs and disbursements on a solicitor-client basis; and
 - d) Cease any further deliveries to the Customer and to terminate any agreement in relation to goods that have not been delivered.
 - e) Customers having overdue accounts will be precluded from participating in any special deals, discounts, bonus payments, redemptions, rebates and all other incentive programs until their accounts are no longer overdue.
 - f) If there shall be any breach to the terms & conditions, all monies payable by the customer to Hume Doors shall immediately become payable notwithstanding that the period for payment shall not have expired.
 - g) To secure repayment of all amounts the Customer owes to Hume Doors on any account from time to time, the Customer charges in favour of Hume Doors all of its real property from time to time, wherever located. Pursuant to this charge, the Customer confirms Hume Doors' caveatable interest and consents to Hume Doors lodging a caveat over the Customer's real property at any time. Immediately on Hume Doors' request, the Customer agrees to execute a mortgage in Hume Doors' favour over any of the real property (in registrable form for Torrens or Strata title property).

DELIVERY

7. Any date or time quoted for delivery is an estimate only and Hume Doors shall endeavour to effect delivery at the time or times required by the Customer but failure to do so shall not confer any right of cancellation or refusal of delivery on the Customer or render Hume Doors liable for any loss or damages directly or indirectly sustained by the Customer as a result thereof.
8. The Customer shall not be relieved of any obligation to accept or pay for goods by reason of any delay in delivery or any strike, lockout, unavailability of materials, accidents to machinery, differences with workmen, breakdowns, shortages of supplies or labour, fires, floods, storm or tempest, transport delays, acts of God, restrictions or intervention imposed by any laws, regulations, governments or agencies thereof and any other cause beyond the control of Hume Doors or any other cause whatsoever.
9. Hume Doors' obligation to deliver shall be discharged on arrival of the goods at the Customer's nominated delivery destination, nominated transport company, nominated agent or the address appearing on the invoice. The Customer shall unload the goods upon delivery, provided that if the Customer is unable or unwilling to accept physical delivery of the goods when the goods are ready for delivery, Hume Doors shall be entitled to charge a fee for any delay experienced or arrange for the storage of the goods at the risk and cost of the Customer including all transportation, storage and other consequential costs. Hume Doors may, at its discretion, make and invoice partial deliveries and each partial delivery shall be a separate sale pursuant to these Terms and Conditions of Sale.

INSPECTION

10. The Customer shall examine the goods immediately after delivery and Hume Doors shall not be liable for any incorrect delivery, shortage, defect or damage unless Hume Doors receives details in writing within seven (7) days of the date of delivery of the goods.

PROPERTY AND RISK

11. Notwithstanding delivery of the goods or their installation, property in any given goods shall remain with Hume Doors until the Customer has paid and discharged any and all other indebtedness to Hume Doors on any account whatsoever, including all applicable GST and other taxes, levies and duties. Any payment made by or on behalf of a Customer which is later avoided by the application of any Statutory Provision shall be deemed not to discharge the Customer's indebtedness and, in such an event the parties are to be restored to rights which each respectively would have had if the payment had not been made.
12. The risk in the goods shall pass to the Customer upon delivery to the Customer or his agent or to a transport company nominated by the Customer.
13. The Customer acknowledges that it is in possession of the goods solely as a bailee for Hume Doors until payment as defined in clause 5 has been made in full to Hume Doors and until such payment:
- a) The Customer shall be fully responsible for any loss or damage to the goods whatsoever and however caused following delivery; and
 - b) The Customer shall store the goods separately from its own goods and those of any other party and in a manner which clearly identifies the goods, whether as separate chattels or as components, as the property of Hume Doors.
 - c) The Customer shall maintain records of goods owned by Hume Doors identifying them as Hume Doors' property, of the persons to whom the goods are sold or disposed of and of the payments made by such persons for such goods. The Customer shall allow Hume Doors to inspect these records and the goods themselves on request.
14. The Customer hereby irrevocably grants to Hume Doors, its agents and servants, an unrestricted right and licence, without notice to enter premises occupied by the Customer to identify and remove any of the goods the property of Hume Doors in accordance with the Terms and Conditions of Sale without in any way being liable to the Customer or any person claiming through the customer. Hume Doors shall have the right to sell or dispose of any such goods removed or otherwise in its sole discretion and shall not be liable for any loss occasioned thereby.
15. Hume Doors licenses the Customer to install the goods. If the goods are affixed to other materials, the totality thereof shall be the sole and exclusive property of Hume Doors until payment as defined in clause 5 has been made in full to Hume Doors unless the other materials or part thereof are or is the property of a party or parties other than the Customer in which case the totality thereof shall be deemed to be owned as tenants in common with such other party or parties in shares corresponding to the respective amounts paid or payable by the Customer in respect of such other party or parties.
16. The Customer shall be at liberty to agree to sell the goods (independently or affixed to other materials) subject to the condition that until payment has been made in accordance with clause 5, the Customer shall sell as an agent and bailee for Hume Doors and that the entire proceeds from the sale thereof shall be held in a separate account on trust for Hume Doors.
17. The right to on-sell, deal or otherwise dispose of the goods in the normal course of trade may be revoked at any time by Hume Doors and shall automatically cease if a Receiver is appointed over any of the assets on the undertaking of the Customer or if a winding up order is made against the Customer or if the Customer goes into voluntary liquidation (otherwise than for the purpose of reconstruction or amalgamation) or administration or calls a meeting of, or makes any arrangement or composition with, creditors or commits any act of bankruptcy or where the Customer is in default of any of its obligations to Hume Doors.

PPSA

18. The customer shall do all such things and sign all such documents as are necessary and reasonably required to enable Hume Doors to acquire a perfected security, which is continuously perfected, in respect of its interest in all goods supplied, under the Personal Property Securities Act 2009(Cth) ("the Act").
19. The customer shall provide all such information as is required to enable Hume Doors to be in a position to register a purchase money security interest ("PMSI").
20. The customer acknowledges that a purchase money security interest is granted in favour of Hume Doors, in priority to all other creditors, in all goods that are supplied from time to time as a security for the customer's obligations to Hume Doors.
21. The customer agrees that it will indemnify Hume Doors for any liability for any costs of registration, maintenance, enforcement or discharge of security interest and such other costs and expenses as Hume Doors may incur.
22. The customer agrees to further grant a security interest in all present and after acquired goods as security for all monies now and in the future owing by the customer.
23. The customer agrees to waive or exclude such sections of the Act as Hume Doors may require, subject to those sections being capable of exclusion.
24. The customer agrees that it will not without notice, change its name or initiate any change to any registered documentation, or act in any manner which would impact on the registered security interest of Hume Doors.

WARRANTY

25. Subject to payment in full being made as defined in clause 5, Hume Doors shall use its best endeavours to pass on to the Customer the benefit of any warranties or guarantees it receives in respect of goods or parts thereof supplied to the Customer.

LIMITATION OF LIABILITY

26. These Terms and Conditions of Sale do not exclude, restrict or modify the application of any provisions of any Commonwealth, State or Territorial Law which by law cannot be excluded, restricted or modified.
27. Sale to Non-Consumers
- a) i) In the case of goods supplied by Hume Doors to a Customer who is not a "consumer" (as defined in the Trade Practices Act, 1974 as amended from time to time ("the Act")), if the goods do not correspond with the description of them on the invoice or are defective, then provided that the goods are preserved intact and made available for inspection by a representative of Hume Doors and are returned to Hume Doors in the

same order and condition as that in which they were delivered, Hume Doors shall at its option replace those goods or reimburse the Customer for the amount of the purchase price paid for them, but any claim in this respect must be made in writing within thirty (30) days of the date of delivery of those goods.

- ii) Should the Customer seek indemnity from Hume Doors in respect of any claim by a consumer on the Customer as a result of a breach of condition or warranty implied by the Act in a contract for the supply of goods by the Customer to that consumer, sub-paragraph (i) will not apply and in respect of goods that are of a kind ordinarily acquired for personal, domestic or household use or consumption ("consumer goods") Hume Doors' liability is limited to indemnifying the Customer in accordance with the Act, limited to a liability to pay to the Customer an amount equal to the cost of replacing the goods or the cost of obtaining equivalent goods or the cost of having the goods repaired, whichever is the lesser amount.
- b) Sales to Consumers: In the case of goods supplied by Hume Doors to a Customer who is a consumer, to the extent that the goods are not consumer goods, the liability of Hume Doors to the Customer for breach of any warranty or condition (other than a warranty or condition implied by section 69 of the Act) or for breach of any duty of care shall in all cases be limited, at the option of Hume Doors, to any one or more of the replacement of the goods or the supply of equivalent goods, the repair of the goods or acquiring equivalent goods or the payment of the cost of having the product repaired.
- c) Except for those conditions and warranties implied by the Act or other sale of goods or consumer protection legislation which may not be excluded, the Customer agrees that:
- i) It has not relied on any inducement, representation or statement made by or on behalf of Hume Doors in purchasing the goods and there are no implied conditions or warranties herein and no collateral contracts in connection herewith (except such as may be in writing and signed by a duly authorised representative of Hume Doors); and
- ii) This clause sets out the entire liability of Hume Doors in respect of its liability under the Act or otherwise in respect of liabilities to a consumer for a breach of a condition or warranty with respect to the sale of goods or goods. In no circumstances will Hume Doors incur any liability in respect of or arising out of or in connection with any special, consequential, direct or indirect loss, damage, harm or injury suffered or incurred by the Customer.

FORCE MAJEURE

28. Hume Doors shall not be liable for any failure or delay in supply or delivery of the goods where such failure or delay is wholly or partly due to any cause or circumstance whatsoever outside the reasonable control of Hume Doors including, but not limited to, war, strikes, lockouts, industrial disputes or unrest, government restrictions or intervention, transport delays, fire, act of God, breakdown of plant, shortage of supplies or labour, storm or tempest, theft, vandalism, riots, civil commotions or accidents of any kind.

TERMINATION

29. If the Customer fails to comply with any of these Terms and Conditions or being a natural person or persons commits any act of bankruptcy, or being a corporation passes a resolution for winding up or liquidation (other than for the purposes of reorganisation or reconstruction) or administration or enters into any composition or arrangement with creditors of if a receiver or manager or administrator or controller is appointed for any property or assets of the Customer or becomes liable to be wound up by reason of insolvency or if any petition is presented for its winding up, or if a liquidator or provisional liquidator or administrator is appointed, Hume Doors may, in addition to exercising all or any of its rights against the Customer, suspend any further deliveries and immediately recover possession of any goods not paid for in accordance with these Terms and Conditions.

RETURNS

30. Other than in respect of Hume Doors' obligations pursuant to clause 20 hereof Hume Doors shall not be liable to accept any returned goods but may in its absolute discretion accept the return of goods, provided that such goods shall only be accepted for return with the prior written approval of a duly authorised representative of Hume Doors. Goods returned for credit pursuant to this clause will be subject to a handling and administration charge equivalent to minimum of 25% of the invoiced value of the returned goods. Return freight and other expenses will be paid for by the Customer and no returns of special goods will be accepted. Any returned goods must be accompanied with the relevant invoice numbers and/or a Goods Return Authority.

GOVERNING LAW

31. The Customer agrees that these Terms and Conditions of Sale shall be construed according to the laws of the State or Territory as Hume Doors may in its sole discretion determine. Proceedings may be instituted in such State or Territory as Hume Doors may in its sole discretion determine. Failing such determination the Customer consents to any proceedings being instituted and heard by any appropriate Court sitting in the State of Queensland applying the laws of the State of Queensland.

SERVICING OF DOCUMENTS

32. The Customer agrees that service of any notices or Court documents may be effected by forwarding same by pre-paid post or facsimile to the last known address of the Customer.

STATEMENT OF DEBT

33. A certificate signed by a Director, Secretary, Financial Controller or Credit Manager of Hume Doors shall be prima facie evidence of the amount of indebtedness of the Customer to Hume Doors at that time.

PRIVACY ACT

34. Hume Doors' policy on the handling of personal information is to comply with the National Privacy Principles for the fair handling of personal information, as set out in the Privacy Act, 1988.

