

### SPARK Stack A Stone

#### Stone Age Engineering

#### About Stack-A-Stone

Our products look and feel like natural stone without the additional weight and higher installation costs. The stones we make are cast in molds made from natural stone. We offer a variety of standard colours and the option to customize to meet your taste and design needs.

Used in: Interior and exterior decoration, such as hotels, commercial, residential villas, homes, bars, shopping malls, parks, gardens, cafes, apartments, restaurants, etc.

Advantage of our Stack A Stone

Colour Stone and Design are customizable, we can make any color according your requirement.

Call us to discuss how you can add value to your project through the timeless beauty of SPARK stone aged engineering cladding.

















Web:www.sparkhomes.com.au | Email: enquiry@sparkbusinessgroup.com.au | Tel: (02) 88074717











Web:www.sparkhomes.com.au | Email: enquiry@sparkbusinessgroup.com.au | Tel: (02) 88074717














Honed Surface







#### Advantage:

- 1. Light weight with beautiful natural texture
- 2. Less cutting and waste
- 3. Easy installation
- 4. Weather Resistance
- 5. Fireproof
- 6. non-slip
- 7. Convenient to clean
- 8. Do not fade, the longer the time, the brighter the color
- 9. frost resistance,
- 10. sound insulation
- 11. eco-friendly
- 12. product can adapt to the vast majority of extreme weather 13. 100 % natural Slate
- 14. Easy to paste, effectively shorten the construction period
- 15. Light weight, greatly reduced transportation cost
- 16. The texture is real, close to the natural stone.
- 17. Changeable style, and the building is endowed with different styles
- 18. Research and development personnel can design a variety of artificial cement cultural stone wall bricks. As long as customers have ideas, we have action
- 19. German pigment, high quality guarantee.

**Technical Details:** 

NAME: Spark Stack A Stone Material: 100% Natural Slate Irregular: like natural stone

Length: 50-520 mm With: 30-200mm Thickness 30-200

Colour: Multicolour, yellow, tiger skin yellow beige, white, black, pink,

green, grey rust and any thing else can be customized.













desert yellow(GR-0101)

Taishan grey(GR-0102)

Brazil black(GR-0301) Taishan grey(GR-0302)







China Red(GR-0104)

England Brown(GR-0303)

Arizona red(GR-0304)









Midnight Black(GR-0105)

Mexico blue(GR-0305)

Oakland grey(GR-0306)









Midnight Black(GR-0201)

Taishan grey((GR-0202)

Classic Brown(GR-0204)

Classic grey(GR-0206)

Rome black(GR-0307)

Sahara yellow(GR-0308)













Impression yellow(GR-0203)





Classic coffee(GR-0205)

Arizona red(GR-0405)


Sahara yellow(GR-0406)



























### Available in a range of different styles and colours, SPARK Stack A Stone products are well suited to residential and commercial applications. With a nationwide network

- 1.SPARK Stack A Stone veneers can be bonded onto most materials that act as a solid backing, e.g. fibre cement sheet, concrete block, concrete, bricks & various lightweight concretes.
- 2. For residential and commercial cladding we recommend using an experienced installer. For other applications such as garden walls SPARK Stack A Stone profiles are so simple to lay that any competent tradesman or home handyman should have no trouble.
- 3. All surfaces must be clean and dry. Any paint must be removed and walls cleaned back to the base material. Concrete surfaces should be scabbled to provide a rough surface for the Sparkbond to adhere to.
- 4. All masonry and fibre cement surfaces must be sealed with SPARK Stack A Stone Sealer which is a specially formulated proprietry product only available from SPARK Stack A Stone NZ. Always follow the manufacturer's instructions.
- 5.To bond to the substrate the only suitable product is Sparkbond mortar adhesive which is a specially formulated proprietary product only available from SPARK Stack A Stone NZ. Always follow the manufacturer's instructions.
- 6.To lay stones, place corner stones first (if applicable). Simply apply a light skim coat to the wall using a notch-trowel, then butter the back of the stone and press firmly onto the wall.
- 7.SPARK Stack A Stone can be cut with any diamond masonry blade attached to a drill, skill saw, angle grinder, bench saw, etc. Please observe safe operating procedures.
- 8.Once corner stones are in place, fill the spaces in between with flat stones. It may be helpful to mark the wall with a chalk line to help with straight and level placement of the stones. Avoid getting adhesive onto the surface of the stones.
- 9. Where stone crosses a control joint, mortar should be applied to the longest side of the stone only and mortar should not cross the join in the substrate.
- 10.All stone must be sealed using SPARK Stack A Stone Sealer. This is the only suitable sealer and is a proprietary product only available from SPARK Stack A Stone NZ.
- 11. Once finished, clean up and admire your work.









#### **Technical Details:**

NAME: Spark Stack A Stone Material: 100% Natural Slate Irregular: like natural stone

Length: 50\*520 mm With: 30\*200mm Thickness: 30:200

Colour: Multicolour, yellow, tiger skin yellow beige, white, black, pink, green, grey rust and any thing else can be

customized.

Available in a range of different styles and colours, SPARK Stack A Stone products are well suited to residential and commercial applications. With a nationwide network

## Packing and delivery





